CANNONDALE
MID-SEASON BICYCLES

THE 1994 VOLVO/CANNONDALE MOUNTAIN BIKE RACING TEAM



alison sydor (cross-country) marc gullickson (cross-country) myles rockwell (downhill)




Super V's lightweight swingarm features super-rigid, box-section construction to prevent side-to-side flex.

SUPER V 900

Super V™ full suspension frame with Fox air/oil rear shock ■ Headshok™-DD2 elastomer suspension fork with on-the-fly lockout ■ Grip Shift SRT-500 shifters and Shimano LX rear derailleur ■ onZa H.O. clipless pedals ■ CODA Performance handlebar with Control Tech Lite II bar ends ■ ***Color (code):*** Viper Red front, Rocket Silver swingarm (VRS)

cannondale HEADSHOK




Headshok-RDC: The world's only on-the-fly damping adjustment.

FORK GUIDE

	Model
Headshok-RDC Air/oil with remote damping lever on handlebar. Lightweight Pepperoni™ blades. Two inches of travel.	Delta V 1000
Headshok-DD2 Oil-dampened elastomer shock with lockout switch on top of stem. New wishbone style aluminum blades. Two inches of travel.	Super V 900, Delta V 700
Headshok-EDM Elastomer shock absorber with adjustable preload. Lightweight Pepperoni blades. Two inches of travel.	F600, F500
Headshok-SR Oil-damped elastomer shock with lockout switch on top of stem. Sub One™ aluminum blades. One inch of travel.	SR3000

Patent Pending




Swaged downtube puts a butted, large diameter profile at the bottom bracket to minimize flex.



*Patent #5,201,537


DELTA V 1000

New featherweight Delta V™ 2.8 Series™ frame* ■ Headshok-RDC air/oil suspension fork with on-the-bar damping control ■ Grip Shift SRT-500 shifters and Shimano XT rear derailleur ■ CODA Superlight sealed bearing front hub and new CODA brakes ■ onZa H.O. clipless pedals ■ New Sun CR-17A rims with titanium finish ■ ***Colors (codes):*** Electric Red to Rocket Silver fade (RSE), Polished aluminum (POL)



franck roman 1994 VOLVO/CANNONDALE MOUNTAIN BIKE TEAM

cannondale HEADSHOK




The Headshok-DD2 features an oil-damped, elastomer shock system with two inches of travel, and an on-the-fly lock-out switch.



DELTA V 700 **New featherweight Delta V™ 2.8 Series™ frame** ■ Headshok™-DD2 elastomer suspension fork with on-the-fly lockout ■ CODA 500M compact crank and new CODA brakes ■ Grip Shift SRT-500 shifters and Shimano XT rear derailleur ■ onZa H.O. clipless pedals ■ CODA Performance handlebar with Control Tech Lite II bar ends ■ ***Color (code):*** Diamond Black Metallic (EBO)






Wishbone seatstays are lighter and stiffer. (And they look cool.)

F600 **New 3.0 Series™ aluminum front suspension frame** ■ Headshok-EDM elastomer suspension fork with on-the-fly lockout ■ Grip Shift SRT-500 shifters and Shimano LX rear derailleur ■ New Sun TL-18 rims with titanium finish ■ ***Color (code):*** Iceland Green w/green pearl Hyper-Highlight (GPH)




F500 **New 3.0 Series aluminum front suspension frame** ■ Headshok-EDM elastomer suspension fork ■ CODA/986 brakeset, CODA Performance handlebar ■ Grip Shift SRT-500 shifters and Shimano STX rear derailleur ■ New Sun TL-18 rims with titanium finish ■ ***Color (code):*** Diamond Black Metallic to Rocket Silver fade (RSE)

cannondale HEADSHOK




Headshok's telescoping head tube combines with super stiff fork blades, eliminating the handling problems that plague forks with telescoping blades.





F400 **New 3.0 Series™ aluminum front suspension frame** ■ Rock Shox Quadra 10 elastomer suspension fork ■ CODA/986 brakeset, CODA Performance handlebar ■ Grip Shift SRT-500 shifters and Shimano STX rear derailleur ■ New Sun TL-18 rims with titanium finish ■ ***Color (code):*** Evergreen Frost (EGF), Deep Indigo to Wild Orchid (IWO)




(LEFT TO RIGHT)

TOM SCHULER (BUSINESS MANAGER)
ALISON SYDOR (CROSS-COUNTRY)
TINKER JUAREZ (CROSS-COUNTRY)
JENNIFER PROSSER (TEAM MANAGER)
MISSY GIOVE (DOWNHILL)
MYLES ROCKWELL (DOWNHILL)
STEVE "GRAVY" GRAVENITES (TEAM MECHANIC)
MARC GULLICKSON (CROSS-COUNTRY)
FRANCK ROMAN (DOWNHILL)
SARA ELLIS (CROSS-COUNTRY)



M300 MIXTE **New Mixte-style 3.8 Series™ aluminum frame** ■ Sun L21 rims and stainless steel spokes ■ Shimano Altus C50, with 6-speed Hyperglide rear cogs ■ IRC Piranhapro tires ■ ***Color (code):*** Cayman Teal to Navajo Turquoise (CNT)








MT1000 **Los Dos™ 6061-T6 aluminum mountain tandem frame** ■ New Sun RTR tandem rims ■ Grip Shift SRT-500 shifters and Shimano LX rear derailleur ■ Shimano XT hubset ■ New CODA brakes with Force 40 Plus™ cable routing ■ Adjustable chrome-moly stoker stem ■ ***Color (code):*** Iceland Green to Wild Orchid fade (WDG)





Sub One™ fork blades are light weight and provide precise handling.

SR3000 **2.8 Series™ front suspension Silk Road™ frame** ■ Headshok™-SR elastomer suspension fork with on-the-fly lockout ■ Shimano DuraAce STI 8-speed group ■ Mavic Open 4 rims and Continental Grand Prix foldable tires ■ American Classic seatpost and Selle Italia Flite saddle ■ Scott Drop LF handlebars ■ ***Color (code):*** Navajo Turquoise to Rocket Silver fade w/green pearl hyper highlight (RSN)



The Headshok-SR combines a plush inch of elastomer-damped travel with a lock-out switch for sprints and climbs.




tinker juarez 1994 VOLVO/CANNONDALE MOUNTAIN BIKE TEAM



CODA/Spinergy carbon fiber wheels offer incredibly light weight and comfort-enhancing shock absorption.



R900 **2.8 Series road racing frame** ■ Kestrel-EMS carbon road racing fork ■ CODA/Spinergy™ aero wheelset ■ Shimano Ultegra STI 8-speed group ■ Profile Hammer drop bars with Barthotics ■ ***Color (code):*** Lightning White (WHI)



alison sydor
1994 VOLVO/CANNONDALE MOUNTAIN BIKE TEAM



The R800 features 650c wheels, a shorter top tube, slightly steeper seat angle, down-sized components and an expanded offering of smaller sizes.

R800 **New compact road race frame** ■ Shimano 105 STI 8-speed group ■ Sun M14A 650c aero racing rims ■ Profile Hammer drop bars with Barthotics ■ New lightweight Look PM-236 clipless pedals ■ Continental Grand Prix foldable tires ■ ***Color (code):*** Deep Indigo w/blue pearl hyper highlight (IBP)

	SUPER V	DELTA V 2.8		3.0 FRONT SUSPENSION MOUNTAIN			MIXTE 3.8	TANDEM
	SUPER V 900	DELTA V 1000	DELTA V 700	F600	F500	F400	M300	MT1000
Frame	Super V full suspension	Delta V 2.8 Series	Delta V 2.8 Series	3.0 Front Suspension	3.0 Front Suspension	3.0 Front Suspension	Mixte Mountain	"Lots Dos" Mountain Tandem
Fork	Headshok-DD2	Headshok-RDC	Headshok-DD2	Headshok-EDM	Headshok-EDM	Rock Shox Quadra 10	TIG-welded chrome-moly	Tange Durango TIG-welded chrome-moly tandem
Rims	Sun TL18, titanium finish	Sun CR-17A, titanium finish	Sun CR-17A, titanium finish	Sun TL18, titanium finish	Sun TL18, titanium finish	Sun TUB, titanium finish	Sun L21, silver anodized	Sun RTR
Hubs	Shimano STX	Shimano LX (rear), CODA Magic (front)	Shimano LX	Shimano STX	Shimano Alivio	Shimano Alivio	Sovos, dealed mechanism	Shimano XT
Spokes	DT Swiss	DT Swiss	DT Swiss	DT Swiss	DT Swiss	DT Swiss	DT Swiss	DT Swiss
Tires	IRC Piranha Pro, Kevlar bead	IRC Piranha Pro, Kevlar bead	IRC Piranha Pro, kevlar bead	IRC Piranha Pro	IRC Piranha Pro	IRC Piranha Pro	IRC Piranha Pro	Ritchey Tom Slick, 26 x1.4"
Pedals	onZa H.O. clipless	onZa H.O. clipless	onZa H.O. clipless	Tioga Surefoot VI	Wellgo LU-924	Wellgo LU-924	Wellgo LU-924	Tioga Surefoot 31
Crank	CODA 300M, 22/52/42	CODA 500M, 22/52/42	CODA 500M, 22/52/42	CODA 300M, 22/52/42	Alivio Upgrade, 24/34/42	Alivio Upgrade, 24/34/42	Shimano Altus C-50, 28/38/48	Sugino Fuse, 28/38/48, w/58T timing
Chain	DID NS-I	DID Supershift	DID Supershift	DID NS-I	DID NS-I	DID NS-I	DID NS-I	DID NS-I
Rear Cogs	Shimano Hyperglide, Chromica finish, 11-28, 7-spd	Shimano Hyperglide, Chromica finish, 11-28, 7-spd	Shimano Hyperglide, Chromica finish, 11-28, 7-spd	Shimano Hyperglide, Chromica finish, 11-28, 7-spd	Shimano Hyperglide, Chromica finish, 11-28, 7-spd	Shimano Hyperglide, Chromica finish, 11-28, 7-spd	Shimano Hyperglide, 14-28, 6-spd	Shimano Hyperglide, Chromica finish, 13-30, 7-spd
Bottom Bracket	Shimano sealed bearing, cartridge type	Shimano sealed bearing, cartridge type	Shimano sealed bearing, cartridge type	Shimano sealed bearing, cartridge type	Shimano sealed bearing, cartridge type	Shimano sealed bearing, cartridge type	Shimano cartridge type	Shimano sealed bearing, cartridge type
Front Derailleur	Shimano STX	Shimano LX	Shimano LX	Shimano STX	Shimano Alivio	Shimano Alivio	Shimano Alivio	Shimano Altus AIO
Rear Derailleur	Shimano LX	Shimano XT	Shimano XT	Shimano LX	Shimano STX	Shimano STX	Shimano Altus C-50	Shimano STX
Shifters	Gripshift SRT-500	Gripshift SRT-500	Gripshift SRT-500	Gripshift SRT-500	Gripshift SRT-500	Gripshift SRT-500	Shimano Altus C-50 top mount w/Optical Gear Display	Gripshift SRT-500
Handlebars	CODA Performance	CODA Performance	CODA Performance	CODA Performance	High strength steel	High strength steel	High strength steel	CODA Performance
Stem	CODA Suspension Specific	CODA Suspension Specific	CODA Suspension Specific	CODA Suspension Specific	CODA Suspension Specific	TIG-welded chrome-moly	TIG-welded chrome-moly	TIG-welded chrome-moly, adjustable stoker stem
Headset	Cannondale sealed cartridge bearing	Cannondale sealed cartridge bearing	Cannondale sealed cartridge bearing	Cannondale sealed cartridge bearing	Cannondale sealed cartridge bearing	Tange Seiki ME-SI, double-sealed	Tange Seiki ME-II	Tange Seiki sealed mechanism
Brakeset	CODA/986, titanium finish w/Dia-Compe PC-5 levers	New CODA w/CODA pads and Force 40 Plus routing w/Dia-Compe PC-5 levers	New CODA w/CODA pads and Force 40 Plus routing w/Dia-Compe PC-5 levers	CODA/986, titanium finish Dia-Compe FS-E lever	Shimano Alivio Dia-Compe FS-E lever	Shimano Alivio Dia-Compe FS-E lever	Shimano Altus C-50	CODA/986, titanium finish w/Dia-Compe PC-5 levers and Force 40 Plus routing
Saddle	Vetta TT	Vetta TT, manganese rails, leather cover	Vetta TT	Vetta Lite Gel	Vetta Lite Gel	Vetta Lite Gel	Vetta Anatomic	Vetta Lite Gel
Seatpost	Kalloy SP-266	Ritchey Logic Expert	Ritchey Logic Expert	Kalloy SP-266	Polygon PM-215	Polygon PM-215	Polygon PM-215	Kalloy SP-266
Seatpost O.R.	CODA Slim-Cam	CODA Slim-Cam	CODA Slim-Cam	CODA Slim-Cam	CODA Slim-Cam	CODA Slim-Cam	Kalloy STP-VN	CODA Slim-Cam
Extras	Control Stix Lite II bar ends, pewter finish	Control Stix Lite II bar ends, pewter anodized	Control Stix Lite II bar ends, pewter anodized					
Colors (codes)	Viper Red Front, Rocket Silver swingarm (VRS)	Electric Red to Rocket Silver Fade (RSE). Polished aluminum (POL)	Diamond Black Metallic (EBO)	Iceland Green w/green pearl Hyper-Highlight (GPH)	Diamond Black Metallic to Rocket Silver fade (RSE)	Evergreen Frost (EGF), Deep Indigo to Wild Orchid (IWO)	Cayman Teal to Navajo Turquoise (CNT)	Iceland Green to Wild Orchid fade (WDG)
Sizes	17, 19, 21, (in.)	15, 17, 19, 21, (in.)	15, 17, 19, 21, (in.)	15, 17, 19, 21, (in.)	15, 17, 19, 21, (in.)	15, 17, 19, 21, (in.)	16, 19, (in.)	18/16, 20/16, 20/18, 22/18, 22/20, (in.)
Weight (lbs./kg.)	27.1 (59.75)	24.4 (53.8)	24.6 (54.25)	26.7 (58.9)	26.9 (59.3)	27 (59.5)	26.9 (59.3)	44.5 (98.1)

	2.8 SERIES RACING		
	SR3000	R900	R800
Frame	2.8 Series Road Race	2.8 Series Road Race	Compact Road Race
Fork	Headshok-SR w/on-the-fly lockout	Kestrel EMS carbon	Kinesis aluminum
Rims	Mavic Open 4 Argent	Spinergy rev-x carbon aero wheels	Sun M14A, 650c, silver anodized
Hubs	Shimano Dura Ace	Integrated in Spinergy rev-x carbon aero wheels	Shimano 105
Spokes	DT Swiss, 15-16-15 double butted	Spinergy rev-x cassette type rear	DT Swiss, double butted
Tires	Continental Grand Prix, foldable	Continental Grand Prix, foldable	Continental Grand Prix, 650c, foldable
Pedals	not included	not included	Look PM-236
Crank	CODA Magic 900R, 39/53	Shimano Ultegra 600, 39/53	Shimano 105, 42/53
Chain	Shimano Dura Ace	DID Supershift	DID Supershift
Rear Cogs	Shimano Hyperglide, 12-21, 8-spd	Shimano Hyperglide, 12-23, 8-spd	Shimano Hyperdrive-C, 11-21, 8-spd
Bottom Bracket	CODA Magic, sealed cartridge bearing	Shimano sealed bearing, cartridge type	Shimano sealed bearing, cartridge type
Front Derailleur	Shimano Dura Ace	Shimano Ultegra 600	Shimano 105
Rear Derailleur	Shimano Dura Ace	Shimano Ultegra 600	Shimano 105
Shifters	Shimano Dura Ace ST	Shimano Ultegra STI	Shimano 105 STI
Handlebars	Scott Drop LF	Profile Hammer w/Bartholics	Profile Hammer w/Bartholics
Stem	CODA Suspension Specific, TIG-welded aluminum	Control Tech Ahead, TIG-welded aluminum	TIG-welded chrome-moly
Headset	Cannondale sealed cartridge bearing	Dia-Compe Ahead, aluminum	Tange Seiki sealed mechanism
Brakeset	Shimano Dura Ace	Shimano Ultegra 600	Shimano 105
Saddle	Selle Italia Flite, titanium rails,leather cover	Vetta TT, magnesium rails, leather cover	Vetta TT Racing Wide, magnesium rails,leather cover
Seatpost	American Classic	Kalloy SP-248	Kalloy SP-248
Seatpost O.R.	Vetta cork handlebar tape	Vetta cork handlebar tape	Vetta cork handlebar tape
Extras			
Colors (codes)	Navajo Turquoise to Rocket Silver fade w/green pearl Hyper-Highlight (RSN)	Lightning White (WHI)	Deep Indigo w/blue pearl Hyper-Highlight (BIP)
Sizes	48, 50, 53, 54.5, 56, 58, 60, 63, (cm.)	48, 50, 53, 54.5, 56, 58, 60, 63, (cm.)	45, 45, 47, 49, 51, 53, 55, (cm.)
Weight (lbs./kg.)	19.2 (42.3)	19.2 (42.3)	18.4 (40.6)

SUPER V
Super V 900

Size (in./mm.)	17 (432)	19 (483)	21 (533)
Seat Tube Angle (degrees)	74.00	74.00	74.00
Head Tube Angle (degrees)	70.00	70.00	70.00
Effective Top Tube Length (in./cm.)	22.25/56.52	23.25/59.06	24.25/61.06
Seat Tube Length to Top (in./cm.)	19.40/49.28	19.40/49.28	19.40/49.28
Chainstay Length (in./cm.)	16.75/42.55	16.75/42.55	16.75/42.55
Fork Rake (in./cm.)	1.75/4.45	1.75/4.45	1.75/4.45
Bottom Bracket Height (in./cm.)	11.62/29.51	11.62/29.51	11.62/29.51
Wheelbase (in./cm.)	42.95/109.09	43.95/111.63	44.95/114.17
Trail (in./cm.)	2.87/7.29	2.87/7.29	2.87/7.29

DELTA V 2.8 AND 3.0 FRONT SUSPENSION
Delta V 1000, Delta V 700, F600, F500, F400

Size (in./mm.)	15 (381)	17 (432)	19 (483)	21 (533)
Seat Tube Angle (degrees)	73.50	73.50	73.50	73.50
Head Tube Angle (degrees)	71.00	71.00	71.00	71.00
Effective Top Tube Length (in./cm.)	21.0/53.34	22.25/56.52	23.25/59.06	24.25/61.60
Seat Tube Length to Top (in./cm.)	16.31/41.40	19.50/49.53	19.50/49.53	21.60/54.86
Chainstay Length (in./cm.)	16.75/42.55	16.75/42.55	16.75/42.55	16.75/42.55
Fork Rake (in./cm.)	1.75/4.45	1.75/4.45	1.75/4.45	1.75/4.45
Bottom Bracket Height (in./cm.)	11.62/29.51	11.62/29.51	11.62/29.51	11.62/29.51
Wheelbase (in./cm.)	40.10/101.85	42.00/106.68	43.16/109.63	44.34/112.62
Trail (in./cm.)	2.87/7.29	2.87/7.29	2.87/7.29	2.87/7.29
Ground to Top of Top Tube (in./cm.				
Delta V 1000, Delta V 700[1]	26.60/67.56	28.60/72.64	28.60/72.64	28.60/72.90
F600, F500, F400[2]	30.22/76.75	31.50/80.01	31.40/79.76	32.32/82.10

[1] *At lowest point.*
[2] *At midpoint of top tube.*

MIXTE 3.8
M300

Size (in./mm.)	16 (406)	19 (483)
Seat Tube Angle (degrees)	73.50	73.50
Head Tube Angle (degrees)	71.00	71.00
Effective Top Tube Length (in./cm.)	21.80/55.37	22.50/57.18
Seat Tube Length to Top (in./cm.)	16.70/42.42	19.60/49.78
Chainstay Length (in./cm.)	16.90/42.95	16.90/42.95
Fork Rake (in./cm.)	1.75/4.45	1.75/4.45
Bottom Bracket Height (in./cm.)	11.63/29.54	11.63/29.54
Wheelbase (in./cm.)	40.80/103.63	41.60/105.66
Trail (in./cm.)	2.62/6.68	2.62/6.68
Ground to Top of Top Tube (in./cm.)[1]	25.62/65.07	28.40/72.17

[1] *At midpoint of top tube.*

2.8 SERIES ROAD RACING AND SILK ROAD
SR3000, R900

Size (cm.)	48	50	53	54.5	56	58	60	63	66[1]
Seat Tube Angle (degrees)	73.00	73.00	73.00	74.00	73.70	73.50	73.00	73.00	73.00
Head Tube Angle (degrees)	70.50	71.50	73.00	73.00	73.00	73.00	73.00	73.50	73.50
Effective Top Tube Length (cm.)	49.78	51.56	54.10	55.58	55.88	56.21	56.72	58.72	60.96
Seat Tube Length to Top (cm.)	47.80	53.70	55.90	57.40	59.40	61.20	63.00	66.30	70.10
Chainstay Length (cm.)	40.54	40.54	40.54	40.54	40.54	40.54	40.54	40.54	40.54
Fork Rake (cm.)	5.40	5.40	4.57	3.81	3.81	3.81	3.81	3.51	3.51
Bottom Bracket Height (cm.)	27.31	27.31	27.31	27.31	27.31	27.31	27.31	27.31	27.31
Wheelbase (cm.)	96.04	97.19	97.46	98.35	98.38	98.07	98.43	99.57	102.65
Trail (cm.)	6.35	5.66	5.59	6.35	6.35	6.35	6.35	6.35	6.40
Ground to Top of Top Tube (cm.)									
SR3000	72.80	74.00	77.00	78.90	80.10	81.60	83.00	86.80	91.07


COMPACT ROAD RACING
R800

Size (cm.)	43	45	47	49	51	53	55
Seat Tube Angle (degrees)	75.00	75.00	75.00	75.00	75.00	75.00	75.00
Head Tube Angle (degrees)	73.00	73.00	73.00	73.00	73.00	73.00	73.00
Effective Top Tube Length (cm.)	48.3	48.50	49.00	49.80	50.50	52.10	54.20
Seat Tube Length to Top (cm.)	40.00	44.10	48.00	51.70	53.70	55.70	57.70
Chainstay Length (cm.)	40.50	40.50	40.50	40.50	40.50	40.50	40.50
Fork Rake (cm.)	3.50	3.50	3.50	3.50	3.50	3.50	3.50
Bottom Bracket Height (cm.)	26.00	26.00	26.00	26.00	26.00	26.00	26.00
Wheelbase (cm.)	91.20	91.80	92.30	93.10	93.90	95.50	97.70
Trail (cm.)	5.80	5.80	5.80	5.80	5.80	5.80	5.80
Ground to Top of Top Tube (cm.)	67.40	69.30	71.20	73.10	75.10	77.00	78.90

MOUNTAIN TANDEM
MT1000


Size (in./mm.)	18x16 (457x406)	20x16 (508x406)	20x18 (508x457)	22x18 (559x457)	22x20 (559x508)
Front Seat Tube Angle (degrees)	75.30	74.10	74.10	72.00	72.00
Rear Seat Tube Angle (degrees0	75.30	74.10	74.10	72.00	72.00
Head Tube Angle (degrees)	73.00	73.00	73.00	73.00	73.00
Effective Front Top Tube Length (in./cm.)	22.00/55.88	22.70/57.66	22.90/58.17	23.90/60.71	23.90/60.71
Effective Rear Top Tube Length (in./cm.)	28.00/71.12	29.00/75.70	29.00/75.70	28.00/71.12	30.00/76.20
Front Seat Tube Length to Top (in./cm.)	18.70/47.50	19.80/50.29	20.50/52.07	21.70/55.12	23.10/58.67
Rear Seat Tube Length to Top (in./cm.)	16.80/42.67	16.40/41.66	18.90/48.01	18.60/47.24	20.60/52.32
Actual Front Top Tube Length (in./cm.)	21.60/54.86	22.10/56.15	22.50/57.15	23.20/58.93	23.40/59.44
Actual Rear Top Tube Length (in./cm.)	27.50/69.85	27.30/69.34	28.60/72.64	28.10/71.37	29.40/74.68
Top Tube @ degree	+4.50	+6.50	+3.50	+6.50	+4.10
Chainstay Length (in./cm.)	17.00/43.18	17.00/43.18	17.00/43.18	17.00/43.18	17.00/43.18
Fork Rake (in./cm.)	2.10/5.33	2.10/5.33	2.10/5.33	2.10/5.33	2.10/5.33
Front Bottom Bracket Height (in./cm.)	11.50/29.21	11.50/29.21	11.50/29.21	11.50/29.21	11.50/29.21
Rear Bottom Bracket Height (in./cm.)	11.75/29.85	11.75/29.85	11.75/29.85	11.75/29.85	11.75/29.85
Wheelbase (in./cm.)	69.56/176.68	69.89/177.52	71.06/180.49	71.24/180.95	72.26/185.54
Trail (in./cm.)	1.78/4.52	1.78/4.52	1.78/4.52	1.78/4.52	1.78/4.52
Ground to Top of Front Top Tube (in./cm.)[1]	29.82/75.74	30.72/78.05	31.35/79.58	32.81/83.34	33.26/84.48
Ground to Top of Rear Top Tube (in./cm.)[1]	27.95/70.94	27.94/70.97	29.77/75.62	29.92/75.97	31.38/79.71

[1] *At midpoint of top tube.*









V 4000 **Currently in development, our radical V4000 features cantilevered front and rear wheels with four inches of travel, "one-wrench" assembly, and a projected weight of approximately 20 lbs. Look for additional information later this year.**

For additional information, the location of your nearest Authorized Cannondale Retailer, or customer service, contact:

In the U.S. & Canada: Cannondale Corporation, Friendship Road, RD #7, Bedford, PA 15522. (In the U.S. 1-800-BIKE-USA. In Pennsylvania and outside the U.S. 1-814-623-2626.)

In Europe: Cannondale Europe B.V., Postbus 5100, Hanzepoort 27, 7570 GC Oldenzaal, Netherlands, 011-31-5410-89898.

In Japan: Cannondale Japan, 59-1 Hara Machi, Kawachinagano Shi Osaka Fu, 586 Japan, 011-81-721-56-5770.

AUTHORIZED INTERNATIONAL DISTRIBUTORS

ARGENTINA: Argold S.A., M.T. De Alvear 636, Piso 10, 1058 Buenos Aires, Argentina, 5413138597 ◆ AUSTRALIA: 2Wheel Imports, Unit 3, 77 Bassett Street, Mona Vale N.S.W. 2103, Australia, 6129795851 ◆ BARBADOS: Da Costas Ltd, Carlisle House, Bridgetown, Barbados, 8094260850 ◆ BERMUDA: The New Winners Edge, 34 Church Street, Hamilton HN11, Bermuda, 8092956012 ◆ BOLIVIA: VisalImport & Export C. Ballivian/Potosi, "Edif. Salvatierra" 1er Piso, Casilla 561, Santa Cruz, Bolivia, 5913347145 ◆ BRAZIL: CR Industria e Comercio Ltda, Rua Dos Inocentes, 300 CEP 04764-050, Sao Paulo, Brazil, 55115481263 ◆ BRUNEI: Qawi Enterprise, #12 Bangunan Menglait II, Km. 3, Jalan Gadong, Darussalam 3180, 6732448390 ◆ CHILE: Obermaier Cycles, Avenida Las Condes, 12270 #101, Santiago, Chile, 56262153470 ◆ COLOMBIA: Sport & Bike, CRA 46 #16 Sur 36, El Poblado, Medellin, Colombia, 5742682321 ◆ COSTA RICA: Xcesso S.A., PO Box 758, San Pedro 2050, 50628513 ◆ GUAM: Hornet Bicycles, P.O. Box 8294, Tamuning, Guam 96911, 6718489191 ◆ GUATEMALA: Global International Traders, 5205 NW 74th Avenue, Miami, FL 33166, USA, 3054775151 ◆ HONG KONG: Flying Ball Bicycle, 201 Tung Choi Street, Kowloon, Hong Kong, 8523813661 ◆ ISRAEL: Velodrome Ltd., 175 Evan Grirol St., Tel Aviv 62498, 97236041686 ◆ KOREA: Shin Han Int'l, Top Star B/D, Room 202, 868-21, Pangbae-Dong, Seochu-Ku, Seoul, 8225944182 ◆ MEXICO: Viansi Triathlon Boutique, Av. Revolucion No. 779, Col. Mixcoac CP 03700, 5256118550 ◆ NEW CALEDONIA: Royal Motors, P.O. Box 2548, Noumea, 687285912 ◆ NEW ZEALAND: Greystock Trading Ltd., P.O. Box 11-401, Ellerslie, Auckland 5, 6495252002 ◆ PANAMA: Comercial Rali, S.A., P.O. Box 87-0852, Panama 7, 507613755 ◆ PERU: Barron Ajustadores, Chinchón 874-Piso 3-EyG, San Isidro, Peru, 422422 ◆ PUERTO RICO: Seamount Corp., Parana 1721, Rio Piedras Heights, Rio Piedras, 8097634369 ◆ SINGAPORE/MALAYSIA: Kiat's Marketing, 434 River Valley Road, Singapore 1024, 657373619 ◆ SOUTH AFRICA: Cape Cycles Systems Pty Ltd., 10 Argo Road, Wetton 7780, Capetown, 2727613528 ◆ THAILAND: Marketing Plus, 611 272 276 Soi Rajuthit 2, Charonekrung Rd, Bangklo, Bangkorleam 10120, 6622921565 ◆ VENEZUELA: Bici Bike, Centro Commercial, Ibarra, PB Calle Garcilazo, Colinas De Bello Monte, Caracas, 1041, 5827511042 ◆

Authorized International Distributor list subject to change without notice.

2.8 Series, 3.0 Series, 3.8 Series, CODA, CODA Magic, Delta V, Force 40 Plus, Headshok, Los Dos, Silk Road, Slim-Cam and Super V are all trademarks of the Cannondale Corp. Volvo is a registered trademark of AB Volvo and is used with their permission.

All components and specifications are subject to change without notice.
© 1994 Cannondale Corporation, 9 Brookside Place, P.O. Box 122, Georgetown, CT 06829-0122

cannondale
HANDMADE IN USA