


2005 CANNONDALE BICYCLE CORPORATION

Cedric Gracia, Siemens Mobile Cannondale Team, finishes second in DH Race of World Cup, Round 3, Fort William, Scotland.
Patrick Kulpinski

PRECISION



PRECISION INNOVATION



HANDS-ON CRAFTSMANSHIP



PERFORMANCE TESTING

Damiano Cunego, Saeco/Cannondale Team, celebrates his Stage 2 win en route to this year's Giro d'Italia victory.
©Graham Watson

PASSION



FEEL OF THE RIDE



ATHLETES & TEAMS



CYCLING PASSION

OUR PASSION, YOUR RIDE...FEEL IT



FREERIDE [4]
(Gemini DH, Gemini, Chase)

Full suspension and hardtail bikes built for dirt jumping and urban free-riding



HEADSHOK FORKS [12]
(Lefty Max, Lefty Speed, Lefty 110, Fatty)

Lightweight, innovative and performance-proven forks



ALL-MOUNTAIN [18]
(Prophet 4X, Prophet, Jekyll)

Versatile full-suspension bikes to tackle a variety of terrains



X-C RACING [26]
(Scalpel, Hardtails)

Lightweight, agile trailblazing bikes



POLICE [35]

Bikes built for law enforcement



FÉMININE [36]
(Mountain, Road)

Mountain and road bikes built specifically for women's physiques



APPAREL & ACCESSORIES [40]
(Team, Chrono, Terrain, Footwear & Accessories)

Full range of cycling apparel and accessories to fit your cycling lifestyle



CYCLOCROSS [44]

Year-round bikes designed for the mud and winter weather of cyclocross racing



TRIATHLON [46]

(Ironman®)

Designed for the committed Ironman® competitor, but they'll give any triathlete an edge



HIGH-PERFORMANCE ROAD [48]

(Six13, CAAD8, CAAD7, CAAD5)

Amazingly fast and incredibly light bikes designed for competition



SPORT ROAD [58]

Fast and light road bikes with an emphasis on stable handling and all-day comfort



ROAD WARRIOR [60]

High-tech road bikes with flat handlebars and an eye on comfort



STREET [62]

(Fifty-Fifty, Bad Boy, Street)

The ultimate in pedal power, outfitted with an abundance of thoughtful details and accessories



TOURING [66]

Designed with racks and a long wheelbase – the perfect bike for expedition cycling



ADVENTURE [68]

Lightweight, sophisticated bikes for easy-riding fun, fitness and adventure



COMFORT [72]

(Bent, Comfort)

Plush comfort and rider-friendly ergonomics for fun, easy pavement riding



TANDEM [76]

(Mountain, Road)

Two seater bikes for fast street riding or riding on trails

FRAMESETS [79]

Framesets sold individually

SPECS, GEOMETRIES & COLORS [80]

Bike specifications, geometry charts and paint colors

GEMINI DH

Our Gemini DH continues a long racing heritage that includes five Downhill World Championships. TIG-welded from 6061-T6 aluminum, the Gemini frame features a single-pivot design for seven inches/180 mm of travel, a super-stiff Thru-12 through axle, and our Si brake link to eliminate brake jack.

Nuestra Gemini DH es la heredera de una larga tradición de victorias en competiciones que incluye cinco Campeonatos del Mundo de descenso. La Gemini se fabrica con tubos de aluminio 6061-T6 unidos mediante soldaduras TIG. Cuenta con suspensión de pivote único con 180 mm de recorrido, un eje Thru-12 ultrarígido y anclaje de freno Si para evitar la acción del freno sobre la suspensión.

ジェミニは世界選手権のダウンヒル部門で5回もの優勝を果たしています。6061のアルミニウムを手作業で溶接後T6熱処理加工したフレームを基本とするジェミニには、7インチ（180mm）のトラベル幅を誇るシングルピボット式リアショック、最強の剛性を誇るスルー12アクスル、ならびに、ブレーキのトラブルを最小限に抑えるSiフローティングブレーキリンクが搭載されています。



GEMINI BRAKE LINK.

The Gemini DH's innovative brake link keeps the suspension action supple and responsive under high-speed braking loads.

El innovador anclaje del freno de la Gemini DH mantiene activa la suspensión con independencia de la acción del freno.

ジェミニDHには、ハイスピードでの急制動にも十分、かつ俊敏なサスペンションの動きが確保できる最新のブレーキリンクが搭載されています。





• Gemini DH frame w/DH Thru-12 swingarm • Gemini rear floating brake link • ISCG Bottom Bracket • 180mm of rear wheel travel • OnePointFive head tube • Manitou Dorado DH fork w/180 mm travel • Manitou Evolver 6-Way Air rear shock • Magura Gustav M disc brakes • S, M, L • Siemens Team Replica (gloss) (REP); Mocha Brown w/Saffron Metallic swingarm (matte) (BRN), available with or without Gemini Girls decal





GEMINI DH

GEMINI

Our Gemini freeride models are built for strength, with a reinforced twin-triangle main frame featuring a full-length seat tube. The ISCG-compatible Gemini frame is handcrafted from 6061-T6 aluminum, boasts a flex-resistant 80 mm wide pivot, and delivers either 150-170 mm or 180 mm of rear travel.

Nuestros modelos Gemini han sido fabricados y diseñados para lograr la máxima fortaleza, con un triángulo principal delta y un tubo vertical ininterrumpido. La Gemini es compatible con el sistema ISCG y se fabrica con aluminio 6061-T6. Tiene un pivote de 80 mm prácticamente indeformable que permite un recorrido de 150-170 mm ó 180 mm.

フリーライドモデルのジェミニは、フルレングスのシートチューブを採用したことにより強化されたツイントライアングルデザインで、際立つ剛性を最大の特徴としています。6061-T6系のアルミニウムをベースに手加工で仕上げを行なっているフレームはISCG対応で、剛性に優れた80mm幅の大型ピボットを採用、150mmから170mm、また180mmのトラベル幅を確保しています。

Warning! Read Freeride Warning at http://www.cannondale.com/bikes/tech/safety.html



Cedric Gracia, Siemens Mobile/Cannondale, 2003-2004 Red Bull Rampage Champion
©Sam Gibbon



Cedric Gracia. ©Michael Kadel




• Gemini DH frame w/DH Thru-12 swingarm • Gemini rear floating brake link • ISCG Bottom Bracket • 180 mm of rear wheel travel • OnePointFive head tube • Marzocchi 888 fork w/200 mm travel • Manitou Swinger SPV 4-Way Coil rear shock • Hayes Mag 8" disc brakes • S, M, L • Mocha Brown w/Saffron Metallic swingarm (matte) (BRN), available with or without Gemini Girls decal; Siemens Team Replica (gloss) (REP)



GEMINI 3000





THRU-12 AXLE.

Our 12 mm Thru-12 rear axle dramatically boosts swingarm stiffness, and is ovalized on one end to eliminate rotation within the rear dropout.

El eje trasero de 12 mm Thru-12 incrementa radicalmente la rigidez del basculante. Su sección ovalada en un extremo impide la rotación respecto a la puntera.

12mm径のスルー12アクスルの採用によって、スイングアームの剛性は劇的に強化されています。また、アクスルがリアエンド内で回転しないようにエンドの片方を楕円形とするなど、さまざまな工夫が施されています。



Cedric Gracia.
©Michael Kunkel



• Gemini frame w/Thru-12 swingarm • 150-170 mm adjustable rear wheel travel • OnePointFive head tube • Manitou Breakout Plus 130-170 1.5" fork w/SPV Evolve • Manitou Swinger SPV 4-Way Coil rear shock • Hayes Mag 8" disc brakes • S, M, L, X • Raw w/Black Tinted Clear HyperHighlight (gloss) (BTC), available with or without Gemini Girls decal



GEMINI 2000





ONEPOINTFIVE HEAD TUBE.

The Gemini frame's OnePointFive head tube is oversized to better withstand the impacts and abuse of hard-core freeriding.

La pipa sobredimensionada OnePointFive de la Gemini mejora la resistencia a los impactos y a los abusos del freeride.

ジェミニのヘッドチューブは、フリーライドによるハードな使用にも耐え抜くことができる、オーバーサイズのワンポイントファイブ型ヘッドチューブを採用しています。



Jens Haug, Marketing Assistant, Cannondale Europe.





• Gemini frame w/Thru-12 swingarm • 150-170 mm adjustable rear wheel travel • OnePointFive head tube • Manitou Breakout Plus 130-170 1.5" fork w/TPC • Manitou Metel R Coil rear shock • New Hayes HFX-9 8" disc brakes • S, M, L, X • Saffron Metallic w/Jet Black swingarm (matte) (ORG); Raw, Jet Black (matte) (RAW); both colors available with or without Gemini Girls decal





GEMINI 900






AARON CHASE-APPROVED.

Our Chase dirt jumper was designed in cooperation with urban freeride impresario Aaron Chase, star of the Chain Reaction video series.

Nuestra dirt-jumper Chase ha sido diseñada con la colaboración de Aaron Chase, estrella del freeride urbano y de la serie de videos Chain Reaction.

ダート・ジャンパーの代名詞とも言えるチェイスは、アーバン・フリーライドの第一人者として「Chain Reaction」に出演しているアーロン・チェイス選手の監修のもと開発されました。





• Chase hardtail frame • ISCG Bottom Bracket • OnePointFive head tube • SIC Stem • Manitou Stance Flow 100-130 1.5" fork w/Thru Axle • Hayes Mag 8" disc brakes • S, M, L • Saffron Metallic (matte) (ORG)

CHASE 1





ISCG-COMPATIBLE.

The Chase urban hardtail has beefed-up tubes for superior strength, and it's compatible with ISCG chain retention devices.

La Chase tiene tubos reforzados para aumentar la resistencia. Además es compatible con dispositivos de retención de cadena ISCG.

肉厚のチューブを採用し極めて高い剛性を確保しているチェイスのフレームには、ISCG規格のチェーンリテンションパーツの取り付けが可能です。





• Chase hardtail frame • ISCG Bottom Bracket • SIC Stem • OnePointFive head tube • Manitou Stance Blunt 100 mm 1.5" fork w/Thru Axle • Avid BB5 disc brakes • S, M, L • Mocha Brown (matte) (BRN)

CHASE 2

• Chase hardtail frame • ISCG Bottom Bracket • OnePointFive head tube • Manitou Stance Static 100 mm 1.5" fork • S, M, L • Midnight Blue (matte) (BLU)


CHASE 3

HEADSHOK LEFTY MAX

We offer five Lefty Max models, including the four pound (1750 g) Lefty Max Carbon 140 SPV Evolve – among the world's lightest long travel forks – with an all-new carbon fiber outer leg and lightweight titanium spring. The Lefty Max forks all have 140 mm of travel, and four-way adjustment (including 18-click external rebound adjustment).

Ofrecemos cinco modelos de Lefty Max, incluyendo la Lefty Max Carbon 140 SPV Evolve con botella de carbono y muelle de titanio –una de las horquillas de largo recorrido más ligeras del mundo con menos de 1750 g. Todas las horquillas Lefty Max tienen 140 mm de recorrido y cuatro tipos de ajuste (incluido el control de rebote externo con 18 posiciones).

キャノンデールでは5機種のレフティを発売しています。その中には、わずか4ポンド（1750g）というロングトラベルフォークとして世界最軽量級の軽さを実現している新型カーボンアウターレッグとチタンスプリングを採用したレフティMAX SPV Tiも含まれます。すべてのレフティMAXは、140mmのトラベルを確保すると同時に、簡単に設定できる18段階の4ウェイダンパー調整機構が搭載されています。



"A long-term favorite, with tracking accuracy to shame most 'normal' forks, smooth stroking, needle roller slider and limitless mud room"
-What Mountain Bike magazine

"Riders will find the Lefty to be nearly perfect."
-Mountain Bike Action

"Great quality from the axle up to the aluminum rebound-adjustment knob."
-Mountain Bike

"Damping control is refined. It's more twist-free than full-blown downhill forks and as light as a single-crown trail fork."
-Mountain Bike Action

PV DAMPING (STABLE PLATFORM VALVE).

Features include externally-adjustable pedaling platform, adjustable damping progressivity, and a unique stabilizing valve for enhanced bump control. Eliminates unwanted suspension movement and improves bump-eating performance by eliminating compression spikes.

Control externo de la plataforma del pedaleo, progresividad de la suspensión ajustable y una válvula de estabilización única para mejorar el control ante los impactos que elimina los movimientos indeseados de la suspensión y mejora la respuesta ante los baches evitando las compresiones escalonadas.

簡単調節が可能なペダリングプラットフォームを採用し、また路面からの衝撃を安定して吸収する専用のスタビライザーバルブを搭載することにより、路面からの衝撃を最大限に吸収しつつ、踏み込み時のペダリングパワーのロスを最小限に抑え、極めて快適でスムーズな走りを実現しています。

DAMPING (TWIN PISTON CHAMBER).

Uses twin, independently adjustable pistons, one optimized for rebound damping, the other for compression damping. This low-pressure, high-volume system eliminates cavitation, compression spikes and heat-related problems.

Con dos pistones ajustables independientemente, uno para optimizar la amortiguación del rebote, el otro para regular la amortiguación durante la compresión. Este sistema de baja presión y alto volumen elimina la cavitación, las compresiones escalonadas y los problemas derivados del sobrecalentamiento.

リバウンドダンピング用とコンプレッションダンピング用に別れ、それぞれ独自の調節が可能なツインピストン機構を採用。大容量で低圧の構造を採用することで損傷や底打ち、ならびに高熱によるトラブルの発生を最小限に抑えています。


FFD DAMPING (FLUID FLOW DAMPING).

Similar to TPC, but with a single rebound piston optimized for rebound adjustment. Like TPC, FFD is a low-pressure, high-volume system that eliminates cavitation, compression spikes and heat-related problems.

Similar al TPC, pero con un solo pistón de ajuste optimizado para el control del rebote. Como el TPC, el FFD es un sistema de baja presión y alto volumen que elimina la cavitación, las compresiones escalonadas y los problemas derivados del sobrecalentamiento.

TPCと似ていますが、リバウンド値を最適化したシングルピストン機構を採用。 FFDもTPC同様、大容量で低圧の構造を採用することで損傷や底打ち、ならびに高熱によるトラブルの発生を最小限に抑えています。

SPV EVOLVE 140 DAMPER



manitou

SPV EVOLVE STABLE PLATFORM VALVE

HEADSHOK LEFTY SPEED

The Lefty Speed packs a lot of innovation in a lightweight (sub 3 lbs/1360 g) package, with 110 mm of travel offered in a lightweight, service-friendly air/oil cartridge design. Available with either Fox TerraLogic inertia-valve or DLR2 internals, the Lefty Speed also has 14-click external rebound adjustment and size-specific compression damping and top-out springs.

La Lefty Speed integra multitud de innovaciones en un conjunto ligero (1360 g) con 110 mm de recorrido y un cartucho de aire y aceite de fácil acceso. Está disponible tanto con tecnología de válvula de inercia Fox TerraLogic como con los componentes DLR2. Cuenta con ajuste externo del rebote (14 posiciones) y con muelles de talla específica para la amortiguación de la compresión y el rebote.

レフティ・スピードはわずか4ポンド弱（1360g）という軽さの中に数え切れないほどのノウハウと技術が詰め込まれています。110mmのトラベル幅、メンテナンスが容易なエアとオイル併用のカートリッジの採用などは、そのほんの一部分にすぎません。慣性技術を採り入れたフォックス社のテラロジック、あるいは、DLR2のいずれかを搭載したモデルをお選びいただくことができます。なお、このモデルには14段階のリバウンド調整機構、ならびにサイズ別のコンプレッションダンピングとトップアウトスプリングが標準装備されています。



OX TERRALOGIC* AMPING.

Selected Lefty Speed models feature Fox's TerraLogic inertia-valve technology, which differentiates between rider- and trail-induced compression. The TerraLogic damper remains locked-out under normal pedaling loads, but reacts instantaneously to soak up shock and vibration.

Determinados modelos de Lefty Speed están equipados con la tecnología de válvula de inercia TerraLogic de Fox, que distingue entre la compresión causada por el movimiento del ciclista y la debida a las irregularidades del terreno. El amortiguador TerraLogic permanece bloqueado durante el pedaleo normal pero reacciona instantáneamente para absorber los impactos y las vibraciones indeseables.

一部のレフティ・スピードには慣性技術を採り入れたフォックス社のテラロジックが搭載されています。このシステムの特徴は、ライダー自らがショックにかけるコンプレッションと路面からくるコンプレッションに対し、それぞれ独立し、かつ同時に対応することに成功している点です。テラロジックのダンパーは通常のペダリング時にはロックアウト状態となりますが、路面からの衝撃を感知すると素早く振動を吸収する仕組みになっています。

*patent # 6,581,948


DLR2 DAMPING.

The Lefty Speed DLR2 models feature a high-flow compression circuit for suppleness and big hit response, plus a new compression piston and redesigned ports for precise rebound control. The Speed DLR2 models also offer a trail-tuned air spring system that's ultra-responsive on small bumps. It offers a stable, efficient mid-stroke pedaling platform, and provides a smooth bottom-out feel.

La Lefty Speed DLR2 esta equipada con un circuito de alto flujo para suavizar y mejorar su respuesta a los grandes impactos, y con un nuevo pistón de compresión y un control del rebote rediseñado. La Speed DLR2 cuenta también con un sistema de cámara de aire autoregulable muy sensible a los pequeños baches, estable ante las cargas del pedaleo y con un suave tope de recorrido.

レフティ・スピードDLR2は、大きな衝撃を難なく吸収する深い懐を持つ大容量のコンプレッションサーキット、および正確なコントロール性能を確保する新型のコンプレッションピストンを搭載しています。さらに、DLR2には、路面のからの小さな衝撃にも軽快に反応し、安定したペダリングを確保、ボトムアウト時の衝撃も緩和するエアスプリング機構も搭載されています。

DLR2 110 DAMPER



HEADSHOK FATTY

Our HeadShok Fatty family of forks have won every title under the sun, from World Cup and NORBA Series titles to World Championships. Each Fatty fork has 80 mm of travel, a telescoping steerer that glides on 88 needle bearings, and rigid fork blades for the ultimate in steering precision.

Nuestra familia de horquillas HeadShok Fatty ha ganado todos las competiciones que existen, desde la Copa del Mundo a las Series NORBA pasando por los Campeonatos Mundiales. Todas las Fatty ofrecen 80 mm de recorrido gracias a un eje telescópico que se desliza sobre 88 rodamientos de aguja. Sus brazos rígidos aseguran la máxima precisión en el trazado.

キャノンデールのヘッドショック・ファティシリーズは、これまでにワールドカップ、NORBAシリーズ、世界選手権など世界中のタイトルを数え切れないほど奪取してきました。全モデルともに88個のニードルベアリングがスムーズに動く伸縮型のステアラーと、正確なハンドリングを保証するしっかりとしたフォークのコンビネーションが採用され、80mmのトラベル幅を確保しています。



SUPER FATTY ULTRA DL.

- External on-demand lockout for sprints and climbs.
- Weight-saving aluminum alloy inner steerer.
- Air-sprung, oil-damped cartridge internals.

- Bloqueo externo para las subidas y los esprints.
- Ligero eje interno de aluminio.
- Cartucho con cámara de aire y amortiguación por aceite.

- スプリント時や上りで威力を発揮するオンデマンド式ロックアウト、およびリバウンド調整機構
- 軽量なアルミ合金製インナーステアラー
- エア＆油圧併用カートリッジ

SUPER FATTY DL.

- External lockout and rebound adjustment.
- Super-strong steel inner steerer.
- Air-sprung, oil-damped cartridge internals.

- Bloqueo externo y ajuste del rebote.
- Eje de acero super-resistente.
- Cartucho con cámara de aire y amortiguación por aceite.

- ロックアウト、およびリバウンド調整機構
- 頑丈なスチール製インナーステアラー
- エア＆油圧併用カートリッジ

HEADSHOK FORKS

RK	TRAVEL (MM)	DAMPER	SPRING ELEMENT	LOCKOUT	WT. (LBS.)	WT. (KG.)	FEATURES
Lefty Max Carbon SPV Evolve Ti	140	Shimmed, Oil, Open Bath	Titanium Coil	No	3.85	1.75	Among the lightest 140 mm production forks available. Four-way adjustment: external rebound, SPV chamber pressure, SPV volume and internal spring preload. SPV Evolve for fantastic small bump response and stable pedaling platform. Lightweight carbon Lefty structure and titanium preload spring.
Lefty Max Carbon SPV Evolve	140	Shimmed, Oil, Open Bath	Coil	No	4	1.81	Among the lightest 140 mm production forks available. Four-way adjustment: external rebound, SPV chamber pressure, SPV volume and internal spring preload. SPV Evolve for fantastic small bump response and stable pedaling platform. Lightweight carbon Lefty structure.
Lefty Max SPV Evolve	140	Shimmed, Oil, Open Bath	Coil	No	4.35	2.04	As light or lighter than other long-travel forks. Four-way adjustment: external rebound, SPV chamber, SPV volume and internal preload. SPV Evolve for fantastic small bump response and stable pedaling platform.
Lefty Max TPC	140	Shimmed, Oil, Open Bath	Coil	No	4.35	2.04	As light or lighter than other long-travel forks. External compression & rebound adjusters. Separate compression/rebound pistons. TPC internals for fantastic small bump response.
Lefty Max FFD	140	Shimmed, Oil, Open Bath	Coil	No	4.35	2.04	As light or lighter than other long-travel forks. Two-way adjustment: external rebound and internal spring preload. Dedicated rebound piston. Low-pressure, high-volume system eliminates cavitation, compression spikes and heat-related problems.
Lefty Speed Carbon Fox Inertia	110	Fox Inertia, Oil	Air	Fox Inertia	3.5	1.36	Fox "Terra Logic" inertia valve technology differentiates between rider-induced and trail-induced compression. Fox "Float" air spring technology with self adjusting negative air spring. Lightweight carbon Lefty structure.
Lefty Speed Carbon DLR	110	Shimmed, Oil, Ext. Rebound	Air	Manual On/Off	3.5	1.36	High-flow compression circuit for suppleness and big hit response. New compression piston and redesigned ports for precise rebound control. Trail-tuned air spring system. 14-click external rebound adjustment. Size-specific compression damping and top-out springs. Lightweight carbon Lefty structure.
Lefty Speed DLR	110	Shimmed, Oil, Ext. Rebound	Air	Manual On/Off	3.9	1.59	High-flow compression circuit for suppleness and big hit response. New compression piston and redesigned ports for precise rebound control. Trail-tuned air spring system. 14-click external rebound adjustment. Size-specific compression damping and top-out springs.
Lefty Carbon ELO (Europe only)	80/100 (adj)	Shimmed, Oil	Air	Electronic On/Off	3	1.36	Lightweight carbon Lefty structure. ELO Lockout. Winner of multiple National Championships and an Olympic bronze medal.
Super Fatty Ultra DL	80	Shimmed, Oil	Air	Manual On/Off	2.8	1.27	Adjustable damping (oil viscosity). Cartridge internals for easy servicing. Negative spring and 88 needle bearings help eliminate stiction for plush small bump response. Weight-saving aluminum alloy inner steerer.
Super Fatty DL	80	Shimmed, Oil	Air	Manual On/Off	3.4	1.54	Adjustable damping (oil viscosity). Cartridge internals for easy servicing. Negative spring and 88 needle bearings help eliminate stiction for plush small bump response.

PROPHET 4-CROSS

The Prophet 4-Cross is race-ready, with an ICGS chain-retention device, a Thru-12 rear hub, and components chosen for strength and durability. The 4-Cross also benefits greatly from the Prophet frame and its welded Hollow-core pivot, which delivers great rear end stiffness for flex-free sprints.

El modelo Prophet 4-Cross viene preparado para la competición, con dispositivo de retención de cadena ISCG, buje trasero Thru-12, y los componentes más resistentes. La 4-Cross también se beneficia del cuadro Prophet y de la rigidez que le proporciona su pivote soldado hueco Hollow-core.

プロフェットの4クロスにはICGSチェーンリテンションデバイス、スルー12リアハブのほか、剛性と耐久性に配慮したコンポが標準装備されていますので、戦闘準備は完璧です。4クロスモデルの「強さ」の秘訣は、プロフェットの専用フレームやスプリント時の爆発的な負荷にも難なく対応する剛性を誇る、中空型ピボットの採用にもあります。







• Prophet 4X frame w/Thru-12 swingarm and Hox Bot pivot • ISCG Bottom Bracket • 140 mm of rear wheel travel • Adjustable geometry w/2 positions • OnePointFive head tube • Lefty Max Carbon 140 fork w/SPV Evolve • Manitou Swinger SPV 4-Way Air rear shock • FSA El Toro 38T crank w/E-13 Bash Guard • Magura Louise FR disc brakes • P, S, M, L, X • Siemens Team Replica (gloss) (REP)

TEAM REPLICA 4X

PROPHET

The all-new Prophet is the ultimate all-mountain machine, with adjustable geometry for amazing versatility. The Prophet has 140 mm of balanced front and rear travel and a welded, box-section hollow-core pivot that delivers rear end stiffness for flex-free performance, all in a very light and durable, low-maintenance design.

La nueva Prophet es la bicicleta de enduro definitiva, con geometría ajustable y una increíble versatilidad. La Prophet tiene 140 mm de recorrido tanto en la parte delantera como en la posterior. El pivote soldado hueco confiere una rigidez extraordinaria a la parte trasera, mientras el diseño del cuadro asegura su ligereza, fortaleza y fácil mantenimiento.

新型モデルのプロフェットはジオメトリーが調節可能な究極のオールマウンテン・マシンです。プロフェットは軽量化をはかりながらも、バランスよく動く140mmのリアトラベルを確保し、極めて高い剛性を誇る中空のピボットがリアの「たわみ」を最小限に抑えることにより、最高のパフォーマンスを引き出すことに成功しています。メンテナンス性のよさも見逃すことができません。



HOT BOX PIVOT.

The Prophet's Hot Box, it's welded, hollow-core swingarm pivot, delivers great lateral stiffness for superior efficiency and precise tracking.

El pivote soldado hueco Hot Box del basculante de la Prophet mejora la rigidez lateral y la precisión en el trazado.

溶接加工を施した中空型スイングアームを擁するプロフェットのピボットは、側面からの圧力に対する強度に優れ、極めて高いトラッキング性能を誇ります。



Dale Krantz, Prototype Technician, Bicycle R&D.



• Prophet frame w/Hot Box swingarm pivot • 140 mm of rear wheel travel • Adjustable geometry w/2 positions • OnePointFive head tube • Lefty Max Carbon 140 fork w/SPV Evolve & Titanium Coil • Manitou Swinger w/SPV 3-Way Air rear shock • Mavic CrossMax SL Disc wheels • FSA K-Force Carbon crank 22/32/44 • Magura Marta SL disc brakes • P, S, M, L, X • Fairway Green (matte) (GRN); Galvanized (gloss) (GZD); Raw w/Black Tinted Clear HyperHighlight (gloss) (BTC)





PROPHET 4000





ADJUSTABLE GEOMETRY.

The Prophet's adjustable geometry can be easily set to either a 67.5 or 69 degree head angle for freeride or x-c style handling.

La geometria de la prophet se puede ajustar fácilmente. Elige entre 67.5 o 69 grados para el freeride o el cross-country.

プロフェットは簡単にヘッドアングルを67.5度、あるいは69度に調節することが可能で、それにともない、ジオメトリーがフリーライド、あるいはクロスカントリーに自在に変化します。




• Prophet frame w/Hot Box swingarm pivot • 140 mm of rear wheel travel • Adjustable geometry w/2 positions • OnePointFive head tube • Lefty Max Carbon 140 fork w/SPV Evolve • Manitou Swinger w/SPV 3-Way Air rear shock • Shimano XT crank 22/32/44 • P, S, M, L, X • Galvanized (gloss) (GZD); Raw w/ Black Tinted Clear HyperHighlight (gloss) (BTC); Fairway Green (matte) (GRN)





PROPHET 2000


Chad Peterson, Bicycle Product Management.



BALANCED TRAVEL.

The Prophet 1000 has perfectly balanced travel, with 140 mm of travel at the rear wheel and 140 mm from its HeadShok Lefty Max fork.

La Prophet 1000 tiene un recorrido perfectamente equilibrado, con 140 mm tanto en la rueda trasera como en la horquilla HeadShok Lefty Max.

プロフェット1000はリアに140mmのトラベル幅を確保し、前にヘッドショック・レフティMAXを装備することで、完璧なサスペンションバランスをつくり上げています。





• Prophet frame w/Hot Box swingarm pivot • 140 mm of rear wheel travel • Adjustable geometry w/2 positions • OnePointFive head tube • Lefty Max 140 fork w/SPV Evolve • Manitou Swinger w/SPV 3-Way Air rear shock • Avid Juicy 7 disc brakes • P, S, M, L, X • Mocha Brown (matte) (BRN); Patriot Blue (gloss) (BLU)



PROPHET 1000

The Prophet 1000Z comes with the same great frame as the Prophet 1000, but equipped with the Manitou Swinger w/SPV 3-Way Coil rear shock. Available in the same two colors.

PROPHET 1000Z



CUSTOM FRAME TUBES.

The Prophet's double-triangle "delta" frame has highly manipulated tubes with complex profiles that maximize strength and weld integrity.

Los tubos del cuadro en doble triángulo de la Prophet han sido sometidos a múltiples modificaciones para reforzar el conjunto y asegurar la integridad de las soldaduras.

プロフェットのダブルトライアングル式"デルタ"フレームは、チューブそのものにもさまざまな工夫をこらすことで、最高の強度と完璧なフレームの仕上がりを実現しています。



Yasushi Adachi, Cannondale/Maxxis Team, 2004 Japan DH champion. ©Hiroyuki Suzuki



• Prophet frame w/Hot Box swingarm pivot • 140 mm of rear wheel travel • Adjustable geometry w/2 positions • OnePointFive head tube • Lefty Max 140 fork w/TPC • Manitou Radium R Air rear shock • P, S, M, L, X • Saffron Metallic (matte) (ORG); Jet Black (gloss) (BLK)



PROPHET 800




• Prophet frame w/Hot Box swingarm pivot • 140 mm of rear wheel travel • Adjustable geometry w/2 positions • OnePointFive head tube • Lefty Max 140 fork w/Fluid Flow • Manitou Radium R Air rear shock • New Hayes HFX-9 disc brakes • P, S, M, L, X • Race Red (gloss) (RED); Midnight Blue (matte) (BLU)



PROPHET 600

JEKYLL



JEKYLL.

You can set the Jekyll's geometry with a slacker head angle for more stable handling, or a steeper head angle for a more nimble feel.

Variando el ángulo de la pipa de la Jekyll se puede lograr una conducción más estable o un control más ágil.

ジキルのジオメトリーは安定感のあるなだらかなヘッドアングルから、機敏な走りを可能にするスティープなヘッドアングルまで、さまざまな角度に調節することが可能です。

Winner of "Bike of the Year" awards in the U.S. and Europe, the Jekyll offers low-maintenance, 135 mm of rear wheel travel, and all-mountain versatility. The Jekyll's head angle can be set anywhere between 69.2 and 71.1 degrees (with a Lefty fork) while the bottom bracket height morphs between 12.6 and 13.5 inches (32-34.3 cm).

La Jekyll, galardonada con el título de "Bicicleta del año" tanto en Estados Unidos como en Europa, ofrece 135 mm de recorrido trasero, un sencillo mantenimiento y las ventajas de una gran versatilidad. El ángulo de dirección de la Jekyll puede ajustarse entre 69.2 y 71.1 grados (con una horquilla Lefty) mientras la altura del eje de pedalier varía entre 32 y 34.3 cm (12.6 y 13.5 pulgadas).

米国と欧州で「バイクオブザイヤー」を獲得したジキルは、メンテナンス性のよさ、135mmのリアトラベル、ならびに調整可能なジオメトリーによる極めて高いオールラウンド性能を誇ります。レフティを搭載したジキルのヘッドアングルは69.2度～71.1度の間で無段階調節が可能です。また、ボトムブラケットの高さもヘッドアングルによって12.6インチ～13.5インチ（32cm～34.3cm）の間で調節が可能です。



• Jekyll frame • 135 mm of rear wheel travel • Adjustable Bottom Bracket height • Manitou Splice Super 100-130 fork w/RTWD • Fox Float RL ProPedal Air rear shock • Avid BB5 disc brakes • S, M, L, X • Jet Black w/Sterling Silver swingarm (gloss) (BLK); Patriot Blue w/Sterling Silver swingarm (gloss) (BLU)



JEKYLL

SCALPEL



CARBON FIBER CHAINSTAYS.

The Scalpel's pivot is located at a precise point on its carbon fiber chainstays, dictated by the stays' shape and the lay-up of the fibers.


El pivote de la Scalpel se localiza en un punto preciso de sus vainas de fibra de carbono determinado por la forma de las vainas y la disposición de las fibras.

スカルペルはカーボン繊維の組み方、ならびにステイの形状によって、ピボットの位置がカーボンチェーンステイの中心点になるように設計されています。

With eight Norba Championships and six World Cup wins, the Scalpel is the winningest full-suspension XC bike on the pro circuit. The secret to the Scalpel's amazing performance are its unique carbon fiber chainstays, which bend at the optimum point mid-way along their length to deliver 2.7 inches (67 mm) of rear travel.

Con ocho Campeonatos NORBA y seis Copas del Mundo, la Scalpel es la bicicleta de XC con doble suspensión mas laureada del circuito profesional. El secreto del rendimiento de la Scalpel son sus vainas de fibra de carbono, que flexan en el punto óptimo de su longitud para proporcionar 67 mm de recorrido de la rueda trasera.

全米選手権を8回制覇、6回のワールドカップ優勝を果たしているスカルペルは、世界で最も多くの勝利をおさめているフルサスクロスカントリーバイクといっても過言ではありません。スカルペルの強さの最大の秘訣は、チェーンステイの中央に正確にピボットポイントがくるように設計され、2.7インチ（67mm）のリアトラベルを実現しているカーボンチェーンステイにあります。



Christoph Sauser, Siemens Mobile/Cannondale, Pro XC.
©Manuel Gutiel



• Scalpel Si BB Optimo frame • System Integration Bottom Bracket • Composite EPO chainstays & seatstays • Titanium shock linkage hardware • 67 mm of rear wheel travel • Lefty Speed Carbon 110 fork w/ Fox Terra Logic • DT Swiss SSD 210 Air rear shock w/remote control • Mavic CrossMax SL Disc wheels • Cannondale Si Hollogram crank 22/32/44 • SRAM X-0 shifters & rear derailleur • Magura Marta SL disc brakes • FSA K-Force XC Carbon flat handlebar • Fi'zi:k Aliante Team Replica saddle • S, M, L, X • Siemens Team Replica (gloss) (REP)

SCALPEL TEAM REPLICA



Raul Paulsen, Siemens Mobile/Cannondale, Pro XC.



Siemens Mobile/Cannondale XC Team, Team Camp.






• Scalpel Optimo frame • Composite EPO chainstays & seatstays • Titanium shock linkage hardware • 67 mm of rear wheel travel • Lefty Speed Carbon 110 fork w/DLR2 • Fox Float RP3 rear shock • Mavic CrossMax SL Disc wheels • Shimano XTR crank 22/32/44 • Shimano XTR drivetrain & disc brakes • FSA K-Force XC Carbon flat handlebar • Fi'zi:k Gobi saddle • S, M, L, X • Jet Black, Charcoal Grey w/Purple accents (gloss) (BLK); Fairway Green (matte) (GRN); Midnight Blue, Blazer Blue (gloss) (BLU)





SCALPEL 3000


Tinker Juarez, Siemens Mobile/Cannondale, Pro XC, 24 hour race Champion.



NEW TITANIUM HARDWARE.

We've made the Scalpel even lighter for 2005, saving 12 grams with new titanium bolts that attach the shock link to the front triangle.

Hemos rebajado el peso de la Scalpel en 2005, con el nuevo perno de titanio que une el anclaje del amortiguador al cuadro se ahorran 12 gramos.

2005年モデルのスカルペルは、ショックリングをフロントトライアングルに固定するボルトをチタン製に変更し、従来比12グラムの軽量化に成功しています。





• Scalpel Optimo frame • Composite EPO chainstays & seatstays • Titanium shock linkage hardware • Lefty Speed Carbon 110 fork w/ DLR2 • S, M, L, X • Midnight Blue, Blazer Blue (gloss) (BLU); Yellow Green Metallic, Fairway Green (gloss) (GRN); Jet Black (matte) (BBQ)



SCALPEL 2000

• Scalpel Optimo frame • Composite EPO chainstays & seatstays • Titanium shock linkage hardware • 67 mm of rear wheel travel • Fox Float RP3 Air rear shock • Avid Juicy 7 disc brakes • S, M, L, X • Mocha Brown, Saffron Metallic (gloss) (BRN); Jet Black, Race Red (gloss) (RED); Midnight Blue (matte) (BLU)



SCALPEL 1000

HARDTAILS



SI HOLLOWGRAM COMPONENTS.

Lighter and stiffer than XTR parts, our Hollowgram Si crankset and bottom bracket are integrated into our Optimo Si hardtail frame.

Ligeros y más rigidos que los componentes XTR, nuestras bielas y ejes de pedalier Hollowgram Si se integran en nuestros cuadros de suspensión frontal Optimo Si.

XTRよりも高い剛性を確保しながらも、XTRよりも軽量に仕上がっているキャノンデールの中空Siクランクセットとボトムブラケットのコンビは、オプティモSiハードテールシリーズに搭載されています。

We've been building lightweight, high-performance mountain bikes for 20+ years, so no one knows more about hardtails than Cannondale. Our hardtail frames are meticulously handcrafted from lightweight aluminum. All feature an innovative Power Pyramid down tube, and each is a finely-tuned off-road machine.


Fabricamos bicicletas de montaña desde hace más de 20 años. Nadie sabe más sobre bicicletas de suspensión frontal que Cannondale. Nuestras bicicletas de suspensión frontal se fabrican meticulosamente con aluminio de bajo peso. Todas cuentan con el innovador tubo diagonal PowerPyramid y sus múltiples detalles las convierten en sofisticadas bicicletas de montaña.

キャノンデールでは20年以上、軽量なハイパフォーマンスバイクを製造し、誰よりも多くのノウハウを蓄積してまいりました。ハードテールは軽量アルミニウムを卓越した技術で精巧に加工して製造されています。現在ではすべての機種にパワーピラミッドダウンチューブを搭載するなど、全機種が「超」ハイパフォーマンスを誇る究極のシリーズとしてクロスカントリーの世界に君臨しています。



• Optimo Si BB frame • System Integration Bottom Bracket • Compliant hourglass seatstays • Lefty Speed Carbon Fox Terra Logic fork • Mavic CrossMax SL Disc wheels • Cannondale Si Hollogram crank 22/32/44 • SRAM X-0 shifters & rear derailleur • Magura Marta SL disc brakes • FSA K-Force XC Carbon flat handlebar • Fi'zi:k Aliante Team Replica saddle • P, S, M, L, X • Siemens Team Replica (gloss) (REP)

F4000 SL




HOURGLASS SEATSTAYS.

Our super-light hourglass seatstays have the perfect amount of vertical flex for comfort, but are laterally stiff for sprints and climbs.

Nuestros ligerísimos tirantes curvos ofrecen el grado justo de compresión vertical sin reducir la rigidez lateral necesaria en las escaladas y los esprints.

「超」軽量な砂時計型のシートステイは路面からの突き上げを適度に吸収し、スプリント時やのぼりの側面からの圧力には素晴らしい強さを発揮します。




Jens Haug, Marketing Assistant, Cannondale Europe.

• Optimo frame • Compliant hourglass seatstays • HeadShok Super Fatty Ultra DLR fork • Shimano XT crank 22/32/44 • Shimano XT drivetrain & disc brakes w/XTR rear derailleur • P, S, M, L, X • Jet Black, Charcoal Grey w/Purple accents (gloss) (BLK); Midnight Blue, Blazer Blue (gloss) (BLU)



2000 SL


Dale Krantz, Prototype Technician, Bicycle R&D
©Ken Photography





• 1FG frame • Dual Assault seat stays • Avid B87 disc brakes • Super Fatty Ultra DL HeadShok fork • WTB Laser V Pro Saddle • Cannondale Earth riser handlebar • P, S, M, L, X • Jet Black w/Saffron Flame bottom bracket (gloss) (BLK)

1FG ULTRA

• Optimo frame • Compliant hourglass seatstays • Lefty Speed 110 fork w/DLR2 • Avid Juicy 7 disc brakes • P, S, M, L, X • Jet Black w/Saffron Flame bottom bracket (gloss) (BLK); Charcoal Grey (matte) (GRY)

F1000





DUAL ASSAULT SEATSTAYS.

The Furio frame's Dual Assault seatstays are reinforced at the disc brake mount, and offer extra clearance for oversized tires.

Los tirantes Dual Assault del cuadro Furio tienen anclajes de freno reforzados y ofrecen espacio adicional para neumáticos sobredimensionados.

フリオに装備されたデュアルアサルトシートステイは、ディスクブレーキのマウント部で強化されています。また、オーバーサイズのタイヤ装着も可能な大きなクリアランスを確保しています。





• Furio frame • Dual Assault seatstays • Lefty Speed 110 fork w/DLR2 • Shimano LX disc brakes & shifters w/XT rear derailleur • P, S, M, L, X • Fairway Green w/Yellow Green Flame bottom bracket (gloss) (GRN); Jet Black (matte) (BBQ)



F800



• Furio frame • Dual Assault seatstays • HeadShok Super Fatty Ultra DL fork • New Hayes HFX-9 disc brakes • P, S, M, L, X • Raw (matte) (RAW); Patriot Blue (matte) (BLU)



F600





DISC BRAKE-READY.

Our hardtail frames are all disc brake-compatible, so those models with rim brakes can be upgraded to the superior performance of discs.

Todas nuestras bicicletas de suspensión frontal son compatibles con frenos de disco para permitir la actualización en aquellos modelos que tengan frenos de llanta.

キャノンデールのハードテールはすべてディスクブレーキ対応になっていますので、制動力が異なるお好みのディスクブレーキに交換することも容易にできます。



• Furio-X frame • Dual Assault seatstays • Disc Brake ready • Super Fatty DL fork • Cannondale Mountain-V saddle • Cannondale Earth riser handlebar • 27 speed • P, S, M, L, X • Race Red (gloss) (RED); Charcoal Grey (gloss) (GRY)



F400



• Furio-X frame • Dual Assault seat stays • Disc Brake ready • Manitou Six Fork • Cannondale Earth riser handlebar • Cannondale Mountain-V saddle • P, S, M, L, X • Patriot Blue (gloss) (BLU); Jet Black (gloss) (BLK)



F300





The Cruiser comes with the same great components and in the same colors as the Interceptor, but on a Jekyll full-suspension frame. The Fox Float rear shock can be locked out for a hardtail feel, while the custom rear rack easily carries the Cannondale Rack Trunk (BRT332/EBO) pictured above.

OLICE CRUISER



Officer Thomas Perun freeing his hands in downtown Bethel, CT. CANNONDALE





• Furio frame • HeadShok Super Fatty DL fork with Lockout • 36 hole rims with Shimano Silent Clutch rear hub and DT spokes • Shimano 27-speed drivetrain • TruVativ Blaze crankset and ISIS bottom bracket • Adjustable rise stem • Alloy cage pedals with clip and strap • Cannondale rear rack • Kickstand • P, S, M, L, X • Jet Black (matte) (BBQ); Lightning White (gloss) (WHT)



POLICE INTERCEPTOR

• Furio-X frame • Manitou Six fork • Sun Black Eye rims with eyelets and machined sidewalls • Shimano 24-speed drivetrain • Adjustable rise stem • Alloy cage pedals with clip and strap • Cannondale rear rack • Kickstand • P, S, M, L, X • Lightning White (gloss) (WHT); Jet Black (matte) (BBQ)



POLICE PURSUIT

FÉMININE

The key to cycling efficiency and comfort is a frame that fits your physique, and for most women, that means having a gender-specific bike. We offer both mountain and road Feminine models, as well as mixte models with a classic "drop-bar" geometry for easy, step-through mounting and dismounting.

La clave del rendimiento y la comodidad es un cuadro que se adapte a tus características físicas, lo que para la mayoría de las mujeres significa un cuadro con geometría femenina. Ofrecemos modelos femeninos tanto de carretera como de montaña, aparte de los modelos de geometría mixta, con un tubo superior diagonal para facilitar la subida y bajada de la bicicleta.

快適で効率性が高いサイクリングを実現するためのポイントは、身体にジャストフィットする自転車の選択にあります。特に男女では体型がもともと異なりますので、キャノンデールでは女性専用のマウンテン、およびロードバイクをフェミニンシリーズとしてご用意させていただいています。さらに、クラシックなドロップバーを採用しつつも乗り降りが簡単な男女兼用モデルのミキストモデルもご用意いたしました。





• Jekyll Féminine frame • 135 mm of rear wheel travel • Adjustable Bottom Bracket height • Manitou Splice Super Diva 100-130 fork w/RTWD • Fox Float RL ProPedal Air rear shock • Avid BB5 disc brakes • P, S, M • Blazer Blue w/Lightning White swingarm (gloss) (BLU); Lightning White w/Sterling Silver Hyperhighlight (gloss) (WHT)



JEKYLL FÉMININE



• Optimo Féminine frame • Slice Premium fork • Mavic Ksyrium Elite wheels • TruVativ Rouleur Carbon GXP crank • Shimano Ultegra 10-speed shifters & derailleurs • Fi'zi:k Vitesse CP3 saddle • FSA SL-K Carbon seatpost • Fi'zi:k TechnoGel handlebar inserts • 650c: 40, 44 cm; 700c: 47, 50, 53, 56 cm • Blazer Blue (gloss) (BLU); Platinum (gloss) (PLT)



R1000 FÉMININE











• Furio-X frame • Dual Assault seatstays • Disc Brake ready • Super Fatty DL fork • SRAM X-7 Twist Shifters & rear derailleur • Selle Royal Viper Lookin Gel saddle • Cannondale Earth riser handlebar • 27 speed • P, S, M • Blazer Blue (gloss) (BLU); Platinum (gloss) (PLT)



400 FÉMININE

• CAAD5 Féminine frame • Gipiemme T3-30S wheels • Shimano Tiagra 9-speed shifters and 105 Triple derailleurs • Terry Cite saddle • Cannondale Carbon seatpost • 650c: 40, 44 cm; 700c: 47, 50, 53, 56 cm • Yellow Green Metallic (gloss) (GRN); Blazer Blue (gloss) (BLU)



R500 FÉMININE TRIPLE

TEAM

The ultimate high-performance cyclewear, our aerodynamic Team garments combine our most aggressive contouring with technical, moisture-wicking fabrics and superior craftsmanship. And of course, the garments have eye-catching team graphics that give you the same look as Cannondale's sponsored pro racing squads.

El agresivo corte aerodinámico y los tejidos antihumedad más sofisticados se unen a la más alta calidad de fabricación en estas prendas de alto rendimiento para los deportistas más exigentes. Y por supuesto, los gráficos son idénticos a los que lucen las prendas de nuestros corredores profesionales esponsorizados.

優れた縫製技術によって完成されたエアロダイナミクス性能と、最高峰の速乾性が自慢の究極的なハイパフォーマンス・サイクルウエアです。周囲の注目の的となるプロチームと同じデザインを採用し、まさにプロライダーそのものの気分と性能をご堪能いただくことができます。




Christoph Sauser, Siemens Mobile/Cannondale, Pro XC



Cannondale Mountain Bike Team, warming up at Big Beat Norba.



Mirko Celestino, one-day specialist, Saeco/Cannondale Team.

CHRONO





Our men's and women's Chrono lines are diverse, including sleek, tailored garments for exceptional aerodynamics, as well as more loosely sculpted items. Regardless of their cut, Chrono garments all feature the latest technical fabrics, appealing colors and graphics, meticulous craftsmanship and insightful, cycling-specific features.

Nuestras lineas Chrono para mujer y hombre se caracterizan por su diversidad. Junto a prendas ajustadas y aerodinámicas se ofrecen otras de estilo más holgado. Independientemente del estilo todas tienen en común los tejidos más técnicos, los colores más atractivos, una cuidadosa fabricación y multitud de detalles especificos para ciclismo.

クロノシリーズには、ピッタリ感があるエアロダイナミクス性能に優れたものからルーズフィットのものまで幅広いスタイルのウエアを、メンズ&レディスでラインアップしています。いずれのウエアも、ハイセンスなカラーとグラフィックの最新ハイテク繊維を惜しみなく使用し、1枚1枚高度な謹製技術を駆使して製造しています。



David Zurcher, Cannondale Bicycle Product Management and Mike Cotty, Europe Marketing.


TERRAIN

Our Terrain off-road garments match gritty styling forged on the street and trail with a loose cut and sophisticated, moisture-wicking technical fabrics. The garments' relaxed fit and laid-back styling conceals a myriad of innovative yet subtle cycling-specific features that deliver fantastic on-the-bike performance.

Nuestra línea Terrain aúna los diseños off-road más actuales con un corte holgado y sofisticados tejidos antihumedad. El estilo relajado de estas prendas oculta una multitud de innovadores detalles que mejoran significativamente su rendimiento sobre la bicicleta.


テレインシリーズのオフロードウエアは、速乾性に優れた生地を採用し、市街地でもトレイルでのシーンにもマッチするたくましいシルエットに仕上げられています。ゆったりと開放感があるスタイリングでありながら、サイクリングに必要な機能を満載したスグレモノです。





FOOTWEAR & ACCESSORIES






The experienced cyclist chooses cycling shoes and riding accessories with the same care used to select a bicycle. Our stylish footwear and accessories, including bags, bottles and more, reflect our long tradition of practical innovation coupled with top-quality materials and manufacturing.


El ciclista experimentado pone tanto cuidado en la selección del calzado y los complementos como en la de la propia bicicleta. Nuestra linea de calzado y complementos incluye bolsas, bidones y otros productos que reflejan nuestra larga tradición en la combinación de innovadores diseños con los mejores materiales y la más exigente calidad de fabricación.

ベテランライダーのみなさんは、シューズやアクセサリー類を選ぶときも自転車を選ぶ時と同じくらい慎重です。キャノンデールのシューズ、バッグやボトルなどのアクセサリー類は、キャノンデールの長年にわたるこれら製品の製造経験と実績に裏付けられた、極めて高い品質を誇る逸品です。









CYCLOCROSS

The ideal cyclocross bike has nimble handling and is lightweight for high speeds and easy portaging. The bike also has to be tough enough to withstand the rough terrain and brutal conditions common to 'cross racing. Our cyclocross models fit the bill perfectly, which also makes them an ideal choice for commuting or winter training.

La bicicleta de cyclocross perfecta es rápida, se controla con precisión y es ligera para facilitar su transporte. También tiene que ser resistente para soportar las brutales condiciones propias de este tipo de competiciones. Nuestros modelos de cyclocross se adaptan con exactitud a este perfil, lo que también las convierte en excelentes bicicletas para la ciudad o el entrenamiento invernal.

ハイスピードの競技に対応する「軽さ」と正確なハンドリング、そして「担ぎやすさ」をも兼ね備えた理想のマシンです。もちろん悪条件の中での戦いも想定される競技ですので、剛性面でも数多くの工夫を凝らし、万全に仕上がっています。頑丈でありながらスタイリッシュなので、冬場のトレーニング用、あるいは通勤バイクとしてもご利用いただいております。



DISC BRAKES.

Cyclocross racing is known for brutal conditions, making the great all-weather performance of disc brakes a smart choice for the savy competitor.


La competición de cyclocross es famosa por su dureza. La fiabilidad de los frenos de disco en todas las condiciones los convierten en la elección ideal para el corredor experimentado.

過酷な条件の中では、あらゆる環境下ですぐれた制動力を発揮するディスクブレーキが、「走り」を大きく左右します。



• Cyclocross Optimo Disc frame • Fatty Ultra XR Disc fork • Mavic Open Pro Race rims w/Omega hubs • TruVativ Elita SL Cross crank • Avid BB7 disc brakes • 47, 50, 52, 54, 56, 58, 60 cm • Race Red (gloss) (RED)

CYCLOCROSS DISC



Josh Anthony of the Fiordifrutta Team.



John Haseby of the Fiordifrutta Team.



• Cyclocross Optimo frame • Slice Ultra XR carbon fork • Gipiemme T3-30S wheels • TruVativ Elita SL Cross crank • 47, 50, 52, 54, 56, 58, 60 cm • Patriot Blue (gloss) (BLU)

CYCLOCROSS

IRONMAN®



IRONMAN® SLICE AERO FRAME.

The lightweight Ironman® Slice Aero frame offers a comfortable riding position that maximizes both aerodynamics and ergonomic efficiency.

El cuadro ligero Ironman® Slice Aero permite una posición cómoda que incrementa tanto la eficacia aerodinámica como la ergonómica.

軽量なアイアンマン・スライスエアロフレームはすぐれたエアロダイナミクス性能を確保しながら体型や姿勢にフィットするポジショニングを可能にし、長時間の競技にも耐えうる快適性を実現しています。

Our lightweight, cutting-edge Ironman® models are designed and spec'd for the committed triathlete, but they'll give any competitor an edge. Each bike features our Ironman® Slice Aero frame with wind tunnel-tested tri geometry, delivering an unmatched combination of all-day comfort and aerodynamic efficiency.

Nuestros ligerísimos modelos Ironman® han sido diseñados para los triatletas más comprometidos, pero suponen una ventaja para cualquier tipo de corredor. Todos están equipados con nuestro cuadro Slice Aero, cuya geometría ha sido puesta a prueba en el túnel de viento para lograr el equilibrio perfecto entre comodidad y eficacia aerodinámica.

真剣に競技に打ち込むトライアスリートのご要望にお応えすべく生まれた、軽量なハイパフォーマンス・マシンです。風圧テスト用トンネルの中で繰り返しテストを行ない、改良を加えたトライアスロン専用ジオメトリーのアイアンマン・スライスエアロフレームを全モデルに搭載しています。すぐれたエアロダイナミクス性能と快適性でライバルをいっさい寄せつけません。




• Ironman® Slice Aero Si BB frame • Slice Aero Premium fork • Zipp 404 wheels • Cannondale Si Carbon crank • Profile Airwing handlebar w/Carbon Stryke Ironman® Clip-On • Campagnolo Record derailleurs and 10-speed shifters • Tektro 5.0 Carbon brake levers • Fi'zi:k Arione Tri saddle • 650c: 48, 50, 52 cm; 700c: 54, 56, 58, 60, 62 cm • Lightning White, Patriot Blue (gloss) (BLU)

IRONMAN® 6000



Faris Al Sultan takes 2nd at the Quelle Challenge Roth Ironman®.



SLICE AERO PREMIUM.

The lightweight Slice Aero Premium fork has all-carbon construction, aerodynamic blades, and a weight-saving integrated headset.

La horquilla Slice Aero Premium se fabrica íntegramente con fibra de carbono, tiene brazos con perfil aerodinámico y un ligero juego de dirección integrado.

オールカーボン製のスライスエアロプレミアムは、エアロダイナミクス性にすぐれたブレードと軽量化を極めた専用設計のヘッドセットのコンビで、驚異的な「軽さ」とパフォーマンスを実現しています。

T OFFICIAL BIKE OF IRONMAN®.

Cannondale is synonymous with performance and commitment, so it makes perfect sense that we'd be chosen as the official bike of Ironman®.





• Ironman® Slice Aero Si BB frame • Slice Aero Premium fork • Mavic Ksyrium Elite wheels • Cannondale Si Carbon crank • Profile Airwing handlebar w/Carbon Stryke Ironman® Clip-On • Shimano Ultegra 10-speed • Cannondale Wind Carbon seatpost • 650c: 48, 50, 52 cm; 700c: 54, 56, 58, 60, 62 cm • Race Red (gloss) (RED); Charcoal Grey (gloss) (GRY)



RONMAN® 2000

• Ironman® Slice Aero frame • Slice Aero Carbon fork • Gipiemme T3-30S wheels • TruVativ Rouleur GXP crank • Profile Airwing handlebar w/Carbon Stryke Ironman® Clip-On • Cannondale Carbon seatpost • 650c: 48, 50, 52cm; 700c: 54, 56, 58, 60, 62 cm • Yellow Green Metallic (gloss) (GRN); Blazer Blue (gloss) (BLU)




IRONMAN® 800

SIX13

Comprised of carbon fiber tubes co-molded within aluminum tube joints, the Six13 fuses two materials into something far greater than the sum of its parts. Amazingly fast, incredibly light and supremely comfortable... all in one seamless package that the UCI ruled "too light for the Tour de France."

Tubos principales de carbono y uniones, tirantes y vainas de aluminio. La Six13 logra la fusión perfecta de dos materiales con un resultado netamente superior a la suma de sus partes. Extraordinariamente rápida, increíblemente ligera y extremadamente cómoda... todo en la bicicleta que la UCI declaró "demasiado ligera para el Tour de Francia."

カーボン製のチューブとアルミニウム製のジョイントを融合させたSix13は、単なるカーボン&アルミバイクではありません。爆発的な加速力と軽さを実現しながら、最高の快適性を確保している究極のバイクです。ちなみにUCIでは、このバイクのあまりの軽さに驚き、思わずツール・ド・フランスでの使用を禁止してしまったほどです。



Gilberto Simoni, Saeco/Cannondale Team, 2004 Giro d'Italia. SRAM



HOLLOWGRAM SI COMPONENTS.

Precision CNC'd, our Hollowgram Si crankset and bottom bracket weigh less and offer better flex resistance than Dura Ace parts.

Nuestras bielas y ejes de pedalier Hollowgram Si se fabrican con fresadoras CNC logrando una mayor rigidez y menor peso que los componentes Dura Ace.

精密にCNC加工された中空Siクランクセットとボトムブラケットのコンビは、デュラエースよりも軽く、そして強く仕上がっています。



• Six13 Si BB frame • Slice Premium+ fork • Mavic Ksyrium SL wheels • Cannondale Si Hollowgram crank • Campagnolo Record 10-speed • FSA K-wing Carbon handlebar • FSA OS-115 w/carbon faceplate stem • USE Alien Carbon seatpost • Fi'zi:k Arione Ti saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm • Saeco Team Replica (gloss) (SAE); Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU); Charcoal Grey (matte) (GRY); Saffron Metallic (gloss) (ORG); Jet Black w/Race Red Flare (gloss) (BLK)



SIX13 TEAM REPLICA

SIX13 COLORS.

All Six13 models are available in your choice of five colors. (See page 49.)

Todos los modelos de Six13 están disponibles en cualquiera de los cuatro colores.

six13の全モデルは、5色よりお選びいただくことができます。

Saeco Team Replica (gloss) (SAE); Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU); Charcoal Grey (matte) (GRY); Saffron Metallic (gloss) (ORG); Jet Black w/Race Red Flare (gloss) (BLK)



MECHANICAL INTERLOCK.

The Six13's unique construction forges a secure, mechanical interlock between its carbon fiber tubes and aluminum clusters.

El diseño de la Six13 incluye puntos de refuerzo gracias a los enlaces mecánicos entre el aluminio y la fibra de carbono.

six13はカーボン製のチューブとアルミニウム部を巧みに組み込んで一体化する、独特のメカニカルインターロック構造を採用しています。




• Six-13 Si BB frame • Slice Premium+ fork • Mavic Ksyrium SL wheels • Cannondale Carbon Si crank • Shimano Dura-Ace 10-speed • FSA K-Wing Carbon handlebar • FSA OS-115 w/carbon faceplate stem • USE Alien Carbon seatpost • Fi'zi:k Arione Ti saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm • BLU, SAE, GRY, ORG, BLK

SIX13 R5000



• Six-13 Si BB frame • Slice Premium+ fork • Mavic Ksyrium SL wheels • Cannondale Carbon Compact Si crank • Shimano Dura-Ace 10-speed • FSA K-Wing Carbon handlebar • FSA OS-115 w/carbon faceplate stem • USE Alien Carbon seatpost • Fi'zi:k Arione Ti saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm • ORG, SAE, BLU, GRY, BLK

SIX13 R5000 COMPACT DRIVE





SLICE PREMIUM+ FORK.

The 330-gram Slice Premium+ fork has lightweight carbon fiber blades, carbon fiber steerer, and carbon fiber dropouts, plus a weight-saving integrated headset.

La horquilla Slice Premium+ pesa 330 gramos, tiene tubo de dirección, brazos y punteras de fibra de carbono y un ligero juego de dirección integrado.

オールカーボン製のスライスエアロプレミアムは、カーボン製のブレード、ステアラー、およびドロップアウト、そして軽量化を極めた専用設計のヘッドセットとのセットにより、330グラムという驚異的な「軽さ」と世界最高峰のパフォーマンスを実現しています。



• Six13 frame • Slice Premium+ fork • Shimano Dura Ace wheels • Shimano Dura-Ace crank • Shimano Dura-Ace 10-speed • FSA K-Wing Carbon handlebar • FSA OS-115 w/carbon faceplate stem • USE Alien Carbon seatpost • Fi'zi:k Arione Ti saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm • BLK, SAE, BLU, GRY, ORG

SIX13 R5000 DURA ACE



• Six-13 Si BB frame • Slice Premium+ fork • Mavic Ksyrium Elite wheels • Cannondale Si Carbon crank • Shimano Ultegra 10-speed shifters and derailleurs • FSA Pro Wing handlebar • Fi'zi:k Arione saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm • GRY, SAE, BLU, ORG, BLK

SIX13 R3000



Gilberto Simoni, Saeco/Cannondale Team, 2004 Giro d'Italia, Stage 3 victory



Gilberto Simoni, Saeco/Cannondale Team, 2004 Giro d'Italia, stage



• Six-13 frame • Slice Premium+ fork • Campagnolo Zonda wheels • FSA Pro Team Issue Carbon crank • Campagnolo Centaur 10-speed • FSA Pro Wing handlebar • Cannondale Wind Carbon seatpost • Fi'zi:k Arione saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm • BLK, SAE, BLU, GRY, ORG

Also available as a frameset

SIX13 R2000



• Six-13 frame • Slice Premium+ fork • Campagnolo Zonda wheels • FSA Carbon Pro Road Compact crank • Campagnolo Centaur 10-speed • FSA Pro Wing handlebar • Cannondale Wind Carbon seatpost • Fi'zi:k Arione saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm • SAE, BLU, GRY, ORG, BLK

SIX13 R2000 COMPACT DRIVE

CAAD8



CAAD8 FRAME.

The new CAAD8 is our lightest all-aluminum road frame, tickling the scales 30 grams less than our Giro-winning CAAD7/Optimo frame.

El CAAD8 de carretera es nuestro cuadro de aluminio más ligero, con una reducción de 30 gramos respecto al CAAD7/Optimo, ganador del Giro d'Italia.

CAAD8はジロで優勝を飾ったCAAD7オプティモに比べ、30gも軽く仕上がったキャノンデールのアルミバイクの中で1番軽いフレームです。

Thirty grams lighter than our CAAD7/Optimo frame, the new CAAD8 has a Power Pyramid down tube and a tapered, double-butted seat tube for lightweight flex-resistance. The Optimo front triangle is complemented by 6061-T6 Aero hourglass seatstays, tapered and butted chainstays, and lightweight forged dropouts.

El nuevo CAAD8, treinta gramos más ligero que nuestro cuadro CAAD7/Optimo, tiene un tubo diagonal Power Pyramid y un tubo vertical biconificado que le aportan rigidez sin añadir peso. El triángulo frontal Optimo se complementa con los tirantes curvos Aero de aluminio 6061-T6, las vainas biconificadas y las ligerísimas punteras forjadas.

CAAD7オプティモよりも30g軽く仕上がっているCAAD8にも、パワーピラミッドダウンチューブのほか、軽量かつ剛性が高い先細のダブルバテッドシートチューブなどが装備されています。オプティモ・フロントトライアングルは、砂時計型の6061-T6エアロシートステイ、先細のバテッド・チェーンステイ、そして、軽量な鍛造型ドロップアウトにて補完されています。



• CAAD8 Optimo frame • Slice Premium fork • Mavic Ksyrium Elite wheels • TruVativ Rouleur Carbon crank • Shimano Dura Ace 10-speed • Cannondale Wind Carbon seatpost • Fi'zi:k Arione saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 54, 56, 58, 60, 63 cm • Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU); Charcoal Grey (matte) (GRY)

R5000



COMPACT DRIVE AND STANDARD GEAR CHAINRING COMPARISON

Lighter Than a Standard Double.
The compact crank set with an 11-23 cassette weighs less than a standard crankset with a heavier, climbing cassette (such as a 12-25 or 12-27).

Better Q-Factor Than a Standard Triple.
A compact double is far lighter, will shift far better and has a lower 'Q'-factor than any triple chainring crankset.

Màs ligera.
La transmisión compacta con un cassette de 11-23 pesa menos que la transmisión normal con un cassette para ascensiones (12-25 ó 12-27).

Mejor línea de cadena.
La transmisión compacta con dos platos pesa menos, cambia mejor y garantiza una mejor línea de cadena que cualquier transmisión con tres platos.

標準のダブルギアに比べて軽量な仕上がり。
11～23のカセットを使用するコンパクトクランクセットは、登坂対応の重めのカセット（12～25や12～27の）を使用する標準クランクセットよりも軽量化されています。

標準のトリプルクランクよりもすぐれたQファクター。
コンパクトダブルは、どのトリプルチェーンリング・クランクセットよりも軽い、機敏なシフト操作を実現しています。

COMPACT DRIVE DOUBLES					STANDARD DOUBLE			STANDARD TRIPLE		
Gear Roll-Out (in)			Gear Roll-Out (in)		Gear Roll-Out (in)			Gear Roll-Out (in)		
50T	34T	COG	50T	36T	53T	39T	COG	52T	42T	30T
119.5	81.2	◄ 11 ►	119.5	86.0	126.6	93.2	◄ 11 ►	124.2	100.3	71.7
109.5	74.5	◄ 12 ►	109.5	78.8	116.1	85.4	◄ 12 ►	113.9	92.0	65.7
101.1	68.7	◄ 13 ►	101.1	72.8	107.1	78.8	◄ 13 ►	105.1	84.9	60.6
93.9	63.8	◄ 14 ►	93.9	67.6	99.5	73.2	◄ 14 ►	97.6	78.8	56.3
87.6	59.6	◄ 15 ►	87.6	63.1	92.9	68.3	◄ 15 ►	91.1	73.6	52.6
82.1	55.8	◄ 16 ►	82.1	59.1	87.1	64.1	◄ 16 ►	85.4	69.0	49.3
77.3	52.6	◄ 17 ►	77.3	55.7	81.9	60.3	◄ 17 ►	80.4	64.9	46.4
69.2	47.0	◄ 19 ►	69.2	49.8	73.3	53.9	◄ 19 ►	71.9	58.1	41.1
62.5	42.5	◄ 21 ►	62.5	45.1	66.3	48.8	◄ 21 ►	65.1	52.6	37.5
57.1	38.8	◄ 23 ►	57.1	41.1	60.6	44.6	◄ 23 ►	59.4	48.0	34.3

- *700 X 23 / 23 622 tire with 170 mm cranks*
- *10-speed 11-12-13-14-15-16-17-19-21-23 cassette*
- *Roll Out = Distance in inches the rear wheel travels per 1 crank revolution.*

- *More chain, a longer rear derailleur cage, and wider bottom bracket axle width makes a triple heaviest.*



• CAAD8 Optimo frame • Slice Premium fork • Mavic Ksyrium Elite wheels • TruVativ Rouleur Carbon Compact crank • Shimano Dura Ace 10-speed • Cannondale Wind Carbon seatpost • Fi'zi:k Arione saddle • Hutchinson Fusion foldable tires • 48, 50, 52, 54, 56, 58, 60, 63 cm • Charcoal Grey (matte) (GRY); Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU)



R5000 COMPACT DRIVE



TAPERED, DOUBLE-BUTTED SEAT TUBE.

The seat tube on the CAAD8 frame is double-butted and tapered to deliver superior frame efficiency without a weight penalty.

El tubo vertical del cuadro CAAD8 tiene una doble conificación y un grosor variable para mejorar el rendimiento del cuadro sin añadir peso.

CAAD8のシートチューブは先細のダブルバテッド・シートチューブを採用し、重量のハンディを負うことなくすぐれた剛性を確保しています。







• CAAD8 Optimo frame • Slice Premium fork • Mavic Ksyrium Elite wheels • TruVativ Rouleur Carbon crank • Shimano Ultegra 10-speed • FSA SL-K Carbon seatpost Fi'zi:k Poggio Eco Ti saddle • Hutchinson Top Speed foldable tires • 48, 50, 52, 54, 56, 58, 60, 63 cm • Jet Black (matte) (BBQ); Patriot Blue (gloss) (BLU)




R1000

• CAAD8 Optimo frame • Slice Premium fork • Mavic Ksyrium Elite wheels • TruVativ Rouleur Carbon Triple crank • Shimano Ultegra 10-speed • FSA SL-K Carbon seatpost • Fi'zi:k Poggio Eco Ti saddle • Hutchinson Top Speed foldable tires • 48, 50, 52, 54, 56, 58, 60, 63 cm • Patriot Blue (gloss) (BLU); Jet Black (matte) (BBQ)



R1000 TRIPLE





OPTIMO DUCTILITY.

The Optimo alloy's amazing ductility lets us craft sophisticated tube shapes for maximum performance and minimal weight.

La increible ductilidad del aluminio Optimo nos permite crear tubos con formas complejas para reducir el peso y mejorar el rendimiento.

パワーピラミッドダウンチューブの上部は、肉厚で極めて高い剛性が確保されています。一方、下部は肉薄となっている分、径を広げて「たわみ」に対する抵抗力を確保しています。



• CAAD8 Optimo frame • Slice Premium fork • Gipiemme Parade wheels • TruVativ Rouleur crank • Campagnolo Veloce 10-speed • Fi'zi:k Poggio Eco saddle • Hutchinson Top Speed foldable tires • FSA SL-K Carbon seatpost • 48, 50, 52, 54, 56, 58, 60, 63 cm • Race Red (gloss) (RED); Blazer Blue (gloss) (BLU)



R900




• CAAD8 Optimo frame • Slice Premium fork • Gipiemme Parade wheels • TruVativ Rouleur Triple crank • Campagnolo Veloce 10-speed • Fi'zi:k Poggio Eco saddle • Hutchinson Top Speed foldable tires • FSA SL-K Carbon seatpost • 48, 50, 52, 54, 56, 58, 60, 63 cm • Blazer Blue (gloss) (BLU); Race Red (gloss) (RED)



R900 TRIPLE





CAAD5 FRAME.

The lightweight CAAD5 has a Power Pyramid down tube, CNC-machined head tube and bottom bracket shell, butted chainstays, and hourglass seatstays.

El CAAD5 cuenta con un tubo diagonal Power Pyramid, pipa y caja del eje de pedalier rebajados, tirantes curvos y vainas de grosor variable.

軽量なCAAD5はパワーピラミッドダウンチューブ、精巧なCNC加工を施したヘッドチューブとボトムブラケットシェル、バテッド加工のチェーンステイ、ならびに砂時計型のシートステイを搭載しています。





• CAAD7 Optimo frame • Slice Ultra fork • Shimano WH-R550 wheels • Shimano 105/Ultegra 9-speed • Cannondale Carbon seatpost • 48, 50, 52, 54, 56, 58, 60, 63 cm • Saffron Metallic (gloss) (ORG); Charcoal Grey (matte) (GRY); Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU)



R700 & R700 TRIPLE


• CAAD5 frame • Slice Ultra fork • Gipiemme T3-30S wheels • Shimano Tiagra/105 9-speed shifters & derailleurs • Cannondale Carbon seatpost • Selle Royal Viper saddle • 48, 50, 52, 54, 56, 58, 60, 63 cm • Midnight Blue w/Patriot HyperHighlight (matte) (BLU); Race Red (gloss) (RED)

Also available as a frameset



R500 TRIPLE

SPORT ROAD



SPORT ROAD FRAMES.

Our Sport Road frames utilize shorter top tubes and longer head tubes to seat the rider in a more comfortable, upright position.

El tubo superior de nuestras Sport Road es más corto de lo habitual mientras la pipa de dirección se alarga para permitir una postura de conducción más erguida.

スポーツロードフレームは短めのトップチューブと長めのヘッドチューブを採用し、アップライトで快適なライディングポジションを可能にしています。

Our Sport Road bikes are based on technologies developed for our road racing models, but with extra emphasis on comfort, stable handling, and utility. Ideal for fast-paced fitness rides or for long days in the saddle, Sport Roads are also a smart choice for light touring and charity rides.

Nuestras bicicletas SportRoad cuentan con todos los adelantos técnicos desarrollados para nuestras bicicletas High Performance Road y muchos otros destinados a mejorar la estabilidad, el control y la comodidad en todas las condiciones. Una bicicleta perfecta tanto para el ejercicio esporádico como para los largos paseos, las excursiones y las salidas en grupo.

ロードバイクは安定性が高いハンドリング性能と汎用性などの快適機能に重点をおきつつ、ロードレース用モデルの製造で培った技術を駆使して完成したバイクです。長時間のフィットネスライドやツーリング、あるいはチャリティライドなどに最適なバイクです。



• Optimo Sport Road frame • Slice Ultra All-Conditions fork • Gipiemme Grecal Parade wheels • Continental Ultra GatorSkin tires • Campagnolo Veloce 10-speed drivetrain • Cannondale B-Levers • TruVativ Rouleur crankset and Giga X Drive bottom bracket • 1-X Suspension seatpost • Fi'zi:k TechnoGel handlebar inserts • P, S, M, L, X • Charcoal Grey w/Sterling Silver HyperHighlight (gloss) (GRY)

SPORT ROAD 1000





GEL INSERTS.

We use strategically placed Fi'zi:k TechnoGel inserts beneath the handlebar tape to reduce vibration and boost rider comfort.

Bajo la cinta del manillar colocamos estratégicamente inserciones de TechnoGel Fi'zi:k para reducir las vibraciones y elevar la comodidad.

ハンドルバーのテープの下にフィジーク社のテクノジェルを注入し、ハンドルを握る手と腕への振動の緩和をはかる細かい工夫も、キャノンデールならではのノウハウです。





• CAAD5 Sport Road frame • Slice Ultra All-Conditions fork • Shimano WH-R550 wheels • Continental Ultra GatorSkin tires • Shimano 105 shifters and Ultegra rear derailleur • Cannondale B-Levers • Adjustable rise stem • 1-X Suspension seatpost • S, M, L, X • Charcoal Grey (gloss) (GRY), Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU)



SPORT ROAD 800

• CAAD5 Sport Road frame • Slice Ultra All-Conditions fork • Continental Ultra Sport tires • Shimano Tiagra shifters and 105 rear derailleur • Cannondale B-Levers • TruVativ Touro crankset • Adjustable rise stem • 1-X Suspension seatpost • Fi'zi:k TechnoGel handlebar inserts • S, M, L, X • Platinum (gloss) (PLT); Jet Black (gloss) (BLK)



SPORT ROAD 500

ROAD WARRIOR



FLAT HANDLEBARS.

Flat handlebars offer easily accessed shift and brake controls, plus we've added bar ends for a secondary hand position.

El manillar plano facilita el cambio de marchas y el acceso a la maneta del freno, mientras los acoples ofrecen una posición de conducción alternativa.

フラットバーの方が、シフト&ブレーキ操作がしやすいというサイクリストのニーズにあわせたモデルもラインアップしました。バーエンドは第2のハンドル・ポジションとしてご活用いただけます。

Lightweight, high-tech road bikes with flat handlebars, our Road Warriors seat the rider in a confident, yet efficient riding position. Road Warriors combine sensible saddles and accessible controls with road gearing and slick tires, making them capable of conquering just about any road you choose.

El manillar plano de montaña de nuestras ligerísimas y sofisticadas Road Warriors permite una postura de conducción más erguida y familiar. Las Road Warriors están equipadas con cómodos sillines, controles accesibles y marchas y neumáticos de carretera. Una bicicleta capaz de conquistar cualquier ruta.

フラットバー装備の軽量ロードウォリアー・シリーズは、ライダーに極めて高い安心感と無駄のないライディング・ポジションをお届けする本格的なロードバイクです。ロードウォリアーには、快適性のよいサドルや操作性にすぐれたロード用コンポーネントやスリックタイヤを装備し、あらゆる路面を走破する実力を誇ります。



• Optimo Sport Road frame • Slice Ultra All-Conditions fork • Gipiemme Grecal Parade wheels • Continental CityContact tires • Campagnolo Veloce 10-speed drivetrain and Ergopower FB shifters • TruVativ Rouleur crankset and Giga X Drive bottom bracket • FSA SL-K Carbon seatpost • Paquito bar ends • P, S, M, L, X • Saffron Metallic (gloss) (ORG)

ROAD WARRIOR 1000





RACK AND FENDER MOUNTS.

Our Road Warriors easily accommodate racks and fenders, offering added versatility and improving their foul-weather performance.

Nuestras Road Warriors pueden ser equipadas fácilmente con portaequipajes y guardabarros para aumentar su versatilidad y permitir el uso en climas adversos.

ロードウォリアーのフレームにはラックやフェンダーが簡単に取り付けることができ、悪天候下でのライディングへの対応も万全です。





• CAAD5 Sport Road frame • Slice Ultra All-Conditions fork • Shimano WH-R550 wheels • Continental CityContact tires • Shimano Ultegra rear derailleur • TruVativ IV Elita SL crankset and ISIS bottom bracket • 1-X Suspension seatpost • Selle Royal Freccia Gel saddle • Paquito bar ends • S, M, L, X • Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU)


ROAD WARRIOR 800

• CAAD4 Sport Road frame • TIG-Welded Chromoly fork • Mach 1 CFX rims with Cannondale Earth hubs and DT Stainless spokes • Continental CityRIDE tires • TruVativ Touro crankset • Adjustable rise stem • Polygon Suspension seatpost • Selle Royal Freccia saddle • S, M, L, X • Mocha Brown (gloss) (BRN); Sterling Silver (gloss) (SLV)



ROAD WARRIOR 400

BAD BOY



ON-ROAD/OFF-ROAD VERSATILITY.

Equip them with knobby mountain bike wheels, and the versatile Bad Boy models are ready to go from on-road to off-road adventure.

Con la simple adición de unas gruesas ruedas de montaña la Bad Boy estará preparada para dejar la carretera y adentrarse en los senderos más abruptos.

マウンテンバイク用のタイヤを装備すれば即時にオンロードバイクからオフロードバイクに変身するスグレモノです。

The Bad Boys combine our light-yet-rugged mountain bike frames with lightning-quick road tires, adding a generous dose of dark, ominous styling for attitude. Perfect for shredding the urban landscape, the Bad Boys require only a quick wheel swap to make them ready for hard core off-road riding.


Las Bad Boys combinan nuestros ligeros y aguerridos cuadros de montaña con fulgurantes neumáticos de carretera y un estilo discretamente siniestro. Aunque la Bad Boy es el vehiculo perfecto para la ciudad un simple cambio de ruedas las combierte en una bicicleta de montaña del más alto nivel.

バッドボーイは軽量で頑丈なMTB用のフレームに、電光石火の速さを誇る細いロード用のタイヤを装備した、クールで少々あやしげなマシンです。街中を疾風のように走りぬける速さが自慢ですが、ホイールをMTB用に交換するだけで、過酷なオフロード走行も可能になる変幻自在なバイクでもあります。



• Furio frame • HeadShok Super Fatty Ultra DL fork • Mavic CXP22 rims with Cannondale Fire Disc hubs and DT Champion spokes • Hutchinson Flash tires • TruVativ Firex crankset and ISIS bottom bracket • SRAM X-7 shifters and rear derailleur • Avid BB7 disc brakes • Cannondale Octopus pedals • P, S, M, L, X • Jet Black (matte) (BBQ)

BAD BOY ULTRA



Frank Polfer, Cannondale Europe Graphic Designer, takes to the streets.



OCTOPUS PEDAL.

The lightweight Octopus pedal has durable, cartridge bearings, plus a non-slip platform that grips in all conditions without damaging leather dress shoes.

El ligero pedal Octopus cuenta con resistentes rodamientos de la mejor calidad y ofrece una superficie antideslizante que no daña la suela de los zapatos.


ハイエンドの丈夫なベアリングを搭載している軽量なオクトパスペダルには、どのような状況においてもすべりにくく、また、靴の皮底にもやさしいプラットフォームを採用しています。



- Mountain frame • TIG-Welded Chromoly fork • Sun CR18 rims with Cannondale Earth hubs and DT Champion spokes • IRC Metro tires
- SRAM X-7 shifters and 5.0 rear derailleur • TruVativ Five D crankset and ISIS bottom bracket • Cannondale Octopus pedals • P, S, M, L, X
- Jet Black (matte) (BBQ)

BAD BOY

STREET



NEXUS INTERNAL REAR HUB.

Shimano's user-friendly Nexus hub offers the low-maintenance convenience of gears protected by a sealed shell and heavy-duty construction.

El buje Nexus de Shimano simplifica el mantenimiento de la bicicleta y facilita su uso gracias al robusto juego interno de marchas protegido por una carcasa sellada.

操作性やメンテナンス性にすぐれたシマノ社製のネクサスは、ギアを保護する丈夫な構造になっています。

Street models combine high-tech computer design, meticulous handcraftsmanship and the latest innovative componentry. The ultimate in practical, pedal-powered transportation, our Street bikes are outfitted with an abundance of thoughtful details and sensible, convenient accessories.

Los modelos Street combinan las más avanzadas técnicas de diseño computerizado, una meticulosa manufactura y los más innovadores componentes. Nuestras bicicletas de ciudad pueden ser consideradas el medio de transporte más practico y avanzado. Todas están equipadas con multitud de detalles y prácticos accesorios.

ハイテクを駆使したコンピュータで設計されているストリートモデルは、最新の技術と匠の技による逸品に仕上がっています。長年の経験を生かした数多くの便利機能を満載、ファッショナブルでありながら極めて実用性が高いバイクです。



• Singlespeed frame • Fatty Ultra R fork • Sun Rhyno Lite rims • IRC Lover's Soul tires • Shimano Nexus Inter-8 Premium rear hub, shifter, and brake levers • TruVativ Firex crankset and ISIS bottom bracket • Cane Creek S-2 headset • Sweep handlebar • SKS fenders • Zefal bell • P, S, M, L, X • Jet Black, Raw (matte) (BBQ)

FIFTY-FIFTY










• Street frame • TIG-Welded Chromoly fork • Continental TopTouring Reflex tires • Adjustable rise stem • Sweep handlebar • 1-X Suspension seatpost • Cannondale rear rack • SKS fenders • Zefal bell • Chainguard • Kickstand • S, M, L, X, J • Jet Black (gloss) (BLK)

STREET

• Street Féminine frame • TIG-Welded Chromoly fork • Continental TopTouring Reflex tires • Adjustable rise stem • Sweep handlebar • 1-X Suspension seatpost • Cannondale rear rack • SKS fenders • Zefal bell • Chainguard • Kickstand • S, L • Jet Black (gloss) (BLK)

STREET FÉMININE

TOURING



READY FOR TOURING.

The aluminum tubing in our touring frames' rear triangle is incredibly light, yet flex-resistant, to withstand the stresses of fully-loaded touring.

Los tubos de aluminio del triángulo trasero de nuestros modelos Touring son ligeros y resistentes para soportar las cargas del equipaje.

アルミニウム製のチューブを採用したリアトライアングルは軽量でありながら、リアラックが荷物満載でもまったくモノともしない剛性を確保しています。

Designed for self-contained cycling, our Touring frame's slack head tube angle and long wheelbase make for stable handling when loaded with panniers. Our Touring bikes are also equipped with three sets of bottle mounts, eyelets for front and rear racks, and generous clearance for tires and fenders.


Bicicletas diseñadas para largos viajes a un ritmo contenido. El ángulo de la pipa de dirección y su amplia distancia entre ejes mejora la estabilidad cuando se carga el equipaje. Entre los detalles propios de nuestros modelos Touring están los múltiples portabotellas, sujeciones para alforjas delanteras y traseras y amplios pasos de ruedas para facilitar el acople de los guardabarros.

冒険の相棒となるべく誕生したバイクです。ヘッドチューブの角度を低めに設定し、ホイールベースを長めにとることで、荷物を満載しても極めて安定した走行が可能です。ボトルマウントを3個所に設置し、フロント＆リアにラックとフェンダーの装着が可能です。



• Touring frame • Fatty Ultra R All-Conditions fork •Mavic A719 rims with Cannondale Omega hubs and DT Competition spokes • Continental TravelContact tires • Shimano Ultegra 9-speed shifters and XT rear derailleur • 1-X Suspension seatpost • Brooks Professional saddle • Fi'zi:k TechnoGel handlebar inserts • Cannondale rear rack • S, M, L, X, J • Fairway Green (gloss) (GRN)

T2000







• Touring frame • High-strength steel fork • Mavic A119 rims with Cannondale Omega hubs and DT Competition spokes • Continental TopTouring tires • Shimano Tiagra 9-speed shifters and XT rear derailleur • TruVativ Blaze crankset and ISIS bottom bracket • Wellgo Dual-Function pedals • Fi'zi:k TechnoGel handlebar inserts • Cannondale rear rack • S, M, L, X, J • Midnight Blue (gloss) (BLU)

T800

ADVENTURE

Our Adventure models bring sophisticated cycling technology to recreational riding. Every bike features a lightweight, hand-welded aluminum frame, versatile multi-speed gearing, riser handlebar and adjustable stem for a comfortable upright riding position, plus a cushy, comfy gel saddle.

Nuestros modelos Adventure acercan la tecnología de fabricación más sofisticada al ciclismo recreativo. Su ligero cuadro de aluminio está soldado a mano y sus múltiples marchas, el manillar plano, la potencia inclinada y el cómodo sillín almohadillado permiten una conducción relajada y una postura erguida.

アドベンチャーは、レクリエーションにピッタリのハイテクを駆使したシリーズです。手作業によってていねいに仕上げられたアルミニウム製のフレームに、操作性にすぐれたギア、ライザーバー、高さ調節が可能なステム、そしてゲル入りサドルなどの快適装備を満載し、無理がないアップライトな姿勢で快適なサイクリングをお楽しみいただくことができます。



The Adventure 1000 Féminine features the same great component package as the Adventure 1000, but uses our Adventure Féminine frame and our Super Cush Gel Féminine saddle. Sizes are S and L; color is Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU).

ADVENTURE 1000 FÉMININE



• Adventure HS frame • HeadShok Fatty 50 All-Conditions fork with Lockout • Continental CityRIDE tires • Shimano Deore 9-speed shifters and LX rear derailleur • TruVativ Blaze crankset and ISIS bottom bracket • Adjustable rise stem • 1-X Suspension seatpost • Super Cush Gel saddle with Springs • Bell • S, M, L, X, J • Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU)

ADVENTURE 1000





DUAL DRIVE.

SRAM's innovative Dual Drive lets you shift gears using only one hand. It's also easy to maintain and can be shifted even when stopped.

El innovador sistema Dual Drive de SRAM te permite cambiar con una sola mano. Su mantenimiento es sencillo y permanece activo incluso cuando la bicicleta esta parada.

スラムのデュアルドライブは、片手でシフト操作ができます。停車時にもシフト操作ができて、メンテナンス性にもすぐれています。



- Adventure HS frame • HeadShok Fatty 50 All-Conditions fork • SRAM Dual Drive drivetrain • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • Adjustable rise stem • 1-X Suspension seatpost • Super Cush Gel saddle with Springs • Bell • S, M, L, X, J • Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK); Platinum (gloss) (PLT)



ADVENTURE 800




- Adventure HS Féminine frame • HeadShok Fatty 50 All-Conditions fork • SRAM Dual Drive drivetrain • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • Adjustable rise stem • 1-X Suspension seatpost • Super Cush Gel Féminine saddle with Springs • Bell • S, L • Platinum (gloss) (PLT); Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK)



ADVENTURE 800 FÉMININE





Cannondale Creative Director, John Lucas and his wife Kathy, Longshore, Westport, CT.
©Adrian Morley/Point Studio



• Adventure HS frame • HeadShok Fatty 50 All-Conditions fork • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • SRAM MRX Pro shifters • Shimano Deore rear derailleur • Adjustable rise stem • 1-X Suspension seatpost • Super Cush Gel saddle with Springs • S, M, L, X, J • Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK); Platinum (gloss) (PLT)



ADVENTURE 600



• Adventure HS Féminine frame • HeadShok Fatty 50 All-Conditions fork • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • SRAM MRX Pro shifters • Shimano Deore rear derailleur • Adjustable rise stem • 1-X Suspension seatpost • Super Cush Gel Féminine saddle with Springs • S, L • Platinum (gloss) (PLT); Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK)



ADVENTURE 600 FÉMININE



HANDMADE IN USA.

Our Adventure models' lightweight aluminum frame is handmade in the USA by skilled craftsmen (and craftswomen) at our Bedford, PA factory.

Los ligerísimos cuadros de nuestras bicicletas Adventure están fabricados a mano por los artesanos más experimentados en nuestra fábrica de Bedford, Pensilvania.

アドベンチャーのフレームももちろん、すべてペンシルベニア州ベッドフォードの自社工場内で丹念に製造されています。



• Adventure frame • RockShox GPS Metro fork • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • SRAM 4.0 shifters and 5.0 rear derailleur • Adjustable rise stem • Polygon Suspension seatpost • Selle Royal Gel saddle • S, M, L, X, J • Charcoal Grey w/Sterling Silver HyperHighlight (gloss) (GRY); Fairway Green (gloss) (GRN)



ADVENTURE 400



• Adventure Féminine frame • RockShox GPS Metro fork • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • SRAM 4.0 shifters and 5.0 rear derailleur • Adjustable rise stem • Polygon Suspension seatpost • Super Cush Gel Féminine saddle with Springs • S, L • Fairway Green (gloss) (GRN); Charcoal Grey w/Sterling Silver HyperHighlight (gloss) (GRY)



ADVENTURE 400 FÉMININE

COMFORT

The plushest way to travel on two wheels, our Comfort models include both conventional bikes and our state-of-the-art recumbents. Built for pleasurable, comfortable pedaling, each model is equipped with a suspension seatpost, gel saddle and shock-absorbing front suspension fork.

Máxima comodidad sobre dos ruedas gracias a nuestra linea Comfort que incluye tanto bicicletas convencionales como bicicletas ergonómicas. Estos modelos, concebidos para permitir un pedaleo sin esfuerzos ni tensiones, están equipados con tijas amortiguadoras, sillines con gel y horquillas con suspensión.

コンフォート・シリーズには、ほとんど芸術の域に入っているといっても過言ではないリカンベントなど、ファッショナブルなバイクがラインアップされています。サイクリングを快適にお楽しみいただくことができるサスペンション付きのシートポスト、ゲル入りサドル、フロントサスペンションなどを各モデルに採用しています。



BENT II

• Recumbent frame • TIG-Welded Chromoly fork • Fox Vanilla rear shock • Sun Rhyno Lite rims with DT Stainless spokes • Kenda Kwest tires • SRAM 4.0 shifters and 5.0 rear derailleur • Wellgo Dual-Function pedals • Avid BB5 rear Disc brake • Cannondale rear rack • Kickstand • Mirror • S, L • Patriot Blue (gloss) (BLU)



BENT I

• Recumbent HS frame • HeadShok R-Bone fork • Fox Vanilla rear shock • Sun Rhyno Lite rims with DT Stainless spokes • Maxxis Hook Worm tires • SRAM Attack shifters • Shimano LX rear derailleur • Wellgo Dual-Function pedals • Avid BB5 rear Disc brake • Cannondale rear rack • Kickstand • Mirror • S, L • Sterling Silver (gloss) (SLV)



OVERSIZED TIRES.

Our Comfort models smooth your ride in a variety of ways, from shock-absorbing seat posts to oversized tires that soak up vibration.

Nuestros modelos Comfort suavizan el recorrido de varias formas, entre las que destacamos las horquillas con amortiguación y los gruesos neumáticos para absorber las vibraciones.

コンフォートモデルにはショック付きのシートチューブや太めのタイヤを装備するなど、路面からの衝撃を効率よく吸収し、快適性を確保する工夫が満載です。



• Adventure HS frame • HeadShok Fatty 50 All-Conditions fork • SRAM Dual Drive drivetrain • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • Adjustable rise stem • 1-X Suspension seatpost • Super Cush Gel saddle with Springs • Bell • S, M, L, X, J • Jet Black w/Patriot Blue HyperHighlight (gloss) (BLU); Platinum (gloss) (PLT)



COMFORT 800



• Adventure HS Féminine frame • HeadShok Fatty 50 All-Conditions fork • SRAM Dual Drive drivetrain • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • Adjustable rise stem • 1-X Suspension seatpost • Super Cush Gel Féminine saddle with Springs • Bell • S, L • Platinum (gloss) (PLT); Jet Black w/Patriot Blue HyperHighlight (gloss) (BLU)



COMFORT 800 FÉMININE







• Comfort HS frame • HeadShok Fatty 50 All-Conditions fork • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • SRAM MRX Pro shifters • Shimano Deore rear derailleur • Adjustable rise stem • 1-X Suspension seatpost • Super Cush Gel saddle with Springs • S, M, L, X, J • Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK); Platinum (gloss) (PLT)



COMFORT 600



• Comfort HS Féminine frame • HeadShok Fatty 50 All-Conditions fork • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • SRAM MRX Pro shifters • Shimano Deore rear derailleur • Adjustable rise stem • 1-X Suspension seatpost • Super Cush Gel Féminine saddle with Springs • S, L • Platinum (gloss) (PLT); Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK)



COMFORT 600 FÉMININE



LIFETIME WARRANTY.

We're proud of our craftsmanship, and guarantee the frames on our Comfort models for life against defects in materials and workmanship.

Estamos orgullosos de nuestra calidad de fabricación, para demostrarlo garantizamos nuestros modelos Comfort de por vida contra defectos de materiales y mano de obra.

キャノンデールでは製造技術と品質に関する自信の表現方法としてほとんどのモデルに「永久保証制度」を採用しています。コンフォート系モデルも例外ではありません。



• Comfort frame • RockShox GPS Metro fork • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • SRAM 4.0 shifters and 5.0 rear derailleur • Adjustable rise stem • Polygon Suspension seatpost • Selle Royal Gel saddle • S, M, L, X, J • Fairway Green (gloss) (GRN); Charcoal Grey w/Sterling Silver HyperHighlight (gloss) (GRY)



COMFORT 400



• Comfort Féminine frame • RockShox GPS Metro fork • Mach1 210 rims with DT Stainless spokes • IRC Advantage Pro tires • SRAM 4.0 shifters and 5.0 rear derailleur • Adjustable rise stem • Polygon Suspension seatpost • Super Cush Gel Féminine saddle with Springs • S, L • Charcoal Grey w/Sterling Silver HyperHighlight (gloss) (GRY); Fairway Green (gloss) (GRN)




COMFORT 400 FÉMININE

TANDEM

We offer two tandem models with lightweight, high-performance aluminum frames: a drop-handlebar road model for fast street riding, and a flat-handlebar two-seater with wider tires (and a comfortable upright riding position) for fun pedaling on the road or trail.

Ofrecemos dos modelos de tandems con cuadros ligeros de aluminio; uno de carretera para la rápida conducción sobre asfalto, y otro de montaña con manillares planos, neumáticos mas gruesos y una geometría más relajada, para su disfrute sobre cualquier tipo de superficies.

キャノンデールでは2機種の軽量でハイパフォーマンスを誇るタンデムバイクをラインアップしています。一方は、高速走行を得意とするドロップハンドル式のロードモデルで、もう一方は太めのタイヤをはき、フラットバーを採用しアップライトなライディング姿勢が可能なオフロードモデルです。



OVERSIZED ALUMINUM TUBES.


Cannondale tandems are among the lightest and most efficient anywhere, thanks to their lightweight, flex-resistant aluminum tubes.

Los tandems Cannondale se cuentan entre los más ligeros y eficaces del mundo gracias a la ligereza y rigidez de sus tubos de aluminio.

キャノンデールのタンデムはオーバーサイズのアルミニウム製チューブを採用することにより、卓越した「軽さ」と際立つ「剛性」を確保した業界随一のモデルに仕上がっています。



Nadja Allenbach with Mike Cotty, Cannondale Europe Marketing.
©Michael Lutter



PATENTED BOTTOM BRACKET ECCENTRIC.

Cannondale tandems come equipped with our patented (#4,808,147) wedge-anchored eccentric that allows quick, easy adjustment of the timing chain.

Todos los tandem Cannondale están equipados con nuestra excéntrica fija patentada (#4,808,147) que permite el fácil y rápido ajuste de la doble cadena.

キャノンデールのタンデムには、チェーンの調整が簡単で素早く行なうことができるウェッジアンカー式（特許#4,808,147）のエクセントリックを採用しています。




• Mountain Tandem frame • Fatty R Tandem fork • Sun Rhyno Lite rims with DT Tandem Disc hubs and Champion spokes • Maxxis High Roller tires • TruVativ Firex crankset with ISIS bottom brackets • Avid BB7 disc brakes • 1-X Suspension seatpost • MS, LS, LM, XS, XM • Mocha Brown to Saffron Metallic to Platinum (gloss) (CCF); Charcoal Grey (matte) (GRY)



MOUNTAIN TANDEM







• Road Tandem frame • Fatty R Tandem fork • Mavic A719 rims with DT Tandem Disc hubs and Champion spokes • Shimano Ultegra 9-speed shifters with XT rear derailleur • TruVativ Elita crankset with ISIS bottom brackets • Avid BB7 disc brakes • 1-X Suspension seatpost • MS, LS, XS, XM, JL • Midnight Blue to Patriot Blue to Blazer Blue (gloss) (BLU); Platinum (gloss) (PLT)



ROAD TANDEM

Also available as a frameset.

FRAMESETS

FRAMESETS

This icon alongside a specific bike model indicates that it's also available as a frameset. For more information, contact your local Cannondale retailer.

Este símbolo junto a la imagen de una bicicleta indica que el cuadro también está disponible por separado. Para obtener más información sobre este tema póngase en contacto con su comercio especializado Cannondale.

このアイコンの記載があるモデルはフレームセットでのお求めが可能ですが、日本における詳細につきましては、最寄りの正規販売代理店にお問い合わせください。

FRAME EXCHANGE PROGRAM

Our frame exchange program lets you trade-in any Cannondale, regardless of condition, for a sweet discount on a new frame.

Gracias a nuestro programa de sustitución puedes conseguir un atractivo descuento en la compra de un cuadro nuevo entregando tu viejo Cannondale, sea cual sea su estado.

キャノンデールのフレームは、モデルや状態にかかわらず「フレーム交換プログラム」を適用させていただきます。期間限定受付のこのプログラムにつきましては、最寄りの正規販売代理店にお問い合わせください。



• Six13 Si BB frame • Hollowgram Si bottom bracket • Cannondale Slice Premium+ fork • Campagnolo Record Hiddenset carbon integrated headset • The Six13 Si framesets come with our super-light, integrated Hollowgram Si bottom bracket. The dedicated Hollowgram Si crankset is available separately, allowing the rider to choose his or her optimal crankarm length • Saeco Team Replica (gloss) (SAE)

SIX13 TEAM REPLICA FRAMESET



• Optimo Si BB frame • Hollowgram Si bottom bracket • Si integrated headset • The Optimo Si framesets come with our super-light, integrated Hollowgram Si bottom bracket. The dedicated Hollowgram Si crankset is available separately, allowing the rider to choose his or her optimal crankarm length • Siemens Team Replica (gloss) (REP)

OPTIMO TEAM REPLICA FRAMESET















	GEMINI DH	GEMINI 3000	GEMINI 2000	GEMINI 900	CHASE 1	CHASE 2	CHASE 3
Frame	Gemini DH	Gemini DH	Gemini Thru 12	Gemini Thru 12	Chase Hardtail	Chase Hardtail	Chase Hardtail
Fork	Manitou Dorado DH, 180 mm	Marzocchi 888, 200 mm	Manitou Breakout Plus w/SPV EVOLVE 1.5", 130-170 mm	Manitou Breakout TPC 1.5", 130-170 mm	Manitou Stance Flow 1.5", 100-130 mm	Manitou Stance Blunt 1.5", 100 mm	Manitou Stance Static 15", 100 mm
Rear Shock	Manitou 6-Way	Manitou SPV 4-Way Coil	Manitou SPV 4-Way Coil	Fox Vanilla R	N/A	N/A	N/A
Rims	Mavic EX823 Disc, 36 hole	Mavic EX729 Disc, 36 hole	Mavic XM321, 32 hole	Mavic XM321, 32 hole	Sun Single Track, 32 hole	Sun Single Track, 32 hole	Sun Ditch Witch, 32 hole
Hubs	Sun Ringle Abbah Lawwill	Sun Ringle Abbah Lawwill	Cannondale Thru Axle front, Formula 12 mm Disc rear	Cannondale Thru Axle front, Formula 12 mm Disc rear	Cannondale Thru Axle front, Fire Disc rear	Cannondale Thru Axle front, Fire Disc rear	Cannondale Fire Disc
Spokes	DT Competition	DT Champion	DT Champion	DT Champion	DT Champion	DT Champion	DT Champion
Tires	Hutchinson Octopus UST, 26 x 2.5"	Maxxis Mobster, 26 x 2.5"	Maxxis High Roller, 26 x 2.5"	Maxxis High Roller, 26 x 2.5"	Maxxis Holy Roller, 26 x 2.4"	Maxxis Holy Roller, 26 x 2.4"	Maxxis Holy Roller, 26 x 2.4"
Pedals	Cannondale Grind Platform	Cannondale Grind Platform	Cannondale Grind Platform	Cannondale Grind EX Platform	Cannondale Grind Platform	Cannondale Grind EX Platform	Cannondale Grind EX Platform
Crank	FSA El Toro, 42 w/E-13 Chain Guide	TruVativ Hussefelt, 26/36/PC guard	TruVativ Hussefelt, 22/32/guard	TruVativ Hussefelt, 22/32/guard	FSA Nasty Boy, 36/E-13 Bash Guard	TruVativ Hussefelt, 26/36/guard	TruVativ Hussefelt, 36/guard
Chain	Shimano 9-speed	Shimano 9-speed	Shimano 9-speed	Shimano 9-speed	Shimano 9-speed	SRAM 8-speed	SRAM 8 speed
Rear Cogs	SRAM PG-970, 11-32	Shimano XT, 11-34	SRAM PG-970, 11-34	SRAM PG-950, 11-34	Shimano XT, 11-32	SRAM PG-850, 11-32	Sunrace M60, 11-32
Bottom Bracket	TruVativ ISIS DH	TruVativ ISIS DH	TruVativ ISIS DH	TruVativ ISIS DH	FSA Nasty Boy	TruVativ ISIS DH	TruVativ ISIS DH
Front Derailleur	N/A	Shimano LX	Shimano LX	Shimano LX	N/A	Shimano Alivio	N/A
Rear Derailleur	SRAM X-9	SRAM X-9	SRAM X-9	SRAM X-7	SRAM X-9	Shimano LX	Shimano Deore
Shifters	SRAM X-9 Trigger	SRAM X-9 Trigger	SRAM X-7 Trigger	SRAM X-7 Trigger	SRAM X-9 Trigger	Shimano Alivio	Shimano Alivio
Handlebar	FSA DH-400, 40 mm rise	FSA FR-270, 40 mm rise	FSA FR-330, 40 mm rise	FSA FR-330, 40 mm rise	Cannondale Freeride, 50 mm rise	Cannondale Freeride, 50 mm rise	FSA FR-330, 40 mm rise
Stem	Manitou Integrated 31.8	Marzocchi Integrated 31.8	Cannondale Holy OnePointFive 31.8	Cannondale Holy OnePointFive 31.8	Super Inovative Concepts Body Slam Classic	Super Inovative Concepts Body Slam Classic	Cannondale Holy OnePointFive 31.8
Headset	FSA ORBIT Z1.5	FSA ORBIT Z1.5	FSA OnePointFive cartridge	FSA OnePointFive cartridge	FSA OnePointFive cartridge	FSA OnePointFive cartridge	FSA OnePointFive cartridge
Brakes	Magura GustavM	Hayes Mag w/8" rotors	Hayes Mag w/8" rotors	Hayes HFX-9 w/8" rotors	Hayes HFX-9 w/8" rotor front/ 6" rotor rear	Avid BB5 w/8" rotor front/ 6" rotor rear	Avid BB5 w/8" rotor front, Cannondale Fire w/cartridge pad rear
Brake Levers	Magura GustavM	Hayes Mag	Hayes Mag	Hayes HFX-9	Hayes HFX-9	Cannondale Earth	Cannondale Earth
Saddle	Fi'zik Gobi Team Replica	WTB Laser Pro V	WTB Laser Pro V	WTB Laser Pro V	SDG I-Fly	SDG I-FLY	SDG I-FLY
Seatpost	Cannondale Competition	Cannondale Competition	Cannondale Competition	Kalloy SP-248D	SDG I-Beam	SDG I-Beam	SDG I-Beam
Sizes	S, M, L	S, M, L	S, M, L, X	S, M, L, X	S, M, L	S, M, L	S, M, L
Colors (code)	Siemens Team Replica (gloss) (REP). Mocha Brown w/Saffron Metallic swingarm (matte) (BRN). BRN available with or without Gemini Girls decal.	Mocha Brown w/Saffron Metallic swingarm (matte) (BRN). BRN available with or without Gemini Girls decal. Siemens Team Replica (gloss) (REP).	Raw w/Black Tinted Clear Hyperlighlight (gloss) (BTC). Available with or without Gemini Girls decal.	Saffron Metallic w/Jet Black swingarm (matte) (ORG). Raw w/Jet Black swingarm (matte) (RAW). Both colors available with or without Gemini Girls decal.	Saffron Metallic (matte) (ORG).	Mocha Brown (matte) (BRN).	Midnight Blue (matte) (BLU).
Extra's	ODI Ruffian	ODI Ruffian	ODI Ruffian				







All specifications subject to change without notice.
Please refer to www.cannondale.com for most recent specifications.



TEAM REPLICA 4X

Prophet 4-Cross
Lefty Max Carbon 140 SPV+
Manitou Swinger 4-Way Air
Mavic XM321, 32 hole
Cannondale Lefty front, Fire Disc rear
DT Champion
Hutchinson Bulldog UST, 26 x 2.3"
Cannondale Grind Platform
FSA El Toro, 38 w/E-13 Chain Guide
Shimano 9-speed
SRAM PG-970, 11-34
TruVativ ISIS DH
N/A
SRAM X-9
SRAM X-9 Trigger
FSA K-Force XC Carbon, 25 mm rise
Cannondale Holy HeadShok 31.8
Cannondale HeadShok SI
Magura Louise FR
Magura Louise FR
Fi'zi:k Gobi Team Replica
FSA FR230
P, S, M, L, X
Siemens Team Replica (gloss) (REP).



PROPHET 4000

Prophet
Lefty Max Carbon 140 SPV+ Ti
Manitou Swinger 3-Way Air
Mavic CrossMax SL
Mavic CrossMax SL
Mavic CrossMax SL
Maxxis High Roller UST, 26 x 2.35"
Shimano PD-M520
FSA K-Force, 22/32/44
Shimano 9-speed
Shimano XTR, 11-34
FSA K-Force
Shimano XT
SRAM X-0
SRAM X-9 Trigger
FSA K-Force XC Carbon, 25 mm rise
Cannondale Holy HeadShok 31.8
Cannondale HeadShok SI
Magura Marta SL
Magura Marta SL
Fi'zi:k Gobi Ti
Cannondale Wind Carbon
P, S, M, L, X
Fairway Green (matte) (GRN).
Galvanized (gloss) (GZD).
Raw w/Black Tinted Clear HyperHighlight (gloss) (BTC).



PROPHET 2000

Prophet
Lefty Max Carbon 140 SPV+
Manitou Swinger 3-Way Air
Mavic XM819 Disc, 32 hole
Cannondale Lefty front, Wind Disc rear
DT Competition
Maxxis High Roller UST, 26 x 2.35"
Shimano PD-M520
Shimano XT, 22/32/44
Shimano 9-speed
Shimano XT, 11-34
Shimano XT
Shimano XT
Shimano XTR
Shimano XT Dual Control
FSA XC-190, 25 mm rise
Cannondale Holy HeadShok 31.8
Cannondale HeadShok SI
Shimano XT
Shimano XT Dual Control
Fi'zi:k Plateau
Cannondale Wind Carbon
P, S, M, L, X
Galvanized (gloss) (GZD).
Raw w/Black Tinted Clear HyperHighlight (gloss) (BTC).
Fairway Green (matte) (GRN).



PROPHET 1000
PROPHET 1000Z

Prophet
Lefty Max SPV+
Manitou Swinger 3-Way Air
Z: Manitou Swinger 3-Way Coil
Mavic XM819 Disc, 32 hole
Cannondale Lefty front, Fire Disc rear
DT Champion
Maxxis High Roller UST, 26 x 2.35"
Shimano PD-M520
TruVativ Stylo GXP, 22/32/44
Shimano 9-speed
SRAM PG-970, 11-34
TruVativ Giga X Drive
Shimano LX
SRAM X-9
SRAM X-7 Trigger
FSA XC-280, 25 mm rise
Cannondale Holy HeadShok 31.8
Cannondale HeadShok SI
Avid Juicy7
Avid Juicy7
Fi'zi:k Plateau
Cannondale Fire
P, S, M, L, X
Mocha Brown (matte) (BRN).
Patriot Blue (gloss) (BLU).



PROPHET 800

Prophet
Lefty Max TPC
Manitou Radium R Air
Mavic XM117 Disc, 32 hole
Cannondale Lefty front, Fire Disc rear
DT Champion
IRC Trail Bear, 26 x 2.25"
Shimano PD-M520
TruVativ Firex SL, 22/32/44
Shimano 9-speed
SRAM PG-970, 11-34
TruVativ ISIS GigaPipe SL
Shimano LX
Shimano XT
Shimano LX Dual Control
FSA XC-280, 25 mm rise
Cannondale Holy HeadShok 31.8
Cannondale HeadShok SI
Shimano LX
Shimano LX Dual Control
Fi'zi:k Plateau
FSA FR270
P, S, M, L, X
Saffron Metallic (matte) (ORG).
Jet Black (gloss) (BLK).



PROPHET 600

Prophet
Lefty Max Fluid-Flow
Manitou Radium R Air
Mavic XM117 Disc, 32 hole
Cannondale Lefty front, Fire Disc rear
DT Champion
IRC Trail Bear, 26 x 2.25"
Cannondale Clipless
TruVativ Blaze, 22/32/44
Shimano 9-speed
SRAM PG-950, 11-34
TruVativ ISIS GigaPipe SL
Shimano LX
Shimano XT
Shimano Deore
FSA XC-280, 25 mm rise
Cannondale Holy HeadShok 31.8
Cannondale HeadShok SI
Avid BB7 Disc
Cannondale Fire
Fi'zi:k Nisene
Kalloy SP-248D
P, S, M, L, X
Race Red (gloss) (RED).
Midnight Blue (matte) (BLU).



JEKYLL

Jekyll
Manitou Splice Super 100/130-w/ RTWD
Fox Float RL Pro Pedal
Sun Black Eye Disc, 32 hole
Cannondale Fire Disc
DT Champion
IRC Setac XC, 26 x 2.1"
Wellgo alloy cage w/clip and strap
TruVativ Isoflow, 22/32/44
Shimano 9-speed
SRAM PG-950, 11-34
Shimano 4-taper
Shimano Deore
SRAM X-7
SRAM X-7 Trigger
Cannondale Earth, 15 mm rise
Cannondale 3-D Forged
FSA Converter
Avid BB5 Disc
Cannondale Earth
Selle Royal Viper
Kalloy SP-263B
S, M, L, X
Jet Black w/Sterling Silver swingarm (gloss) (BLK).
Patriot Blue w/Sterling Silver swingarm (gloss) (BLU).

- Frame
- Fork
- Rear Shock
- Rims
- Hubs
- Spokes
- Tires
- Pedals
- Crank
- Chain
- Rear Cogs
- Bottom Bracket
- Front Derailleur
- Rear Derailleur
- Shifters
- Handlebar
- Stem
- Headset
- Brakes
- Brake Levers
- Saddle
- Seatpost
- Sizes
- Colors (code)
- Extra's


















	SCALPEL TEAM REPLICA	SCALPEL 3000	SCALPEL 2000	SCALPEL 1000	F4000 SL	F2000 SL	IFG ULTRA
Frame	Scalpel Si	Scalpel	Scalpel	Scalpel	Optimo Si	Optimo	Singlespeed Headshok
Fork	Lefty Speed Carbon Fox Inertia	Lefty Speed Carbon DLR2	Lefty Speed Carbon DLR2	Lefty Speed DLR2	Lefty Speed Carbon Fox Inertia	HeadShok Super Fatty Ultra DL	HeadShok Super Fatty Ultra DL
Rear Shock	DT Swiss SSD210 w/remote	Fox Float RP3	Fox Float RP3	Fox Float RP3	N/A	N/A	N/A
Rims	Mavic CrossMax SL	Mavic CrossMax SL	Mavic XM819 Disc, 24 hole	Mavic XM117 Disc, 32 hole	Mavic CrossMax SL	Mavic XM819 Disc, 24 hole	Mavic XM117 Disc, 32 hole
Hubs	Mavic CrossMax SL	Mavic CrossMax SL	Cannondale Lefty front, Wind Disc Ti rear	Cannondale Lefty front, Fire Disc rear	Mavic CrossMax SL	Cannondale Wind Disc Ti w/Centerlock	Cannondale Fire front, Single Speed rear
Spokes	Mavic CrossMax SL	Mavic CrossMax SL	DT Competition	DT Champion	Mavic CrossMax SL	DT Competition	DT Champion
Tires	Hutchinson New Python Light UST, 26 x 2.0"	Hutchinson New Python Light UST, 26 x 2.0"	Hutchinson New Python Light UST, 26 x 2.0"	Hutchinson Spider, 26 x 2.0"	Hutchinson New Python Light UST, 26 x 2.0"	Hutchinson New Python Light UST, 26 x 2.0"	Maxxis High Roller, 26 x 2.35"
Pedals	Shimano PD-M520	Shimano PD-M520	Shimano PD-M520	Shimano PD-M520	Shimano PD-M520	Shimano PD-M520	N/A
Crank	Cannondale Hollowgram Si, 22/32/44	Shimano XTR, 22/32/44	Shimano XT, 22/32/44	TruVativ Stylo GXP, 22/32/44	Cannondale Hollowgram Si, 22/32/44	Shimano XT, 22/32/44	TruVativ Firex SS, 32
Chain	Shimano 9-speed	Shimano 9-speed	Shimano 9-speed	Shimano 9-speed	Shimano 9 speed	Shimano 9-speed	SRAM 8-speed
Rear Cogs	Shimano XTR, 11-34	Shimano XTR, 11-34	Shimano XT, 11-34	SRAM PG-970, 11-34	Shimano XTR, 11-34	Shimano XT, 11-34	Formula SS, 18
Bottom Bracket	Cannondale Hollowgram Si	Shimano XTR	Shimano XT	TruVativ Giga X Drive	Cannondale Hollowgram Si	Shimano XT	TruVativ ISIS GigaPipe SL
Front Derailleur	Shimano XT	Shimano XT	Shimano XT	Shimano LX	Shimano XT	Shimano XT	N/A
Rear Derailleur	SRAM X-0	Shimano XTR	Shimano XTR	SRAM X-9	SRAM X-0	Shimano XTR	N/A
Shifters	SRAM X-0 Twist	Shimano XTR Dual Control	Shimano XT Dual Control	SRAM X-7 Trigger	SRAM X-0 Twist	Shimano XT Dual Control	N/A
Handlebar	FSA K-Force XC Carbon	Cannondale Wind Carbon	Cannondale Wind Carbon	Cannondale Fire	FSA K-Force XC Carbon	Cannondale Wind Carbon	Cannondale Fire
Stem	Cannondale Holy HeadShok 31.8	Cannondale Holy HeadShok 25.4	Cannondale Holy HeadShok 25.4	Cannondale Holy HeadShok 25.4	Cannondale Holy HeadShok 31.8	Cannondale Holy HeadShok 25.4	Cannondale Holy HeadShok
Headset	Cannondale HeadShok Si	Cannondale HeadShok Si	Cannondale HeadShok Si	Cannondale HeadShok Si	Cannondale HeadShok Si	Cannondale HeadShok Si	Cannondale HeadShok Si
Brakes	Magura Marta SL	Shimano XTR	Shimano XT	Avid Juicy7	Magura Marta SL	Shimano XT	Avid BB7 Disc
Brake Levers	Magura Marta SL	Shimano XTR Dual Control	Shimano XT Dual Control	Avid Juicy7	Magura Marta SL	Shimano XT Dual Control	Cannondale Fire
Saddle	Fi'zik Aliante Team Replica	Fi'zik Gobi Ti	Fi'zik Plateau	Fi'zik Plateau	Fi'zik Aliante Team Replica	Fi'zik Plateau	WTB Laser V Pro
Seatpost	Thomson Elite	Cannondale Wind Carbon	Cannondale Wind Carbon	Cannondale Fire	Thomson Elite	Cannondale Wind Carbon	Kalloy SP-248D
Sizes	S, M, L, X	S, M, L, X	S, M, L, X	S, M, L, X	P, S, M, L, X	P, S, M, L, X	P, S, M, L, X
Colors (code)	Siemens Team Replica (gloss) (REP).	Jet Black, Charcoal Grey w/ Purple accents (gloss) (BLK). Fairway Green (matte) (GRN). Midnight Blue, Blazer Blue (gloss) (BLU).	Midnight Blue, Blazer Blue (gloss) (BLU). Yellow Green Metallic, Fairway Green (gloss) (GRN). Jet Black (matte) (BBQ).	Mocha Brown, Saffron Metallic (gloss) (BRN). Jet Black, Race Red (gloss) (RED). Midnight Blue (matte) (BLU).	Siemens Team Replica (gloss) (REP).	Jet Black, Charcoal Grey w/Purple accents (gloss) (BLK). Midnight Blue, Blazer Blue (gloss) (BLU).	Jet Black w/Saffron Flame bottom bracket (gloss) (BLK).
Extra's							







F1000

Furio
Lefty Speed DLR2
N/A
Mavic XM819 Disc, 32 hole
Cannondale Lefty front, Fire Disc rear
DT Champion
Maxxis High Roller UST, 26 x 2.35" front, 26 x 2.1" rear
Shimano PD-M520
TruVativ Stylo, 22/32/44
Shimano 9-speed
SRAM PG-970, 11-34
TruVativ Giga X Drive
Shimano LX
SRAM X-9
SRAM X-7 Trigger
FSA FR-270, 25 mm rise
Cannondale Holy HeadShok 31.8
Cannondale HeadShok SI
Avid Juicy7
Avid Juicy7
Fi'zi:k Plateau
Cannondale Fire
P, S, M, L, X
Jet Black w/Saffron Flame bottom bracket (gloss) (BLK). Charcoal Grey (matte) (GRY).



F800

Furio
Lefty Speed DLR2
N/A
Mavic XM117 Disc, 32 hole
Cannondale Fire Disc
DT Champion
IRC Serac XC, 26 x 2.1"
Shimano PD-M520
TruVativ Firex SL, 22/32/44
Shimano 9-speed
SRAM PG-970, 11-34
TruVativ ISIS GigaPipe SL
Shimano LX
Shimano XT
Shimano LX Dual Control
FSA XC-280, 25 mm rise
Cannondale Holy HeadShok 31.8
Cannondale HeadShok SI
Shimano LX
Shimano LX Dual Control
Fi'zi:k Plateau
FSA FR-270
P, S, M, L, X
Fairway Green w/ Yellow Green flame bottom bracket (gloss) (GRN). Jet Black (matte) (BBQ).



F600

Furio
HeadShok Super Fatty Ultra DL
N/A
Mavic XM117 Disc, 32 hole
Cannondale Fire Disc
DT Champion
IRC Serac XC, 26 x 2.1"
Cannondale Clipless
TruVativ Blaze, 22/32/44
Shimano 9-speed
SRAM PG-950, 11-34
TruVativ ISIS GigaPipe SL
Shimano LX
Shimano XT
Shimano Deore
FSA XC-280, 25 mm rise
Cannondale Holy HeadShok 31.8
Cannondale HeadShok SI
Avid BB5 Disc
Cannondale Fire
Fi'zi:k Nisene
Kalloy SP-248D
P, S, M, L, X
Raw (matte) (RAW). Patriot Blue (matte) (BLU).



F400

Furio-X
HeadShok Super Fatty DL
N/A
Sun Black Eye, 32 hole
Cannondale Earth
DT Champion
IRC Serac XC, 26 x 2.1"
Wellgo alloy cage w/clip and strap
TruVativ Isoflow, 22/32/44
Shimano 9-speed
SRAM PG-950, 11-34
Shimano 4-taper
Shimano Deore
SRAM X-7
SRAM X-7 Trigger
Cannondale Earth, 15 mm rise
Cannondale Holy HeadShok
Cannondale HeadShok SI
Cannondale Fire w/cartridge pad
Cannondale Earth
Cannondale Mountain-V
Kalloy SP-2638
P, S, M, L, X
Race Red (gloss) (RED). Charcoal Grey (gloss) (GRY).



F300

Furio-X
Manitou Six, 100 mm
N/A
Sun Black Eye, 32 hole
Cannondale Earth
DT Stainless
IRC Serac XC, 26 x 2.1"
Wellgo platform w/alloy cage
TruVativ Isoflow, 22/32/42
SRAM 8-speed
Sunrace M60, 11-32
Shimano 4-taper
Shimano Alivio
Shimano Deore
Shimano Alivio
Cannondale Earth, 15 mm rise
Cannondale 3-D Forged
FSA Converter
Cannondale Fire w/cartridge pad
Shimano Alivio
Cannondale Mountain-V
Kalloy SP-2638
P, S, M, L, X
Patriot Blue (gloss) (BLU). Jet Black (gloss) (BLK).



POLICE CRUISER

Jekyll
HeadShok Super Fatty DL
Fox Float RL ProPedal
Sun Rhyno Lite, 36 hole
Shimano RM-40 front, Shimano Silent Clutch rear
DT Champion, black
IRC Advantage Pro, 26 x 2.1", blackwall
Wellgo alloy cage w/clip and strap
TruVativ Blaze, 22/32/44
9-speed
SRAM PG-950, 11-34
TruVativ ISIS GigaPipe SL
Shimano LX
Shimano XT
Shimano Deore
Cannondale Earth, 15 mm rise
Cannondale Holy HeadShok adjustable
Cannondale HeadShok SI
Cannondale Fire w/cartridge pad
Cannondale Earth
Selle Royal Freccia
Kalloy SP-248D
M, L, X
Jet Black (matte) (BBQ). Lightning White (gloss) (WHT).
Rear Rack; Police Decals (optional)



POLICE INTERCEPTOR

Furio
HeadShok Super Fatty DL
N/A
Sun Rhyno Lite, 36 hole
Shimano RM-40 front, Shimano Silent Clutch rear
DT Champion, black
IRC Advantage Pro, 26 x 2.1", blackwall
Wellgo alloy cage w/clip and strap
TruVativ Blaze, 22/32/44
9-speed
SRAM PG-950, 11-34
TruVativ ISIS GigaPipe SL
Shimano LX
Shimano XT
Shimano Deore
Cannondale Earth, 15 mm rise
Cannondale Holy HeadShok adjustable
Cannondale HeadShok SI
Cannondale Fire w/cartridge pad
Cannondale Earth
Selle Royal Freccia
Kalloy SP-248D
P, S, M, L, X
Jet Black (matte) (BBQ). Lightning White (gloss) (WHT).
Rear Rack; Kickstand; Police Decals (optional)

- Frame
- Fork
- Rear Shock
- Rims
- Hubs
- Spokes
- Tires
- Pedals
- Crank
- Chain
- Rear Cogs
- Bottom Bracket
- Front Derailleur
- Rear Derailleur
- Shifters
- Handlebar
- Stem
- Headset
- Brakes
- Brake Levers
- Saddle
- Seatpost
- Sizes
- Colors (code)
- Extra's























	POLICE PURSUIT	JEKYLL FÉMININE	F400 FÉMININE	R1000 FÉMININE	R500 FÉMININE TRIPLE	CYCLOCROSS DISC	CYCLOCROSS
Frame	Furio X	Jekyll Féminine	Furio-X	Optimo Féminine	CAAD5 Féminine	Cydocross Optimo Disc	Cyclocross Optima
Fork	Manitou Six, 100 mm	Manitou Splice Diva Super 100/130 w/RTWD	HeadShok Super Fatty DL	Slice Premium	Slice Ultra	Fatty Ultra XR Disc	Slice Ultra XR Carbon
Rear Shock	N/A	Fox Float RL ProPedal	N/A	N/A	N/A	N/A	N/A
Rims	Sun Black Eye, 32 hole	Sun Black Eye Disc, 32 hole	Sun Black Eye, 32 hole	Mavic Ksyrium Elite	Gipiemme T3	Mavic Open Pro Race, 32 hole	Gipiemme T3
Hubs	Cannondale Earth	Cannondale Fire Disc	Cannondale Earth	Mavic Ksyrium Elite	Gipiemme T3	Cannondale Omega Disc	Gipiemme T3
Spokes	DT Champion, black	DT Champion	DT Champion	Mavic Ksyrium Elite	Gipiemme T3	DT Competition	Gipiemme T3
Tires	IRC Advantage Pro, 26 x 2.1", blackwall	IRC Serac XC, 26 x 2.1"	IRC Serac XC, 26 x 2.1"	Hutchinson Fusion foldable, 700/650 x 23c	Continental Ultra 3000, 700/650 x 23c	Hutchinson Pro Series foldable, 700 x 30c	Hutchinson Pro Series foldable, 700 x 30c
Pedals	Wellgo alloy cage w/clip and strap	Wellgo alloy cage w/clip and strap	Wellgo alloy cage w/clip and strap	N/A	N/A	N/A	N/A
Crank	TruVativ IsoFlow, 22/32/44	TruVativ IsoFlow, 22/32/44	TruVativ IsoFlow, 22/32/44	TruVativ Rouleur Carbon, 39/53	TruVativ Touro Triple, 30/42/52	TruVativ Elita SL Cross, 38/46	TruVativ Elita SL Cross, 38/46
Chain	SRAM 8-speed	Shimano 9-speed	Shimano 9-speed	Shimano Ultegra 10-speed	Shimano 9-speed	Shimano 9-speed	Shimano 9-speed
Rear Cogs	SRAM PG-830, 11-32	SRAM PG-950, 11-34	SRAM PG-950, 11-34	Shimano Ultegra, 12-25	SRAM PG-950, 12-26	SRAM PG-950, 12-26	SRAM PG-950, 12-26
Bottom Bracket	Shimano 4 taper	Shimano 4 taper	Shimano 4 taper	TruVativ Giga X Drive	Shimano 4 taper	TruVativ ISIS GigaPipe SL	TruVativ ISIS GigaPipe SL
Front Derailleur	Shimano Alivio	Shimano Deore	Shimano Deore	Shimano Ultegra	Shimano Tiagra	Shimano 105	Shimano Tiagra
Rear Derailleur	Shimano Deore	SRAM X-7	SRAM X-7	Shimano Ultegra	Shimano 105	Shimano Ultegra	Shimano 105
Shifters	Shimano Alivio	SRAM X-7 Trigger	SRAM X-7 Trigger	Shimano Ultegra	Shimano Tiagra	Shimano 105	Shimano Tiagra
Handlebar	Cannondale Earth, 15 mm rise	Cannondale Earth, 15 mm rise	Cannondale Earth, 15 mm rise	3TTT Morphe	3TTT Morphe	Cinelli Altera	Cinelli Altera
Stem	Adjustable rise	Cannondale 3-D Forged	Cannondale Holy HeadShok	Cannondale 3-D Forged	Cannondale 3-D Forged	Cannondale 3-D Forged	Cannondale 3-D Forged
Headset	FSA Converter	FSA Converter	Cannondale HeadShok SI	FSA Alloy integrated	FSA Alloy integrated	FSA Alloy integrated	FSA Alloy integrated
Brakes	Cannondale Fire w/cartridge pad	Avid BB5 Disc	Cannondale Fire w/cartridge pad	Shimano Ultegra	Cannondale Delta	Avid BB7 Disc	Tektro Oryx
Brake Levers	Shimano Alivio	Cannondale Earth Féminine	Cannondale Earth Féminine	Shimano Ultegra	Shimano Tiagra	Shimano 105 w/Cannondale B-Levers	Shimano Tiagra w/Cannondale B Levers
Saddle	Selle Royal Freccia	Terry Butterfly	Terry Cite	Fi'zi:k Vitesse CP3	Terry Cite	Fi'zi:k Poggio Eco	Fi'zi:k Poggio Eco
Seatpost	Kalloy SP 2638	Kalloy SP 2638	Kalloy SP 2638	FSA SL-K Carbon w/Nano-Pro adjustment	Cannondale Carbon	Cannondale Expert	Cannondale Expert
Sizes	P, S, M, L, X	P, S, M	P, S, M	650c: 40, 44 cm 700c: 47, 50, 53, 56 cm	650c: 40, 44 cm 700c: 47, 50, 53, 56 cm	47, 50, 52, 54, 56, 58, 60 cm	47, 50, 52, 54, 56, 58, 60 cm
Colors (code)	Lightning White (gloss) (WHT). Jet Black (matte) (BBQ).	Blazer Blue w/Lightning White swingarm (gloss) (BLU). Lightning White w/Sterling Silver Hyperlighlight (gloss) (WHT).	Blazer Blue (gloss) (BLU). Platinum (gloss) (PLT).	Blazer Blue (gloss) (BLU). Platinum (gloss) (PLT).	Yellow Green Metallic (gloss) (GRN). Blazer Blue (gloss) (BLU).	Race Red (gloss) (RED).	Patriot Blue (gloss) (BLU).
Extra's	Rear Rack; Kickstand; Police Decals (optional)			Fi'zi:k TechnoGel	Fi'zi:k TechnoGel		










IRONMAN® 6000

Ironman Slice Aero SI BB
Slice Aero Premium
N/A
Zipp 404
Zipp 404
Zipp 404
Michelin Ironman foldable, 700/650 x 23c
N/A
Cannondale Carbon SI, 39/53
Campagnolo Record 10-speed
Campagnolo Record, 12-25
Cannondale Hollowgram SI
Campagnolo Record
Campagnolo Record
Campagnolo bar-end, 10-speed
Profile Airwing w/Carbon Stryke Ironman Clip-On
Cannondale 3-D Forged
FSA Carbon integrated
Campagnolo Record
Tektro 5.0 w/Carbon Levers
Fi'zi:k Arione Triathlon Ti
Cannondale Wind Carbon
650c: 48, 50, 52 cm 700c: 54, 56, 58, 60, 62 cm
Lightning White, Patriot Blue (gloss) (BLU).



IRONMAN® 2000

Ironman Slice Aero SI BB
Slice Aero Premium
N/A
Ksyrium Elite
Ksyrium Elite
Ksyrium Elite
Michelin Ironman foldable, 700/650 x 23c
N/A
Cannondale Carbon SI, 39/53
Shimano Ultegra 10-speed
Shimano Ultegra, 12-25
Cannondale Hollowgram SI
Shimano Ultegra
Shimano Ultegra
Shimano Dura Ace bar-end, 10-speed
Profile Airwing w/Carbon Stryke Ironman Clip-On
Cannondale 3-D Forged
FSA Carbon integrated
Shimano Ultegra
Tektro 4.1
San Marco Aspide Tri Gel Ti
Cannondale Wind Carbon
650c: 48, 50, 52 cm 700c: 54, 56, 58, 60, 62 cm
Race Red (gloss) (RED). Charcoal Grey (gloss) (GRY).



IRONMAN® 800

Ironman Slice Aero
Slice Aero Carbon
N/A
Gipiemme T3
Gipiemme T3
Gipiemme T3
Michelin Ironman foldable, 700/650 x 23c
N/A
TraVatIV Rouleur, 39/53
Shimano 9-speed
SRAM PG-950, 12-26
TraVatIV Giga X Drive
Shimano 105
Shimano Ultegra
Shimano Dura Ace bar-end, 9-speed
Profile Airwing w/Carbon Stryke Ironman Clip-On
Cannondale 3-D Forged
FSA Carbon integrated
Cannondale Omega
Tektro 4.1
San Marco Azoto Tri Gel
Cannondale Carbon
650c: 48, 50, 52 cm 700c: 54, 56, 58, 60, 62 cm
Yellow Green Metallic (gloss) (GRN). Blazer Blue (gloss) (BLU).



SIX13 TEAM REPLICA

Six13 SI BB
Slice Premium +
N/A
Mavic Ksyrium SL
Mavic Ksyrium SL
Mavic Ksyrium SL
Hutchinson Fusion Comp foldable, 700 x 23c, Team Edition
N/A
Cannondale Hollowgram SI, 39/53
Campagnolo Record 10-speed
Campagnolo Record, 12-25
Cannondale Hollowgram SI
Campagnolo Record
Campagnolo Record
Campagnolo Record Ergopower
FSA K-Wing Carbon
FSA OS-115 w/Carbon faceplate
Campagnolo Record Hiddenset, Carbon
Campagnolo Record
Campagnolo Record Ergopower
Fi'zi:k Airone Team Replica Ti
USE Alien
48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm
Saeco Team Replica (gloss) (SAE). Patriot Blue w/ Blazer Blue HyperHighLight (gloss) (BLU). Charcoal Grey (matte) (GRY). Saffron Metallic (gloss) (ORG). Jet Black w/Race Red Flare (gloss) (BLK).



SIX13 R5000

Six13 SI BB
Slice Premium +
N/A
Mavic Ksyrium SL
Mavic Ksyrium SL
Mavic Ksyrium SL
Hutchinson Fusion foldable, 700 x 23c
N/A
Cannondale Carbon SI, 39/53
Shimano Dura Ace 10-speed
Shimano Dura Ace, 12-25
Cannondale Hollowgram SI
Shimano Dura Ace
Shimano Dura Ace
Shimano Dura Ace
FSA K-Wing Carbon
FSA OS-115 w/Carbon faceplate
FSA Carbon integrated
Shimano Dura Ace
Shimano Dura Ace
Fi'zi:k Arione Ti
USE Alien
48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm
Patriot Blue w/Blazer Blue HyperHighLight (gloss) (BLU). Saeco Team Replica (gloss) (SAE). Charcoal Grey (matte) (GRY). Saffron Metallic (gloss) (ORG). Jet Black w/Race Red Flare (gloss) (BLK).



SIX13 R5000 COMPACT DRIVE

Six13 SI BB
Slice Premium +
N/A
Mavic Ksyrium SL
Mavic Ksyrium SL
Mavic Ksyrium SL
Hutchinson Fusion foldable, 700 x 23c
N/A
Cannondale Carbon Compact SI, 36/50, 110 BCD
Shimano Dura Ace 10-speed
Shimano Dura Ace, 12-25
Cannondale Hollowgram SI
Shimano Dura Ace
Shimano Dura Ace
Shimano Dura Ace
FSA K-Wing Carbon
FSA OS-115 w/Carbon faceplate
FSA Carbon integrated
Shimano Dura Ace
Fi'zi:k Arione Ti
USE Alien
48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm
Saffron Metallic (gloss) (ORG). Saeco Team Replica (gloss) (SAE). Patriot Blue w/ Blazer Blue HyperHighLight (gloss) (BLU). Charcoal Grey (matte) (GRY). Jet Black w/Race Red Flare (gloss) (BLK).
Fi'zi:k TechnoGel



SIX13 R5000 DURA ACE

Six13
Slice Premium +
N/A
Shimano Dura Ace
Shimano Dura Ace
Shimano Dura Ace
Hutchinson fusion foldable, 700 x 23c
N/A
Shimano Dura Ace, 39/53
Shimano Dura Ace 10-speed
Shimano Dura Ace, 12-25
Shimano Dura Ace
Shimano Dura Ace
Shimano Dura Ace
Shimano Dura Ace
FSA K-Wing Carbon
FSA OS-115 w/Carbon faceplate
FSA Carbon integrated
Shimano Dura Ace
Shimano Dura Ace
Fi'zi:k Arione Ti
USE Alien
48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm
Jet Black w/Race Red Flare (gloss) (BLK). Saeco Team Replica (gloss) (SAE). Patriot Blue w/Blazer Blue HyperHighLight (gloss) (BLU). Charcoal Grey (matte) (GRY). Saffron Metallic (gloss) (ORG).

- Frame
- Fork
- Rear Shock
- Rims
- Hubs
- Spokes
- Tires
- Pedals
- Crank
- Chain
- Rear Cogs
- Bottom Bracket
- Front Derailleur
- Rear Derailleur
- Shifters
- Handlebar
- Stem
- Headset
- Brakes
- Brake Levers
- Saddle
- Seatpost
- Sizes
- Colors (code)
- Extra's
























	SIX13 R3000	SIX13 R2000	SIX13 R2000 COMPACT DRIVE	R5000	R5000 COMPACT DRIVE	R1000	R1000 TRIPLE
Frame	Six13 Si BB	Six13	Six13	CAAD8 Optimo	CAAD8 Optimo	CAAD8 Optimo	CAAD8 Optimo
Fork	Slice Premium +	Slice Premium +	Slice Premium +	Slice Premium	Slice Premium	Slice Premium	Slice Premium
Rear Shock	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Rims	Mavic Ksyrium Elite	Campagnolo Zonda	Campagnolo Zonda	Mavic Ksyrium Elite	Mavic Ksyrium Elite	Mavic Ksyrium Elite	Mavic Ksyrium Elite
Hubs	Mavic Ksyrium Elite	Campagnolo Zonda	Campagnolo Zonda	Mavic Ksyrium Elite	Mavic Ksyrium Elite	Mavic Ksyrium Elite	Mavic Ksyrium Elite
Spokes	Mavic Ksyrium Elite	Campagnolo Zonda	Campagnolo Zonda	Mavic Ksyrium Elite	Mavic Ksyrium Elite	Mavic Ksyrium Elite	Mavic Ksyrium Elite
Tires	Hutchinson Fusion foldable, 700 x 23c	Hutchinson Fusion foldable, 700 x 23c	Hutchinson Fusion foldable, 700 x 23c	Hutchinson Fusion foldable, 700 x 23c	Hutchinson Fusion foldable, 700 x 23c	Hutchinson Top Speed foldable, 700 x 23c	Hutchinson Top Speed foldable, 700 x 23c
Pedals	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Crank	Cannondale Carbon Si, 39/53	FSA Pro Team Issue Carbon, 39/53	FSA Carbon Pro Road Compact, 34/50, 110 BCD	TruVativ Rouleur Carbon, 39/53	TruVativ Rouleur Carbon Compact, 36/50, 110 BCD	TruVativ Rouleur Carbon, 39/53	TruVativ Rouleur Carbon Triple, 30/42/52
Chain	Shimano Ultegra 10-speed	Campagnolo Record 10-speed	Campagnolo Record 10-speed	Shimano Dura Ace 10-speed	Shimano Dura Ace 10-speed	Shimano Ultegra 10-speed	Shimano Ultegra 10-speed
Rear Cogs	Shimano Ultegra, 12-25	Campagnolo Centaur, 12-25	Campagnolo Centaur, 12-25	Shimano Dura Ace, 12-25	Shimano Dura Ace, 12-25	Shimano Ultegra, 12-25	Shimano Ultegra, 12-25
Bottom Bracket	Cannondale Hollowgram Si	Oversized hollow splined spindle w/sealed bearing	Oversized hollow splined spindle w/sealed bearing	TruVativ Giga X Drive	TruVativ Giga X Drive	TruVativ Giga X Drive	TruVativ Giga X Drive
Front Derailleur	Shimano Ultegra	Campagnolo Centaur	Campagnolo Centaur	Shimano Dura Ace	Shimano Dura Ace	Shimano Ultegra	Shimano Ultegra
Rear Derailleur	Shimano Ultegra	Campagnolo Centaur	Campagnolo Centaur	Shimano Dura Ace	Shimano Dura Ace	Shimano Ultegra	Shimano Ultegra
Shifters	Shimano Ultegra	Campagnolo Centaur Ergopower	Campagnolo Centaur Ergopower	Shimano Dura Ace	Shimano Dura Ace	Shimano Ultegra	Shimano Ultegra
Handlebar	FSA Pro Wing	FSA Pro Wing	FSA Pro Wing	FSA RD-250 Anatomic	FSA RD-250 Anatomic	FSA RD-250 Anatomic	FSA RD 250 Anatomic
Stem	FSA OS-140 XTC w/Carbon faceplate	FSA OS-140 XTC w/Carbon faceplate	FSA OS-140 XTC w/Carbon faceplate	FSA OS-140 XTC w/Carbon faceplate	FSA OS-140 XTC w/Carbon faceplate	Cannondale 3-D Forged	Cannondale 3 D Forged
Headset	FSA Carbon integrated	FSA Carbon integrated	FSA Carbon Integrated	FSA Alloy integrated	FSA Alloy integrated	FSA Alloy integrated	FSA Alloy integrated
Brakes	Shimano Ultegra	Campagnolo Centaur	Campagnolo Centaur	Shimano Dura Ace	Shimano Dura Ace	Shimano Ultegra	Shimano Ultegra
Brake Levers	Shimano Ultegra	Campagnolo Centaur Ergopower	Campagnolo Centaur Ergopower	Shimano Dura Ace	Shimano Dura Ace	Shimano Ultegra	Shimano Ultegra
Saddle	Fi'zi:k Arione Ti	Fi'zi:k Arione Ti	Fi'zi:k Arione Ti	Fi'zi:k Arione Ti	Fi'zi:k Arione Ti	Fi'zi:k Poggio Evo Ti	Fi'zi:k Poggio Evo Ti
Seatpost	Cannondale Wind Carbon	Cannondale Wind Carbon	Cannondale Wind Carbon	Cannondale Wind Carbon	Cannondale Wind Carbon	FSA SL-K Carbon w/Nano-Pro adjustment	FSA SL-K Carbon w/Nano-Pro adjustment
Sizes	48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm	48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm	48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 63 cm	48, 50, 52, 54, 56, 58, 60, 63 cm	48, 50, 52, 54, 56, 58, 60, 63 cm	48, 50, 52, 54, 56, 58, 60, 63 cm	48, 50, 52, 54, 56, 58, 60, 63 cm
Colors (code)	Charcoal Grey (matte) (GRY). Saeco Team Replica (gloss) (SAE). Patriot Blue w/Blazer Blue HyperHighLight (gloss) (BLU). Saffron Metallic (gloss) (ORG). Jet Black w/Race Red Flare (gloss) (BLK).	Jet Black w/Race Red Flare (gloss) (BLK). Saeco Team Replica (gloss) (SAE). Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU). Charcoal Grey (matte) (GRY). Saffron Metallic (gloss) (ORG).	Saeco Team Replica (gloss) (SAE). Patriot Blue w/Blazer Blue HyperHighLight (gloss) (BLU). Charcoal Grey (matte) (GRY). Saffron Metallic (gloss) (ORG). Jet Black w/Race Red Flare (gloss) (BLK).	Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU). Charcoal Grey (matte) (GRY).	Charcoal Grey (matte) (GRY). Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU).	Jet Black (matte) (BBQ). Patriot Blue (gloss) (BLU).	Patriot Blue (gloss) (BLU). Jet Black (matte) (BBQ).
Extra's		Fi'zi:k TechnoGel			Fi'zi:k TechnoGel	Fi'zi:k TechnoGel	Fi'zi:k TechnoGel













R900

CAAD8 Optimo
Slice Premium
N/A
Gipiemme Grecal Parade
Gipiemme Grecal Parade
Gipiemme Grecal Parade
Hutchinson Top Speed foldable, 700 x 23c
N/A
TruVativ Rouleur, 39/53
Campagnolo Record 10-speed
Campagnolo Veloce, 12-25
TruVativ Giga X Drive
Campagnolo Veloce
Campagnolo Veloce
Campagnolo Veloce Ergopower
FSA RD-250 Anatomic
Cannondale 3-D Forged
FSA Alloy integrated
Cannondale Omega
Campagnolo Veloce Ergopower
Fi'zi:k Poggio Eco
FSA SL-K Carbon w/Nano-Pro adjustment
48, 50, 52, 54, 56, 58, 60, 63 cm
Race Red (gloss) (RED). Blazer Blue (gloss) (BLU).
Fi'zi:k TechnoGel



R900 TRIPLE

CAAD8 Optimo
Slice Premium
N/A
Gipiemme Grecal Parade
Gipiemme Grecal Parade
Gipiemme Grecal Parade
Hutchinson Top Speed foldable, 700 x 23c
N/A
TruVativ Rouleur Triple, 30/42/52
Campagnolo Record 10-speed
Campagnolo Veloce, 12-25
TruVativ Giga X Drive
Campagnolo Veloce
Campagnolo Veloce
Campagnolo Veloce Ergopower
FSA RD-250 Anatomic
Cannondale 3-D Forged
FSA Alloy integrated
Cannondale Omega
Campagnolo Veloce Ergopower
Fi'zi:k Poggio Eco
FSA SL-K Carbon w/Nano-Pro adjustment
48, 50, 52, 54, 56, 58, 60, 63 cm
Blazer Blue (gloss) (BLU). Race Red (gloss) (RED).
Fi'zi:k TechnoGel



R700

CAAD7 Optimo
Slice Ultra
N/A
Shimano WH-R550
Shimano WH-R550
Shimano WH-R550
Hutchinson Top Speed foldable, 700 x 23c
N/A
TruVativ Elita SL, 39/53
Shimano 9-speed
SRAM PG-950, 12-26
TruVativ ISIS GigaPipe SL
Shimano 105
Shimano Ultegra
Shimano 105
FSA RD-300 Anatomic
Cannondale 3-D Forged
FSA Alloy integrated
Cannondale Theta
Shimano 105
Selle Royal Viper
Cannondale Carbon
48, 50, 52, 54, 56, 58, 60, 63 cm
Saffron Metallic (gloss) (ORG). Charcoal Grey (matte) (GRY). Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU).
Fi'zi:k TechnoGel



R700 TRIPLE

CAAD7 Optimo
Slice Ultra
N/A
Shimano WH-R550
Shimano WH-R550
Shimano WH-R550
Hutchinson Top Speed foldable, 700 x 23c
N/A
TruVativ Elita SL Triple, 30/42/52
Shimano 9 speed
SRAM PG-950, 12-26
TruVativ ISIS GigaPipe SL
Shimano 105
Shimano Ultegra
Shimano 105
FSA RD-300 Anatomic
Cannondale 3-D Forged
FSA Alloy integrated
Cannondale Theta
Shimano 105
Selle Royal Viper
Cannondale Carbon
48, 50, 52, 54, 56, 58, 60, 63 cm
Charcoal Grey (matte) (GRY). Saffron Metallic (gloss) (ORG). Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU).
Fi'zi:k TechnoGel



R500 TRIPLE

CAAD5
Slice Ultra
N/A
Gipiemme T3
Gipiemme T3
Gipiemme T3
Continental Ultra 3000, 700 x 23c
N/A
TruVativ Touro Triple, 30/42/52
Shimano 9-speed
SRAM PG-950, 12-26
Shimano 4-taper
Shimano Tiagra
Shimano 105
Shimano Tiagra
FSA RD-300 Anatomic
Cannondale 3-D Forged
FSA Alloy integrated
Cannondale Delta
Shimano Tiagra
Selle Royal Viper
Cannondale Carbon
48, 50, 52, 54, 56, 58, 60, 63 cm
Midnight Blue w/Patriot Blue HyperHighlight (matte) (BLU). Race Red (gloss) (RED).
Fi'zi:k TechnoGel



SPORT ROAD 1000

Optimo Sport Road
Slice Ultra All-Conditions
N/A
Gipiemme Grecal Parade
Gipiemme Grecal Parade
Gipiemme Grecal Parade
Continental Ultra GatorSkin, 700 x 25c
N/A
TruVativ Rouleur, 30/42/52
Campagnolo Record 10-speed
Campagnolo Veloce, 12-25
TruVativ Giga X Drive
Campagnolo Veloce
Campagnolo Veloce
Campagnolo Veloce Ergopower
Deda Piega
Cannondale 3-D Forged
FSA Alloy integrated
Cannondale Theta
Campagnolo Veloce w/Cannondale B-Levers
Fi'zi:k CP Pave Chromoly
1-X Suspension
P, S, M, L, X
Charcoal Grey w/Sterling Silver HyperHighlight (gloss) (GRY).
Fi'zi:k TechnoGel



SPORT ROAD 800

CAAD5 Sport Road
Slice Ultra All-Conditions
N/A
Shimano WH-R550
Shimano WH-R550
Shimano WH-R550
Continental Ultra GatorSkin, 700 x 25c
N/A
TruVativ Elita SL, 30/42/52
Shimano 9-speed
SRAM PG-950, 12-26
TruVativ ISIS GigaPipe SL
Shimano 105
Shimano Ultegra
Shimano 105
Deda Piega
Adjustable rise
FSA Alloy integrated
Cannondale Theta
Shimano 105 w/Cannondale B-Levers
Fi'zi:k Poggio Eco Chromoly
1-X Suspension
S, M, L, X
Charcoal Grey (gloss) (GRY). Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU).
Fi'zi:k TechnoGel

- Frame
- Fork
- Rear Shock
- Rims
- Hubs
- Spokes
- Tires
- Pedals
- Crank
- Chain
- Rear Cogs
- Bottom Bracket
- Front Derailleur
- Rear Derailleur
- Shifters
- Handlebar
- Stem
- Headset
- Brakes
- Brake Levers
- Saddle
- Seatpost
- Sizes
- Colors (code)
- Extra's















SPORT ROAD 500

Frame	CAAD5 Sport Road
Fork	Slice Ultra All Conditions
Rear Shock	N/A
Rims	Mach1 CFX, 32 hole
Hubs	Cannondale Earth
Spokes	DT Stainless
Tires	Continental Ultra Sport, 700 x 25c
Pedals	Wellgo alloy cage w/clip and strap
Crank	TruVativ Touro, 30/42/52
Chain	Shimano 9-speed
Rear Cogs	SRAM PG-950, 12-26
Bottom Bracket	Shimano 4 taper
Front Derailleur	Shimano Tiagra
Rear Derailleur	Shimano 105
Shifters	Shimano Tiagra
Handlebar	Deda Piega
Stem	Adjustable rise
Headset	FSA Alloy integrated
Brakes	Cannondale Delta
Brake Levers	Shimano Tiagra w/Cannondale B Levers
Saddle	Selle Royal Freccia
Seatpost	1X Suspension
Sizes	S, M, L, X
Colors (code)	Platinum (gloss) (PLT). Jet Black (gloss) (BLK).
Extra's	Fi'zi:k TechnoGel





ROAD WARRIOR 1000

Frame	Optimo Sport Road
Fork	Slice Ultra All Conditions
Rear Shock	N/A
Rims	Gipiemme Grecal Parade
Hubs	Gipiemme Grecal Parade
Spokes	Gipiemme Grecal Parade
Tires	Continental CityContact, 700 x 32c
Pedals	Wellgo dual function w/alloy cage
Crank	TruVativ Rouleur, 30/42/52
Chain	Campagnolo Record 10-speed
Rear Cogs	Campagnolo Veloce, 12-25
Bottom Bracket	TruVativ Giga X Drive
Front Derailleur	Campagnolo Veloce
Rear Derailleur	Campagnolo Veloce
Shifters	Campagnolo Veloce Ergopower FB
Handlebar	Cannondale Fire
Stem	Cannondale 3-D Forged
Headset	FSA Alloy integrated
Brakes	Cannondale Theta
Brake Levers	Campagnolo Veloce Ergopower FB
Saddle	Fi'zi:k CP Pave Chromoly
Seatpost	FSA SL-K Carbon w/Nano Pro adjustment
Sizes	P, S, M, L, X
Colors (code)	Saffron Metallic (gloss) (ORG).



ROAD WARRIOR 800

Frame	CAAD5 Sport Road
Fork	Slice Ultra All Conditions
Rear Shock	N/A
Rims	Shimano WH-R550
Hubs	Shimano WH-R550
Spokes	Shimano WH-R550
Tires	Continental CityContact, 700 x 32c
Pedals	Wellgo alloy cage w/clip and strap
Crank	Cannondale Experl, 30/42/52
Chain	Shimano 9-speed
Rear Cogs	SRAM PG-950, 12-26
Bottom Bracket	Shimano 105
Front Derailleur	Shimano FD-R443-9
Rear Derailleur	Shimano Ultegra
Shifters	Shimano SL-R440-9
Handlebar	Cannondale Fire
Stem	Cannondale 3-D Forged
Headset	FSA Alloy integrated
Brakes	Cannondale Theta
Brake Levers	Cannondale 4-Finger Comfort w/bell
Saddle	Selle Royal Freccia Gel Chromoly
Seatpost	1X Suspension
Sizes	S, M, L, X
Colors (code)	Patriot Blue w/ Blazer Blue HyperHighlight (gloss) (BLU).



ROAD WARRIOR 400

Frame	CAAD4 Sport Road
Fork	TIG welded chromoly, 1 1/8"
Rear Shock	N/A
Rims	Mach1 CFX, 32 hole
Hubs	Cannondale Earth
Spokes	DT Stainless
Tires	Continental CityRIDE, 700 x 32c
Pedals	Wellgo alloy cage w/clip and strap
Crank	TruVativ Touro, 30/42/52
Chain	SRAM 8-speed
Rear Cogs	SRAM PG-850, 12-26
Bottom Bracket	Shimano 4 taper
Front Derailleur	Shimano FD-R443-8
Rear Derailleur	Shimano Tiagra
Shifters	Shimano SL-R440-8
Handlebar	Cannondale Fire
Stem	Adjustable rise
Headset	Aheadset Intellaset
Brakes	Cannondale Delta
Brake Levers	Cannondale 4-Finger Comfort w/bell
Saddle	Selle Royal Freccia
Seatpost	Polygon PM-780 Suspension
Sizes	S, M, L, X
Colors (code)	Mocha Brown (gloss) (BRN). Sterling Silver (gloss) (SLV).



BAD BOY ULTRA

Frame	Furio
Fork	HeadShok Super Fatty Ultra DL
Rear Shock	N/A
Rims	Mavic CXP22, 32 hole
Hubs	Cannondale Fire Disc
Spokes	DT Champion
Tires	Hutchinson Flash, 700 x 23c
Pedals	Cannondale Octopus
Crank	TruVativ Firex SL, 22/32/44
Chain	Shimano 9-speed
Rear Cogs	SRAM PG-960, 11-34
Bottom Bracket	TruVativ ISIS GigaPipe SL
Front Derailleur	Shimano Deore
Rear Derailleur	SRAM X-7
Shifters	SRAM X-7 Trigger
Handlebar	Cannondale Earth, 15 mm rise
Stem	Cannondale Holy HeadShok
Headset	Cannondale HeadShok Si
Brakes	Avid BB7 Disc
Brake Levers	Cannondale Fire
Saddle	Selle Royal Viper
Seatpost	Kalloy SP-248D
Sizes	P, S, M, L, X
Colors (code)	Jet Black (matte) (BBQ).



BAD BOY

Frame	Mountain
Fork	TIG-welded chromoly, 1 1/8"
Rear Shock	N/A
Rims	Sun CR18, 32 hole
Hubs	Cannondale Earth
Spokes	DT Champion
Tires	IRC Metro, 26 x 1.0"
Pedals	Cannondale Octopus
Crank	TruVativ Blaze, 22/32/44
Chain	Shimano 9-speed
Rear Cogs	SRAM PG-950, 11-34
Bottom Bracket	TruVativ ISIS GigaPipe SL
Front Derailleur	Shimano Deore
Rear Derailleur	SRAM 5.0
Shifters	SRAM X-7 Trigger
Handlebar	Cannondale Earth, 15 mm rise
Stem	Cannondale 3-D Forged
Headset	Aheadset Intellaset
Brakes	Cannondale Fire w/cartridge pad
Brake Levers	Cannondale Fire
Saddle	Selle Royal Viper
Seatpost	Kalloy SP-263B
Sizes	P, S, M, L, X
Colors (code)	Jet Black (matte) (BBQ).



FIFTY-FIFTY

Frame	Singlespeed
Fork	Fatty Ultra R
Rear Shock	N/A
Rims	Sun Rhyno Lite, 36 hole
Hubs	Cannondale Earth front, Shimano Nexus Inter-8 Premium rear
Spokes	DT Champion
Tires	IRC Lover's Soul, 26 x 2.25"
Pedals	Wellgo platform w/alloy cage
Crank	TruVativ Firex SS, 32
Chain	SRAM 8 speed
Rear Cogs	Shimano Inter-8, 16
Bottom Bracket	TruVativ ISIS GigaPipe SL
Front Derailleur	N/A
Rear Derailleur	N/A
Shifters	N/A
Handlebar	HI-ARC, alloy
Stem	Cannondale 3-D Forged
Headset	Cane Creek S-2
Brakes	Cannondale Fire w/cartridge pad
Brake Levers	Shimano Nexus Inter-8
Saddle	Selle Royal Viper
Seatpost	Kalloy SP-248D
Sizes	P, S, M, L, X
Colors (code)	Jet Black, Raw (matte) (BBQ).
Extra's	Fenders; Bell



STREET
STREET FÉMININE

Frame	Street; Street Féminine
Fork	TIG-welded chromoly, 1 1/8"
Rear Shock	N/A
Rims	Mach1 210, 32 hole
Hubs	Cannondale Earth
Spokes	DT Stainless
Tires	Continental TopTouring, 700 x 37c, Reflective
Pedals	Wellgo platform w/alloy cage
Crank	TruVativ IsoFlow, 22/32/44
Chain	SRAM 8 speed
Rear Cogs	SRAM PG-830, 11-32
Bottom Bracket	Shimano 4-taper
Front Derailleur	Shimano Alivio
Rear Derailleur	Shimano Deore
Shifters	Shimano Alivio
Handlebar	Sweep, alloy
Stem	Adjustable rise
Headset	1 1/8" threaded
Brakes	Cannondale Fire w/cartridge pad and modulator
Brake Levers	Cannondale Fire
Saddle	Selle Royal Freccia
Seatpost	1-X Suspension
Sizes	Street: S, M, L, X, J Street Féminine: S, L
Colors (code)	Jet Black (gloss) (BLK).
Extra's	Rear Rack; Fenders; Kickstand; Chainguard; Bell



T2000

Frame	Touring
Fork	Cannondale Fatty Ultra R All-Conditions
Rear Shock	N/A
Rims	Mavic A719, 36 hole
Hubs	Cannondale Omega
Spokes	DT Competition
Tires	Continental TravelContact, 700 x 37c
Pedals	Wellgo dual function w/alloy cage
Crank	TruVativ Firex SL, 26/36/48
Chain	Shimano 9-speed
Rear Cogs	SRAM PG-970, 11-34
Bottom Bracket	TruVativ ISIS GigaPipe SL
Front Derailleur	Shimano 105
Rear Derailleur	Shimano XT
Shifters	Shimano Ultegra 9-speed
Handlebar	Deda Piega
Stem	Cannondale 3 D Forged
Headset	Cane Creek S-2
Brakes	Tektro Oryx
Brake Levers	Shimano Ultegra
Saddle	Brooks Professional
Seatpost	1-X Suspension
Sizes	S, M, L, X, J
Colors (code)	Fairway Green (gloss) (GRN)
Extra's	Rear Rack; Fi'zik TechnoGel



T800

Frame	Touring
Fork	High-strength steel, 1 1/8"
Rear Shock	N/A
Rims	Mavic A119, 36 hole
Hubs	Cannondale Omega
Spokes	DT Competition
Tires	Continental TopTouring, 700 x 37c
Pedals	Wellgo platform w/alloy cage
Crank	TruVativ Blaze, 26/36/48
Chain	Shimano 9-speed
Rear Cogs	SRAM PG-950, 11-34
Bottom Bracket	TruVativ ISIS GigaPipe SL
Front Derailleur	Shimano Tiagra
Rear Derailleur	Shimano XT
Shifters	Shimano Tiagra
Handlebar	Deda Piega
Stem	Cannondale 3 D Forged
Headset	Cane Creek S-2
Brakes	Tektro Oryx
Brake Levers	Shimano Tiagra
Saddle	Selle Royal Freccia
Seatpost	Kalloy SP-263B
Sizes	S, M, L, X, J
Colors (code)	Midnight Blue (gloss) (BLU).
Extra's	Rear Rack; Fi'zik TechnoGel



ADVENTURE 1000
ADVENTURE 1000 FÉMININE

Frame	Adventure HeadShok; Adventure HeadShok Féminine
Fork	HeadShok Fatty DL 50 All-Conditions
Rear Shock	N/A
Rims	Mavic A119, 32 hole
Hubs	Cannondale Omega
Spokes	DT Champion
Tires	Continental CityRIDE, 700 x 37c
Pedals	Wellgo platform w/alloy cage
Crank	TruVativ Blaze, 26/36/48
Chain	Shimano 9 speed
Rear Cogs	SRAM PG-950, 11-34
Bottom Bracket	TruVativ ISIS GigaPipe SL
Front Derailleur	Shimano Deore
Rear Derailleur	Shimano LX
Shifters	Shimano Deore
Handlebar	Cannondale Adventure, 50 mm rise
Stem	Cannondale Holy HeadShok adjustable
Headset	Cannondale HeadShok Si
Brakes	Lee Chi TX-120 w/cartridge pad and modulator
Brake Levers	Cannondale 4 Finger Comfort w/bell
Saddle	Super Cush Gel w/springs; Super Cush Gel Féminine w/springs
Seatpost	1-X Suspension
Sizes	Adventure 1000: S, M, L, X, J Adventure 1000 Féminine: S, L
Colors (code)	Patriot Blue w/Blazer Blue HyperHighlight (gloss) (BLU).
Extra's	



ADVENTURE 800
ADVENTURE 800 FÉMININE

Frame	Adventure HeadShok; Adventure HeadShok Féminine
Fork	HeadShok Fatty 50 All-Conditions
Rear Shock	N/A
Rims	Mach1 210, 32 hole
Hubs	Cannondale Earth front, SRAM Dual Drive rear
Spokes	DT Champion
Tires	IRC Advantage Pro, 700 x 38c
Pedals	Wellgo platform w/alloy cage
Crank	SRAM Dual Drive
Chain	SRAM 8 speed
Rear Cogs	SRAM PG-830, 11-32
Bottom Bracket	Shimano 4-taper
Front Derailleur	N/A
Rear Derailleur	SRAM Dual Drive
Shifters	SRAM Dual Drive
Handlebar	Cannondale Adventure, 50 mm rise
Stem	Cannondale Holy HeadShok adjustable
Headset	Cannondale HeadShok Si
Brakes	Lee Chi TX-120 w/modulator
Brake Levers	Cannondale 4 Finger Comfort w/bell
Saddle	Super Cush Gel w/springs; Super Cush Gel Féminine w/springs
Seatpost	1-X Suspension
Sizes	Adventure 800: S, M, L, X, J Adventure 800 Féminine: S, L
Colors (code)	Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK). Platinum (gloss) (PLT).
Extra's	



ADVENTURE 600
ADVENTURE 600 FÉMININE

Frame	Adventure HeadShok; Adventure HeadShok Féminine
Fork	HeadShok Fatty 50 All-Conditions
Rear Shock	N/A
Rims	Mach1 210, 32 hole
Hubs	Cannondale Earth
Spokes	DT Champion
Tires	IRC Advantage Pro, 700 x 38c
Pedals	Wellgo platform w/alloy cage
Crank	TruVativ Isoflow, 28/38/48
Chain	SRAM 8 speed
Rear Cogs	SRAM PG-830, 11-32
Bottom Bracket	Shimano 4-taper
Front Derailleur	Shimano Nexave
Rear Derailleur	Shimano Deore
Shifters	SRAM MRX Pro
Handlebar	Cannondale Adventure, 50 mm rise
Stem	Cannondale Holy HeadShok adjustable
Headset	Cannondale HeadShok Si
Brakes	Lee Chi TX-120 w/modulator
Brake Levers	Cannondale 4 Finger Comfort
Saddle	Super Cush Gel w/springs; Super Cush Gel Féminine w/springs
Seatpost	1-X Suspension
Sizes	Adventure 600: S, M, L, X, J Adventure 600 Féminine: S, L
Colors (code)	Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK). Platinum (gloss) (PLT).
Extra's	



ADVENTURE 400
ADVENTURE 400 FÉMININE

Frame	Adventure; Adventure Féminine
Fork	RockShox GPS Metro
Rear Shock	N/A
Rims	Mach1 210, 32 hole
Hubs	Cannondale Earth
Spokes	DT Stainless
Tires	IRC Advantage Pro, 700 x 38c
Pedals	Wellgo platform w/alloy cage
Crank	TruVativ Isoflow, 28/38/48
Chain	SRAM 8 speed
Rear Cogs	Sunrace M60, 11-32
Bottom Bracket	Shimano 4-taper
Front Derailleur	Shimano Nexave
Rear Derailleur	SRAM 5.0
Shifters	SRAM 4.0
Handlebar	Cannondale Adventure, 50 mm rise
Stem	Adjustable rise
Headset	1 1/8" threaded
Brakes	Lee Chi TX-120 w/modulator
Brake Levers	Cannondale 4 Finger Comfort
Saddle	Selle Royal Gel; Super Cush Gel Féminine w/springs
Seatpost	Polygon PM-780 Suspension
Sizes	Adventure 400: S, M, L, X, J Adventure 400 Féminine: S, L
Colors (code)	Charcoal Grey w/Sterling Silver HyperHighlight (gloss) (GRY). Fairway Green (gloss) (GRN).
Extra's	

























	BENT I	BENT II	COMFORT 800 COMFORT 800 FÉMININE	COMFORT 600 COMFORT 600 FÉMININE	COMFORT 400 COMFORT 400 FÉMININE	MOUNTAIN TANDEM	ROAD TANDEM
Frame	Recumbent HeadShok	Recumbent HeadShok	Comfort HeadShok; Comfort HeadShok Féminine	Comfort HeadShok; Comfort HeadShok Féminine	Comfort; Comfort Féminine	Mountain Tandem	Road Tandem
Fork	HeadShok R Bone	TIG welded chromoly, 1 1/8"	HeadShok Fatty 50 All Conditions	HeadShok Fatty 50 All Conditions	RockShox GPS Metro	Cannondale Fatty R Tandem, 1 1/8"	Cannondale Fatty R Tandem, 1 1/8"
Rear Shock	Fox Vanilla	Fox Vanilla	N/A	N/A	N/A	N/A	N/A
Rims	Sun Rhyno Lite, 16 hole front, 32 hole rear	Sun Rhyno Lite, 16 hole front, 32 hole rear	Mach1 210, 32 hole	Mach1 210, 32 hole	Mach1 210, 32 hole	Sun Rhyno Lite, 40 hole	Mavic A719, 40 hole
Hubs	Cannondale Recumbent	Cannondale Recumbent	Cannondale Earth front, SRAM Dual Drive rear	Cannondale Earth	Cannondale Earth	DT Tandem Disc	DT Tandem Disc
Spokes	DT Stainless	DT Stainless	DT Champion	DT Champion	DT Stainless	DT Champion	DT Champion
Tires	Maxxis Hook Worm, 16 x 1.95" front, 20 x 1.95" rear	Kenda Kwest, 16 x 1.95" front, 20 x 1.95" rear	IRC Advantage Pro, 26 x 2.0"	IRC Advantage Pro, 26 x 2.0"	IRC Advantage Pro, 26 x 2.0"	Maxxis High Roller, 26 x 2.35"	IRC Tandem, 700 x 30c
Pedals	Wellgo dual function w/alloy cage	Wellgo dual function w/alloy cage	Wellgo platform w/alloy cage	Wellgo platform w/alloy cage	Wellgo platform w/alloy cage	N/A	N/A
Crank	TruVativ Firex SS, 32	TruVativ Firex SS, 32	SRAM Dual Drive	SRAM 8-speed	TruVativ Isoflow, 28/38/48	TruVativ Firex Tandem, 22/32/44	TruVativ Elita Tandem, 30/42/52
Chain	SRAM 9-speed	SRAM 8-speed	SRAM 8-speed	SRAM PG 830, 11-32	SRAM 8-speed	Shimano 9-speed (drive), SRAM 9-speed (timing)	Shimano 9-speed (drive), SRAM 9-speed (timing)
Rear Cogs	SRAM PG-950, 11-34	SRAM PG 830, 11-32	SRAM PG-830, 11-32	Shimano 4-taper	Sunrace M60, 11-32	SRAM PG-970, 11-34	SRAM PG-970, 11-34
Bottom Bracket	TruVativ ISIS GigaPipe SL	TruVativ ISIS GigaPipe SL	Shimano 4-taper	Shimano Nexave	Shimano 4-taper	TruVativ ISIS GigaPipe SL	TruVativ ISIS GigaPipe SL
Front Derailleur	Shimano Deore	Shimano Alivio	N/A	Shimano Deore	Shimano Nexave	Shimano LX	Shimano 105
Rear Derailleur	Shimano LX	SRAM 5.0	SRAM Dual Drive	SRAM MRX Pro	SRAM 5.0	Shimano XT	Shimano XT
Shifters	SRAM Attack	SRAM 4.0	SRAM Dual Drive	Cannondale Adventure, 50 mm rise	SRAM 4.0	Shimano Deore	Shimano Ultegra 9-speed
Handlebar	Cannondale EZ riser	Cannondale EZ riser	Cannondale Adventure, 50 mm rise	Cannondale Holy HeadShok adjustable	Cannondale Adventure, 50 mm rise	Cannondale Fire, 15 mm rise front, Cannondale Fire rear	FSA RD-250 Anatomic front, Stoker rear
Stem	Cannondale custom stem extension	Cannondale custom stem extension	Cannondale HeadShok Si	Cannondale HeadShok Si	Adjustable rise	Cannondale 3-D Forged	Cannondale 3-D Forged
Headset	Cannondale Si	FSA OnePointFive	Lee Chi TX 120 w/modulator	Lee Chi TX 120 w/modulator	1 1/8" threaded	Cane Creek C1	Cane Creek C-1
Brakes	Cannondale Fire w/cartridge pad front, Avid BB5 Disc rear	Cannondale Fire w/cartridge pad front, Avid BB5 Disc rear	Cannondale 4-finger comfort w/bell	Cannondale 4-Finger Comfort	Lee Chi TX 120 w/modulator	Avid BB7 Disc	Avid BB7 Disc
Brake Levers	Cannondale 4-finger comfort	Cannondale 4-finger comfort	Super Cush Gel w/springs; Super Cush Gel Féminine w/springs	Super Cush Gel w/springs; Super Cush Gel Féminine w/springs	Cannondale 4-Finger Comfort	Cannondale Fire	Shimano Ultegra
Saddle	Recumbent	Recumbent	1-X Suspension	1-X Suspension	Selle Royal Gel; Super Cush Gel Féminine w/springs	Fi'zi:k Nisene Eco	Fi'zi:k Poggio Eco
Seatpost	N/A	N/A	Comfort 800: S, M, L, X, J Comfort 800 Féminine: S, L	Comfort 600: S, M, L, X, J Comfort 600 Féminine: S, L	Polygon PM 780 Suspension	Kalloy SP-248D front, 1-X Suspension rear	Kalloy SP-248D front, 1-X Suspension rear
Sizes	S, L	S, L	Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK). Platinum (gloss) (PLT).	Jet Black w/Patriot Blue HyperHighlight (gloss) (BLK). Platinum (gloss) (PLT).	Comfort 400: S, M, L, X, J Comfort 400 Féminine: S, L	MS, LS, LM, XS, XM	MS, LS, XS, XM, JL
Colors (code)	Sterling Silver (gloss) (SLV).	Patriot Blue (gloss) (BLU).			Fairway Green (gloss) (GRN). Charcoal Grey w/Sterling Silver HyperHighlight (gloss) (GRY).	Mocha Brown to Saffron Metallic to Platinum (gloss) (CCF). Charcoal Grey (matte) (GRY).	Midnight Blue to Patriot Blue to Blazer Blue (gloss) (BLU). Platinum (gloss) (PLT).
Extra's	Rear Rack; Kickstand; Mirror	Rear Rack; Kickstand; Mirror					












GEOMETRY GUIDE:

(ST) "Size" on road frames is the distance from the center of the bottom bracket to the top of the top tube, measured along the seat tube.

(B) "Horizontal Top Tube Length" is measured parallel to the ground and closely approximates a traditional top tube length measurement.

(C) "Standover at Top Tube Midpoint" describes the height of the top of the top tube, measured at the mid-point between the seat tube and head tube.



Price and specifications subject to change without notice. Please refer to www.cannondale.com for the most recent specifications.

Precios y especificaciones sujetos a cambios sin previo aviso. (Por favor visite nuestra pagina web es.cannondale.com para obtener las mas recientes especificaciones.)

仕様と価格は予告なく変更する場合がございます。最新の仕様につきましては弊社ウェブサイトwww.cannondale.comをご参照ください。

Rack Mounts
Fender Mounts
★ Same dimensions for all sizes

GEMINI DH

Gemini DH, Gemini 3000

SIZE	SMALL	MEDIUM	LARGE
Seat Tube Length (cm/in)	40.5/15.9	45.0/17.7	48.0/18.9
Top Tube Horizontal (cm/in)	58.5/23.0	61.0/24.0	63.5/25.0
Top Tube Actual (cm/in)	53.5/21.1	56.3/22.2	59.3/23.3
Head Tube Angle (degree)	66.0	★	★
Seat Tube Angle (degree)	67.5	★	★
Standover (cm/in)	76.5/30.1	77.0/30.3	77.0/30.3
Wheel Base (cm/in)	110.8/43.6	113.4/44.6	116.0/45.7
Front Center Distance (cm/in)	65.5/25.8	68.2/26.9	70.8/27.9
Bottom Bracket Height (cm/in)	37.5/14.8	★	★
Bottom Bracket Drop (cm/in)	-3.2/-1.3	★	★
Chainstay Length (cm/in)	45.4/17.9	★	★
Fork Crown Height (cm/in)	55.9/22.0	★	★
Fork Rake (cm/in)	4.0/1.6	★	★
Fork Trail (cm/in)	10.5/4.3	★	★
Rear Travel (cm/in)	18.0/7.1	★	★
Shock Eye to Eye (cm/in)	24.1/9.5	★	★
Shock Stroke (cm/in)	7.6/3.0	★	★
Recommended Sag	30%	★	★

These dimensions are given with the bike suspension fully extended

GEMINI

Gemini 2000, Gemini 900

SIZE	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Length (cm/in)	40.5/15.9	43.0/16.9	48.0/18.9	53.0/20.9
Top Tube Horizontal (cm/in)	57.5/22.6	60.0/23.6	62.5/24.6	65.0/25.6
Top Tube Actual (cm/in)	53.1/20.9	55.7/21.9	59.0/23.2	62.8/24.7
Head Tube Angle (degree)	67.0	★	★	★
Seat Tube Angle (degree)	71.0	70.5	70.5	70.0
Standover at Top Tube Midpoint (cm/in)	72.4/28.5	73.0/28.7	73.3/28.9	75.4/29.7
Wheel Base (cm/in)	109.2/43.0	111.5/43.9	114.5/45.1	116.8/46.0
Front Center Distance (cm/in)	66.4/26.1	68.7/27.0	71.5/28.1	73.8/29.1
Bottom Bracket Height (cm/in)	36.3/14.3	★	★	★
Bottom Bracket Drop (cm/in)	-2.0/-0.8	★	★	★
Chainstay Length (cm/in)	43.2/17.0	★	★	★
Fork Crown Height (cm/in)	53.0/20.9	★	★	★
Fork Rake (cm/in)	4.6/1.8	★	★	★
Fork Trail (cm/in)	9.6/3.8	★	★	★
Rear Travel (cm/in)	15.0-17.0/5.9-6.7	★	★	★
Shock Eye to Eye (cm/in)	20.0/7.875	★	★	★
Shock Stroke (cm/in)	5.7/2.25	★	★	★
Recommended Sag	30%	★	★	★

These dimensions are given with the bike suspension fully extended.

CHASE

Chase 1, Chase 2, Chase 3

SIZE	SMALL	MEDIUM	LARGE
Seat Tube Angle (degrees)	74.0	74.0	74.0
Head Tube Angle (degrees)	69.0	69.0	69.0
Horizontal Top Tube Length (in/cm)	21.4/54.3	22.6/57.5	24.0/61.0
Seat Tube Overall Length (in/cm)	14.0/35.5	14.6/37.0	14.6/37.0
Chainstay Length (in/cm)	16.7/42.4	16.7/42.4	16.7/42.4
Fork Rake (in/cm)	1.8/4.5	1.8/4.5	1.8/4.5
Bottom Bracket Height (in/cm)	11.7/29.8	11.7/29.8	11.7/29.8
Wheelbase (in/cm)	40.3/103.3	42.0/106.7	43.4/110.2
Trail (in/cm)	3.1/8.0	3.1/8.0	3.1/8.0
Standover Top Tube Midpoint (in/cm)	28.9/73.5	25.4/64.5	26.8/68.0
Bottom Bracket Drop (in/cm)	1.4/3.5	1.4/3.5	1.4/3.5
Front Center Distance (in/cm)	24.1/61.2	25.4/64.5	26.8/68.0
Actual Top Tube Length (in/cm)	20.1/51.1	21.2/53.8	22.4/57.0

PROPHET, PROPHET 4-CROSS

Team Replica 4X, Prophet 4000 , Prophet 2000, Prophet 1000, Prophet 800, Prophet 600

SIZE	PETITE	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Length (cm/in)	40.5/15.9	40.5/15.9	43.0/16.9	48.0/18.9	53.0/20.9
Top Tube Horizontal (cm/in)	54.5/21.5	57.5/22.6	60.0/23.6	62.5/24.6	65.0/25.6
Top Tube Actual (cm/in)	50.4/19.8	53.2/20.9	55.8/22.0	59.0/23.2	62.8/24.7
Head Tube Angle (degree)	67.5 [69.0]	★	★	★	★
Seat Tube Angle (degree)	73.5 [75.0]	★	★	★	★
Standover at Top Tube Midpoint (cm/in)	74.0/29.1	74.4/29.3	74.5/29.3	75.0/29.5	75.9/29.9
Wheel Base (cm/in)	106.0/41.7	109.0/42.9	111.7/44.0	114.8/45.2	117.5/46.4
Front Center Distance (cm/in)	64.0/25.2	67.0/26.4	69.7/27.4	72.8/28.7	75.9/29.9
Bottom Bracket Height (cm/in)	33.0/13.0 [34.9/13.7]	★	★	★	★
Bottom Bracket Drop (cm/in)	0.0/0.0 [-1.9/-0.7]	★	★	★	★
Chainstay Length (cm/in)	42.0/16.5	★	★	★	★
Head Tube Height (cm/in)	52.0/20.5	★	★	★	★
Fork Rake (cm/in)	4.5/1.8	★	★	★	★
Fork Trail (cm/in)	8.8/3.5	★	★	★	★
Rear Travel (cm/in)	14.0/5.5	★	★	★	★
Shock Eye to Eye (cm/in)	20.0/7.9	★	★	★	★
Shock Stroke (cm/in)	5.0/2.0	★	★	★	★

Recommended Sag 25%

*All dimensions are given with suspension fully extended in (R and (KT) position.

JEKYLL 490MM CROWN HEIGHT

Jekyll, Jekyll Féminine, Police Cruiser

SIZE	PETITE*	SMALL	MEDIUM	LARGE	X LARGE
Seat Tube Length (cm/in)	38/14.9	40.5/15.9	43/16.9	48/18.9	53/20.9
Top Tube Horizontal (cm/in)	54.5/21.5	57.5/22.6	60/23.6	62.5/24.6	65/25.6
Head Tube Angle (degree)	71.1-69.2°	★	★	★	★
Seat Tube Angle (degree)	76.3-74.2°	★	★	★	★
Standover at Top Tube Midpoint(cm/in)	69.5-67.5/27.4-26.6	71.2-69.2/28-27.2	81.6-79.9/32.1-31.5	83.9-82/33-32.4	86.2-84.5/33.9-33.3
Wheel Base (cm/in)	104.6-105.3/41.2-41.4	107.5-108.1/42.3-42.6	109.5-110.3/43.1-43.3	112-112.5/44.1-44.3	114.7-115.3/45.2-45.4
Front Center Distance (cm/in)	63.6/25.0	66.5/26.2	68.4/26.9	70.8/27.9	73.6/29
Bottom Bracket Height (cm/in)	34.2-32.1/13.5-12.6	★	★	★	★
Bottom Bracket Drop (cm/in)	-2.0-1/-0.8-0	★	★	★	★
Chainstay Length (cm/in)	41.7-42.3/16.4-16.7	★	★	★	★
Fork Crown Height (cm/in)	51.1/20.1	★	★	★	★
Fork Rake (cm/in)	4.6/1.8	★	★	★	★
Fork Trail (cm/in)	6.9-5.8/2.7-2.3	★	★	★	★
Rear Travel (cm/in)	13.5/5.3	★	★	★	★
Shock Eye to Eye (cm/in)	13-11.8/5.1-4.6	★	★	★	★
Shock Stroke (cm/in)	4.4/1.75	★	★	★	★
Recommended Sag	25-30%	★	★	★	★

All dimensions are with suspension fully extended

Petite available in Féminine models only

SCALPEL SI AND SCALPEL

Scalpel Team Replica, Scalpel 3000, Scalpel 2000, Scalpel 900

SIZE	SMALL	MEDIUM	LARGE	X LARGE
Seat Tube Length (cm/in)	47/18.5	47/18.5	55.9/22	55.9/22
Top Tube Horizontal (cm/in)	55.9/22	59.7/23.5	63.5/25	64.8/25.5
Head Tube Angle (degree)	70°	★	★	★
Seat Tube Angle (degree)	73.5°	★	★	★
Standover at TopTube Midpoint(cm/in)	71.4/28.1	73.7/29.0	77/30.3	79.2/31.2
Wheel Base (cm/in)	106.2/41.8	110/43.3	113/44.5	115.6/45.5
Front Center Distance (cm/in)	63.5/25	67.1/26.4	70.8/27.9	72.6/28.6
Bottom Bracket Height (cm/in)	31.8/12.5	★	★	★
Bottom Bracket Drop (cm/in)	11/ 44	★	★	★
Chainstay Length (cm/in)	43.4/171	★	★	★
Fork Crown Height (cm/in)	55.9	★	★	★
Fork Rake (cm/in)	4.6/1.8	★	★	★
Fork Trail (cm/in)	5.8/2.3	★	★	★
Rear Travel (cm/in)	6.75/2.66	★	★	★
Shock Eye to Eye (cm/in)	14/5.5	★	★	★
Shock Stroke (cm/in)	25.4/1	★	★	★
Recommended Sag	25%	★	★	★

All dimensions are given with suspension fully extended.

OPTIMO SI, OPTIMO AND FURIO [1,2] MOUNTAIN HEADSHOK

F4000 SL, F2000 SL, F1000 SL, F800 SL, F600 SL, F1000, F800, F600, Police Interceptor, Bad Boy Ultra

SIZE	PETITE	SMALL	MEDIUM	LARGE	X LARGE
Seat Tube Angle (degree)	75.0	73.5	73.5	73.0	72.5
Head Tube Angle (degree)	70.0	70.0	70.0	70.0	70.0
Horizontal Top Tube Length (in/cm)	21.4/54.4	22.3/56.6	23.3/59.2	24.3/61.7	25.0/63.5
Seat Tube Overall Length (in/cm)	14.0/35.6	16.0/40.6	18.0/45.7	19.7/50.0	21.7/55.1
Chainstay Length (in/cm)	16.7/42.4	★	★	★	★
Fork Rake (in/cm)	1.8/4.6	★	★	★	★
Bottom Bracket Height (in/cm)	11.7/29.8	★	★	★	★
Wheelbase (in/cm)	40.7/103.4	41.3/104.9	42.7/108.4	43.6/110.8	44.0/111.8
Trail (in/cm)	2.9/7.3	★	★	★	★
Standover at Top Tube Midpoint (in/cm)	29.1/73.9	30.1/76.4	31.1/78.9	31.8/80.9	32.7/83.1
Bottom Bracket Drop (in/cm)	1.4/3.5	★	★	★	★
Front Center Distance (in/cm)	24.1/61.3	24.7/62.8	26.1/66.3	27.0/68.6	27.4/69.7

[1] Rack Mounts
[2] Fender Mounts
★ Same dimensions for all sizes

SINGLESPEED [1,2]

1FG Ultra, Fifty-Fifty

SIZE	PETITE	SMALL	MEDIUM	LARGE	XLARGE
Seat Tube Angle (degrees)	75.0	73.5	73.5	73.0	72.5
Head Tube Angle (degrees)	70.0	★	★	★	★
Horizontal Top Tube Length (in/cm)	21.4/54.4	22.3/56.6	23.3/59.2	24.3/61.7	25.0/63.5
Seat Tube Overall Length (in/cm)	14.0/35.6	16.0/40.6	18.0/45.7	19.7/50.0	21.7/55.1
Chainstay Length (in/cm)	16.7/42.4	★	★	★	★
Fork Rake (in/cm)	1.8/4.6	★	★	★	★
Bottom Bracket Height (in/cm)	12.2/31.1	★	★	★	★
Wheelbase (in/cm)	40.9/103.9	41.5/105.4	42.6/108.3	43.6/110.7	44.2/112.3
Trail (in/cm)	2.9/7.3	★	★	★	★
Standover at Top Tube Midpoint (in/cm) Rigid	27.8/70.5	29.1/73.8	30.4/77.2	31.6/80.2	32.4/82.4
Standover at Top Tube Midpoint (in/cm) Headshok	29.3/74.5	30.3/77.1	31.3/79.5	32.1/81.5	33.0/83.8
Bottom Bracket Drop (in/cm)	0.9/2.2	★	★	★	★
Front Center Distance (in/cm)	24.3/61.7	24.9/63.2	26.0/66.0	26.9/68.4	27.6/70.1
Head Tube Length (in/cm) Rigid	4.3/11.0	5.1/13.0	5.9/15.0	6.7/17.0	6.7/17.0
Head Tube Length (in/cm) Headshok	4.5/11.4	★	★	★	★

FURIO-X MOUNTAIN HEADSHOK

F500, F400, F400 Féminine, Police Pursuit

SIZE	PETITE	SMALL	MEDIUM	LARGE	X LARGE
Seat Tube Angle (degrees)	75.0	73.5	73.5	73.0	72.5
Head Tube Angle (degrees)	70.0	★	★	★	★
Horizontal Top Tube Length (in/cm)	21.4/54.4	22.3/56.5	23.5/59.7	24.5/62.2	25.0/63.5
Seat Tube Overall Length (in/cm)	13.0/33.0	15.0/38.1	17.0/43.2	18.7/47.5	20.7/52.5
Chainstay Length (in/cm)	16.7/42.4	★	★	★	★
Fork Rake (in/cm)	1.8/4.5	★	★	★	★
Bottom Bracket Height (in/cm)	11.7/29.8	★	★	★	★
Wheelbase (in/cm)	40.6/103.2	41.2/104.7	42.6/108.2	43.5/110.6	44.0/111.7
Trail (in/cm)	2.9/7.3	★	★	★	★
Standover at TopTube Midpoint(cm/in)	28.7/72.8	29.6/75.2	30.6/77.6	31.3/79.6	32.3/81.9
Bottom Bracket Drop (in/cm)	1.4/3.5	★	★	★	★
Front Center Distance (in/cm)	24.0/61.0	24.6/62.6	26.0/66.1	27.0/68.5	27.4/69.5

OPTIMO FÉMININE ROAD

R1000 Féminine

SIZE	40	44	47	50	53	56
Measured Size (cm)*	40	44	45	50	53	55
Seat Tube Angle	75	75	75	74.5	74	73.5
Head Tube Angle	72	72.5	75	72	72.5	73
Horizontal Top Tube Length(cm)	48.5	49	51	51.5	53.0	54.5
Chainstay Length (cm)	38	38	40.5	40.5	40.5	40.5
Fork Rake (cm)	4.0	4.0	4.5	4.5	4.5	4.5
Bottom Bracket Height (cm)	26.1	26.1	26.5	26.5	26.5	26.8
Wheelbase (cm)	91.0	91.3	96.8	96.0	96.8	97.5
Trail (cm)	5.9	5.6	7.2	6.2	5.9	5.6
Standover at Top Tube Midpoint (cm)	68.2	70.1	72.5	75.6	78.3	80.8
Bottom Bracket Drop (cm)	4.9	4.9	7.2	7.2	7.2	6.9
Front Center Distance (cm)	53.5	53.9	57.4	56.5	57.4	58
Head Tube Length (cm)	11.6	11.6	10.5	11.1	13.8	16.5
Wheel size	650c	650c	700c	700c	700c	700c

**For proper fit, some of the 700c sizes have a shortened seat tube for more standover clearance*

CAAD5 FÉMININE ROAD

R500 Féminine

SIZE	40	44	47	50	53	56
Measured Size (cm)*	40	44	45	50	53	55
Seat Tube Angle (degrees)	75	75	75	74.5	74	73.5
Head Tube Angle (degrees)	72	72.5	70.5	72.5	72.5	73
Horizontal Top Tube Length (cm)	48.5	49	51	51.5	53	54.5
Chainstay Length (cm)	40.5	★	★	★	★	★
Fork Rake (cm)	4.0	4.0	4.3	4.3	4.3	4.3
Bottom Bracket Height (cm)	26.1	26.1	26.5	26.5	26.5	26.8
Wheelbase (cm)	93.6	94.0	96.6	95.7	96.4	97.4
Trail (cm)	5.9	5.6	7.2	6.5	6.2	5.7
Standover at Top Tube Midpoint (cm)	68.1	70.0	72.5	75.7	78.4	80.8
Bottom Bracket Drop (cm)	4.9	4.9	7.2	7.2	7.2	6.9
Front Center Distance (cm)	53.6	53.9	57.2	56.4	57.3	58.0
Wheel Size	650c	650c	700c	700c	700c	700c

**For proper fit, some of the 700c sizes have a shortened seat tube for more standover clearance.*

CYCLOCROSS OPTIMO DISC AND CYCLOCROSS OPTIMO

Cyclocross Disc, Cyclocross

SIZE	47	50	52	54	56	58	60
Seat Tube Angle (degrees)	74.5	74.5	74.0	73.5	73.0	73.0	73.0
Head Tube Angle (degrees)	70.5	71.0	71.5	72.0	73.0	73.0	73.0
Horizontal Top Tube Length (in/cm)	20.7/52.5	20.9/53.0	21.3/54.0	21.7/55.0	22.4/57.0	23.2/59.0	23.6/60.0
Chainstay Length (in/cm)	17.0/43.2	★	★	★	★	★	★
Fork Rake (in/cm)	1.8/4.5	★	★	★	★	★	★
Bottom Bracket Height (in/cm)	11.4/28.9	★	★	★	★	★	★
Wheelbase (in/cm)	40.0/101.5	40.1/101.8	40.1/101.9	40.2/102.0	40.4/102.5	41.1/104.5	41.5/105.5
Trail (in/cm)	2.8/7.0	2.6/6.7	2.5/6.4	2.4/6.1	2.2/5.5	2.2/5.5	2.2/5.5
Standover at Top Tube Midpoint (in/cm)	30.5/77.6	31.5/80.1	31.9/81.0	32.3/82.0	32.9/83.6	33.7/85.5	34.4/87.4
Bottom Bracket Drop (in/cm)	2.5/6.3	★	★	★	★	★	★
Front-Center Distance (in/cm)	23.3/59.1	23.5/59.6	23.5/59.6	23.5/59.6	23.7/60.1	24.4/62.1	24.8/63.1
Head Tube Length (in/cm)	5.1/13.0	5.9/15.0	5.9/15.0	5.9/15.0	6.3/16.0	7.1/18.0	7.9/20.0

If you ride a size 56 cm Cannondale road bike, you should choose a size 54 cm Cyclocross frame. This will give you the same top tube length but more standover height.

IRONMAN® SLICE AERO

Ironman® 6000, Ironman® 2000, Ironman® 800

SIZE	48	50	52	54	56	58	60	62
Wheel Size	650	650	650	700	700	700	700	700
Measured Size (cm)*	470	480	490	510	530	550	570	590
Seat Tube Angle (degrees)	78	78	78	78	77	77	77	77
Head Tube Angle (degrees)	71	71.5	71.5	71.5	72	72	72	72
Horizontal Top Tube Length (cm)	470	490	510	525	540	555	570	580
Head Tube Length	132	142	152	115	130	150	170	190
Chainstay Length (cm)	370	370	370	400	400	400	400	400
Fork Rake (cm)	40	40	40	43	43	43	43	43
Bottom Bracket Height (cm)	26.3	26.3	26.3	26.5	26.5	26.5	26.5	26.5
Wheelbase (cm)	92.4	94	96.1	99.1	100.3	102	103.7	104.9
Trail (cm)	6.4	6.1	6.1	6.7	6.4	6.4	6.4	6.4
Standover at Top Tube Midpoint (cm)	72.2	73.2	74.1	76.1	78.1	80	82.4	83.9
Bottom Bracket Drop (cm)	4.8	4.8	4.8	7.2	7.2	7.2	7.2	7.2
Front Center Distance (cm)	55.8	57.5	59.6	61.1	61.4	63.1	64.8	65.9

For aerodynamics most sizes of this frame have a top tube lowered by 3 cm with a resulting smaller head tube. The measured size is from the center of the bottom bracket to the top of the top tube at the seat tube axis.

***If you ride a size 56 cm Cannondale road bike, you should choose a size 56 cm aero frame.*

SIX13 AND CAAD8 OPTIMO ROAD

Six13 Team Replica, Six13 R5000, Six13 R5000 Compact Drive, Six13 R5000 Dura Ace, Six13 R3000, Six13 R2000, Six13 R2000 Compact Drive, R5000, R5000 Compact Drive, R1000, R1000 Triple, R900, R900 Triple

SIZE	48	50	52	53**	54	55**	56	57**	58	59**	60	63
Measured Size (cm)*	47	49	51	52	53	55	56	57	58	59	60	63
Seat Tube Angle (degrees)	74.5	74.5	74	74	73.5	73.5	73.5	73	73	72.5	72.5	72
Head Tube Angle (degrees)	72	72.5	73	73	73	73	73	73	73.5	73.5	73.5	73.5
Horizontal Top Tube Length (cm)	51.5	52.5	53.5	54.0	54.5	55.3	56.0	56.8	57.5	58.3	59.0	60.0
Chainstay Length (cm)	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.8	40.8	40.8
Fork Rake (cm)	4.5	★	★	★	★	★	★	★	★	★	★	★
Bottom Bracket Height (cm)	26.5	26.5	26.5	26.5	26.8	26.8	26.8	26.8	27.0	27.0	27.0	27.0
Wheelbase (cm)	95.9	96.6	96.8	97.3	97.5	98.3	99.0	99.3	99.6	100.1	100.9	101.2
Trail (cm)	6.2	5.9	5.6	5.6	5.6	5.6	5.6	5.6	5.3	5.3	5.3	5.3
Standover at Top Tube Midpoint (cm)	73.6	74.7	76.5	77.5	78.6	79.5	80.5	81.3	82.5	83.3	84.2	86.9
Bottom Bracket Drop (cm)	7.2	7.2	7.2	7.2	6.9	6.9	6.9	6.9	6.7	6.7	6.7	6.7
Front Center Distance (cm)	56.6	57.2	57.4	57.9	58.0	58.8	59.5	59.8	60.1	60.3	61.0	61.4
Head Tube Length (cm)	11	11.5	12.1	13.1	14.6	14.6	15.4	16.3	17.3	18.2	19.2	21.9

For proper fit, sizes 48-54 have a seat tube that is lowered 3 cm and a head tube that is raised 1 cm. This results in a slightly sloping top tube. The measured size is from the center of the bottom bracket to the top of the top tube along the seat tube axis.

**Six13 Frameset only.

CAAD7 OPTIMO ROAD

R700, R700 Triple

SIZE	48	50	52	53**	54	55**	56	57**	58	59**	60	63
Measured Size (cm)*	47	49	51	52	53	55	56	57	58	59	60	63
Seat Tube Angle (degrees)	74.5	74.5	74	74	73.5	73.5	73.5	73	73	72.5	72.5	72
Head Tube Angle (degrees)	72	72.5	73	73	73	73	73	73	73.5	73.5	73.5	73.5
Horizontal Top Tube Length (cm)	51.5	52.5	53.5	54.0	54.5	55.3	56.0	56.8	57.5	58.3	59.0	60.0
Chainstay Length (cm)	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.5	40.8	40.8	40.8
Fork Rake (cm)	4.5	★	★	★	★	★	★	★	★	★	★	★
Bottom Bracket Height (cm)	26.5	26.5	26.5	26.5	26.8	26.8	26.8	26.8	27.0	27.0	27.0	27.0
Wheelbase (cm)	95.9	96.6	96.8	97.3	97.5	98.3	99.0	99.3	99.6	100.1	100.9	101.2
Trail (cm)	6.2	5.9	5.6	5.6	5.6	5.6	5.6	5.6	5.3	5.3	5.3	5.3
Standover at Top Tube Midpoint (cm)	73.6	74.7	76.5	77.5	78.6	79.5	80.5	81.3	82.5	83.3	84.2	86.9
Bottom Bracket Drop (cm)	7.2	7.2	7.2	7.2	6.9	6.9	6.9	6.9	6.7	6.7	6.7	6.7
Front Center Distance (cm)	56.6	57.2	57.4	57.9	58.0	58.8	59.5	59.8	60.1	60.3	61.0	61.4
Head Tube Length (cm)	9.9	10.4	12.1	13.1	14.6	14.6	15.4	16.3	17.3	18.2	19.2	21.9

For proper fit, sizes 48-54 have a seat tube that is lowered 3 cm and a head tube that is raised 1 cm. This results in a slightly sloping top tube. The measured size is from the center of the bottom bracket to the top of the top tube along the seat tube axis.

**Frameset only.

CAAD5 ROAD

R500 Triple

SIZE	48	50	52	53**	54	55**	56	57**	58	59**	60	61	66**
Seat Tube Angle (degrees)	74.5	74.5	74.0	74.0	74.0	73.5	73.5	73.5	73.5	73	73.0	73.0	73.0
Head Tube Angle (degrees)	72.5	72.5	73.0	73.0	73.0	73.0	73.0	73.0	73.0	73.5	73.5	73.5	73.5
Horizontal Top Tube Length (cm)	51.5	52.5	53.5	54.0	54.5	55.25	56.0	56.75	57.5	58.25	59.0	60.0	61.0
Chainstay Length (cm)	40.5	★	★	★	★	★	★	★	★	★	★	★	★
Fork Rake (cm)	4.3	★	★	★	★	★	★	★	★	★	★	★	★
Bottom Bracket Height (cm)	27.3	★	★	★	★	★	★	★	★	★	★	★	★
Wheelbase (cm)	95.6	96.7	96.9	97.4	97.9	98.2	99.0	99.7	100.5	100.2	100.9	101.9	102.9
Trail (cm)	6.2	6.2	5.9	5.9	5.9	5.9	5.89	5.9	5.89	5.6	5.6	5.6	5.6
Standover at Top Tube Midpoint (cm)	71.4	71.3	72.7	73.3	73.2	80.0	81.0	82.0	82.9	83.7	84.7	87.6	90.4
Bottom Bracket Drop (cm)	6.7	★	★	★	★	★	★	★	★	★	★	★	★
Front Center Distance (cm)	56.0	57.1	57.3	57.8	58.3	58.6	59.3	60.0	60.9	60.6	61.3	62.3	63.3

**Frameset only.

OPTIMO SPORT ROAD[1,2]

Sport Road 1000, Road Warrior 1000

SIZE	PETITE	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Angle	75.5	75	74	73.5	73
Head Tube Angle	70.5	71	72	72.5	73
Horizontal Top Tube Length(cm)	51.5	52.5	54.5	56.5	59
Seat Tube Length (ctr-top of ttl) (cm)	41	46	50	54	58
Chainstay Length (cm)	41.7	★	★	★	★
Fork Rake (cm)	4.3	★	★	★	★
Bottom Bracket Height (cm)	26.5	26.5	26.5	26.8	26.8
Wheelbase (cm)	98.4	99	99.6	101.0	102.5
Trail (cm)	7.37	7.06	6.83	6.82	5.81
Standover at Top Tube Midpoint (cm)	72.1	75.9	78.8	82.3	85.7
Bottom Bracket Drop (cm)	7.2	7.2	7.2	6.9	6.9
Front Center Distance (cm)	57.8	58.4	59.0	60.2	61.8
Head Tube Length (cm)	12	15	17	20	23
Inseam Range for Proper Fit (cm/in)	72.5-78/28.5-30.7	76.5-81/30.1-31.9	79.5-84/31.3-33.1	83-87/32.7-34.3	86-95/33.9-37.4
Traditional Road Frame Size (cm)	45-50	50-53	53-56	56-59	59-63

CAAD5 SPORT ROAD[1,2]

Sport Road 800, Sport Road 500, Road Warrior 800

SIZE	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Angle	74.5	74	73.5	73
Head Tube Angle	71.0	71.5	72.0	73.0
Horizontal Top Tube Length(cm)	52.5	54	56	58
Seat Tube Length (ctr-top of ttl) (cm)	47	50	53	57
Chainstay Length (cm)	41.7	★	★	★
Fork Rake (cm)	4.5	★	★	★
Bottom Bracket Height (cm)	27.3	★	★	★
Wheelbase (cm)	98.8	99.6	100.7	101.4
Trail (cm)	6.9	6.6	6.3	5.7
Standover at Top Tube Midpoint (cm)	75.5	78.5	81.4	84.9
Bottom Bracket Drop (cm)	6.7	★	★	★
Front Center Distance (cm)	58.4	59.2	60.4	61.0
Head Tube Length (cm)	12.6	15.6	18.6	21.6
Inseam Range for Proper Fit (cm/in)	76-82.8/29.9-32.6	79-85.9/31.1-33.8	82-89.9/32.3-35.4	86-94/33.9-37
Traditional Road Frame Size (cm)	48-52	52-56	56-59	59-63

CAAD4 SPORT ROAD[1,2]

Road Warrior 400

SIZE	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Angle (degrees)	74.5	74.0	73.5	73.5
Head Tube Angle (degrees)	72.0	72.5	73.0	73.5
Top Tube Horizontal (cm)	51.5	53.0	55.0	58
Seat Tube Length, (ctr-top of ttl) (cm)	47.0	50.0	53.0	57.0
Chainstay Length (cm)	41.2	★	★	★
Fork Rake (cm)	4.3	★	★	★
Bottom Bracket Height (cm)	27.3	★	★	★
Wheelbase (cm)	96.7	97.4	98.6	100.6
Trail (cm)	6.5	6.2	5.9	5.6
Standover at Top Tube midpoint (cm)	75.7	78.6	81.5	84.9
Bottom Bracket Drop (cm)	6.7	★	★	★
Head Tube Length (cm) rigid	12.0	15.0	18.0	21.0
Head Tube Length (cm) HeadShok	11.4	★	★	★

MOUNTAIN[1,2]

Bad Boy

SIZE	PETITE	SMALL	MEDIUM	LARGE	X-LARGE
Seat Tube Angle (degrees)	75.0	73.5	73.5	73.5	73.5
Head Tube Angle (degrees)	71.0	★	★	★	★
Horizontal Top Tube Length (in/cm)	21.4/54.4	21.7/55.1	22.4/56.9	23.2/58.9	24.2/61.5
Seat Tube Overall Length (in/cm)	13.5/34.3	18/45.7	20/50.8	22/55.9	24/61.0
Chainstay Length (in/cm)	17.0/43.2	16.7/42.4	16.7/42.4	16.7/42.4	16.7/42.4
Fork Rake (in/cm)	1.8/4.6	★	★	★	★
Bottom Bracket Height (in/cm)	11.4/29.0	★	★	★	★
Wheelbase (in/cm)	40.7/103.4	40.5/102.9	41.4/105.2	42.2/107.2	43.3/110.0
Trail (in/cm)	2.6/6.6	★	★	★	★
Standover at Top Tube Midpoint (in/cm)	27.5/69.9	29.3/74.4	30.3/77.0	31.5/80.0	33.3/84.6
Bottom Bracket Drop (in/cm)	1.5/3.8	★	★	★	★Front Center
Distance (in/cm)	23.8/60.5	23.9/60.7	24.8/63.0	25.6/65.0	26.7/67.8

STREET[1,2]

Street

SIZE	SMALL	MEDIUM	LARGE	XLARGE	JUMBO
Seat Tube Angle	75	74	73.5	73.5	73.5
Head Tube Angle	71	★	★	★	★
Horizontal Top Tube Length(in/cm)	22.3/56.6	22.5/57.2	22.7/57.7	23/58.4	23.5/59.7
Seat Tube Overall Length (in/cm)	16/40.6	18/45.7	20/50.8	22/55.9	24/61.0
Chainstay Length (in/cm)	18/45.8	★	★	★	★
Fork Rake (in/cm)	1.8/4.5	★	★	★	★
Bottom Bracket Height (in/cm)	11.4/28.9	★	★	★	★
Wheelbase (in/cm)	42.4/107.8	42.4/107.8	42.6/108.1	43.0/109.1	43.6/110.6
Trail (in/cm)	2.8/7.2	★	★	★	★
Standover at Top Tube Midpoint (in/cm) Rigid	29.2/74.3	30.2/76.7	31.6/80.3	32.6/82.8	34.0/86.4
Standover at Top Tube Midpoint (in/cm) Headshok	29.4/74.7	30.4/77.2	31.4/79.7	32.3/82.8	33.1/86.4
Bottom Bracket Drop (in/cm)	2.3/5.8	★	★	★	★
Front Center Distance (in/cm)	24.3/62.7	24.3/62.7	24.8/63	25.2/64	25.8/65.5
Head Tube Length (in/cm) Rigid	5/12.7	5/12.7	6/15.2	6/15.2	7/17.8
Head Tube Length (in/cm) Headshok	4.5/11.4	★	★	★	★

TOURING[1,2]

T2000, T800

SIZE	SMALL	MEDIUM	LARGE	XLARGE	JUMBO
Seat Tube Angle (degrees)	74.5	74.0	73.0	73.0	72.5
Head Tube Angle (degrees)	71.0	71.0	71.5	72.5	73.0
Horizontal Top Tube Length (in/cm)	20.3/51.6	20.8/52.8	21.5/54.6	22.5/57.2	23.5/59.7
Seat Tube Overall Length (in/cm)	17.0/43.2	19.0/48.3	21.0/53.3	23.0/58.4	25.0/63.5
Chainstay Length (in/cm)	18.0/45.7	★	★	★	★
Fork Rake (in/cm)	2.1/5.3	★	★	★	★
Bottom Bracket Height (in/cm)	11.1/28.2	★	★	★	★
Wheelbase (in/cm)	40.6/103.1	41.0/104.1	41.3/104.9	41.9/106.4	42.5/108.0
Trail (in/cm)	2.5/6.4	2.5/6.4	2.3/5.8	2.1/5.3	2.0/5.1
Standover at Top Tube Midpoint (in/cm)	29.2/74.2	30.2/76.7	31.6/80.3	33.1/84.1	34.8/88.4
Bottom Bracket Drop (in/cm)	2.6/6.6	★	★	★	★
Front Center Distance (in/cm)	22.9/58.2	23.4/59.4	23.6/59.9	24.3/61.7	24.8/63.0

[1]Rack Mounts
[2]Fender Mounts
★ Same dimensions for all sizes

ADVENTURE HEADSHOK[1,2] AND ADVENTURE[1,2]

Adventure 1000, Adventure 800, Adventure 600, Adventure 400

SIZE	SMALL	MEDIUM	LARGE	X LARGE	JUMBO
Seat Tube Angle (degrees)	75.0	75.0	75.0	75.0	75.0
Head Tube Angle (degrees)	71.0	71.0	71.0	71.0	71.0
Top Tube Horizontal (in/cm)	22.7/57.7	22.9/58.2	23.1/58.7	23.7/60.2	23.7/60.2
Seat Tube Overall Length (in/cm)	16.0/40.6	18.0/45.7	20.0/50.8	22.0/55.9	24.0/61.0
Chainstay Length (in/cm)	18.0/45.7	★	★	★	★
Fork Rake (in/cm)	2.1/5.3	★	★	★	★
Bottom Bracket Height (in/cm)	11.4/29.0	11.4/29.0	11.4/29.0	11.4/29.0	11.4/29.0
Wheelbase (in/cm)	43.2/109.7	43.6/110.7	43.9/111.5	44.7/113.5	44.8/113.8
Trail (in/cm)	2.5/6.4	★	★	★	★
Standover at Top Tube midpoint (in/cm) Suspension	30.0/76.2	31.0/78.7	32.0/81.3	33.0/83.8	34.0/86.4
Standover at Top Tube midpoint (in/cm) Rigid	28.8/73.2	29.8/75.7	30.8/78.2	32.0/81.3	34.2/86.9
Bottom Bracket Drop (in/cm)	2.3/5.8	★	★	★	★
Front-Center Distance (in/cm)	25.4/64.5	25.8/65.5	26.1/66.3	26.9/68.3	27.0/68.6

ADVENTURE FÉMININE[1,2] AND STREET FÉMININE[1,2]

Adventure Féminine 1000, 800, 600, 400; Street Féminine

SIZE	SMALL	LARGE
Seat Tube Angle (degrees)	75.0	★
Head Tube Angle (degrees)	71.0	★
Horizontal Top Tube Length (in/cm)	22.0/55.9	22.5/57.2
Seat Tube Overall Length (in/cm)	16.5/419	19.0/48.3
Chainstay Length (in/cm)	18.0/45.7	★
Fork Rake (in/cm)	2.1/5.3	★
Bottom Bracket Height (in/cm)	11.4/29.0	★
Wheelbase (in/cm)	42.5/108.0	43.2/109.7
Trail (in/cm)	2.5/6.4	★
Standover at Top Tube Midpoint (in/cm)	27.3/69.3	27.7/70.4
Bottom Bracket Drop (in/cm)	2.3/5.8	★
Front Center Distance (in/cm)	24.7/62.7	25.5/64.8

*See Jumbo available on Street 600 Féminine and Street 800 Féminine only

RECUMBENT

Bent I, Bent II

SIZE	STANDARD	LARGE
Head tube angle (degrees)	64	★
Fork rake (in/cm)	2.4/6.1	★
Trail (in/cm)	1.2/3.0	★
Back rest angle (degrees min/max)	20/30	★
Bottom Bracket Height (in/cm)*	20.5/52.1	★
Chainstay length (in/cm)	16.6/42.2	★
Wheelbase (in/cm)	90.5/128.3	95.5/141.0
Standover/stepover height (in/cm)*	21.5/54.6	★
Seat Height (in/cm)*	27/68.6	★
Rider Height range (ft-in/meters)	4'8"–6'1"/1.42–1.85	5'7"–6'10"/1.70–2.08
Front wheel size	16"/ISO 305	★
Rear wheel size	20"/ISO 406	★

*with suspension not supported.

COMFORT HEADSHOK AND COMFORT

Comfort 800, Comfort 600, Comfort 400

SIZE	SMALL	MEDIUM	LARGE	X LARGE	JUMBO
Seat Tube Angle (degrees)	75.0	74.0	73.5	73.5	73.5
Head Tube Angle (degrees)	71.0	★	★	★	★
Top Tube Horizontal (in/cm)	21.4/54.4	22.0/55.9	23.0/58.4	24.0/61.0	24.8/63.0
Seat Tube Overall Length (in/cm)	14.0/35.6	15.0/38.1	17.0/43.2	19.0/48.3	21/53.3
Chainstay Length (in/cm)	17.0/43.2	★	★	★	★
Fork Rake (in/cm)	1.8/4.6	★	★	★	★
Bottom Bracket Height (in/cm)	11.4/29.0	★	★	★	★
Wheelbase (in/cm)	40.7/103.4	41.1/104.4	42.1/106.9	43.1/109.5	44.2/112.3
Trail (in/cm)	2.6/6.6	★	★	★	★
Standover at Top Tube midpoint (in/cm)	28.6/72.6	29.1/73.9	30.1/76.5	31.1/79.0	32.1/81.5
Bottom Bracket Drop (in/cm)	1.5/3.8	★	★	★	★
Front-Center Distance (in/cm)	23.8/60.5	24.2/61.5	25.2/64.0	26.3/66.8	27.4/69.6

COMFORT HEADSHOK FÉMININE AND COMFORT FÉMININE

Comfort 800 Féminine, Comfort 600 Féminine, Comfort 400 Féminine

SIZE	SMALL	LARGE
Seat Tube Angle (degrees)	74.0	★
Head Tube Angle (degrees)	71.0	★
Top Tube Horizontal (in)	22.0/55.9	22.6/57.4
Seat Tube Overall Length (in)	14.0/35.6	17.0/43.2
Chainstay Length (in)	17.0/43.2	★
Fork Rake (in)	1.8/4.6	★
Bottom Bracket Height (in)	11.4/29.0	★
Wheelbase (in)	41.1/104.4	41.8/106.2
Trail (in)	2.6/6.6	★
Standover Height (in)	27.0/68.6	27.4/69.6
Bottom Bracket Drop (in)	1.5/38	★
Front Center Distance (in)	24.2/61.5	24.9/63.2

CAAD (Cannondale Advanced Aluminum Design), Cannondale, "C" Logo, Fatty, HeadShok, Lefty, Jekyll, Optimo, PowerPyramid, Scalpel, and Slice are all registered trademarks of Cannondale Corporation.

Chain Gang, Comfort, Gemini, Q-Lab, Optimo, Sport Road, Terrain, Si, and Ultra are all trademarks of Cannondale Corporation.

Saeco is a registered trademark of Saeco International and is used with their permission.
Siemens Mobile is a registered trademark and is used with their permission.
Ironman® is a registered trademark of the World Triathlon Association and is used with their permission.
Fox and Fox Racing Shox are registered trademarks of Fox Factory Inc. and are used with their permission.
Answer and Manitou are registered trademarks of Answer Products, Inc. and are used with their permission.

Cannondale frames are are Handmade in USA. Cannondale frames and HeadShok forks are covered by one or more of the following U.S. Patents:

4,808,147 5,020,819 5,178,035 5,249,818 5,320,374 5,449,155 5,494,302 5,509,674 5,634,653 5,702,092 5,791,674 6,007,056 6,155,541 6,145,862 6,135,477

D445,364 6,497,427 5,979,924 5,308,099 other patents pending.

Call (800) BIKE USA for more information.

MOUNTAIN TANDEM[1,2]

Mountain Tandem

SIZE	M/S	L/S	L/M	X/S	X/M
Front Seat Tube Angle (degrees)	73.5	73.5	73.5	73.5	73.5
Rear Seat Tube Angle (degrees)	73.5	73.5	74.0	74.0	74.0
Head Tube Angle (degrees)	71.0	71.0	71.0	71.0	71.0
Horizontal Front Top Tube Length (in)	22.0	23.0	23.0	24.4	24.4
Horizontal Rear Top Tube Length (in)	28.1	28.1	29.1	28.1	29.1
Front Seat Tube Overall Length (in)	18.0	19.1	20.0	20.1	21.1
Rear Seat Tube Overall Length (in)	16.0	16.0	18.0	16.0	18.0
Chainstay Length (in)	17.4	★	★	★	★
Fork Rake (in)	1.8	★	★	★	★
Front Bottom Bracket Height (in)	11.4	★	★	★	★
Rear Bottom Bracket Height (in)	11.4	★	★	★	★
Wheelbase (in)	69.6	70.7	71.7	72.2	73.2
Trail (in)	2.6	2.6	2.6	2.6	2.6
Front Standover at Top Tube midpoint (in)	28.2	30.0	30.3	31.0	31.4
Rear Standover at Top Tube midpoint (in)	26.5	27.0	28.4	27.5	29.0
Front Bottom Bracket Drop (in)	1.5	★	★	★	★
Rear Bottom Bracket Drop (in)	1.5	★	★	★	★
Front Center Distance (in)	24.2	25.3	25.3	26.8	26.8

ROAD TANDEM[1,2]

Road Tandem

SIZE	M/S	L/S	X/S	X/M	L/L
Front Seat Tube Angle (degrees)	73.0	73.0	73.0	73.0	73.0
Rear Seat Tube Angle (degrees)	73.0	73.0	73.0	73.0	73.0
Head Tube Angle (degrees)	73.0	73.0	73.0	73.0	73.0
Horizontal Front Top Tube Length (in)	21.5	22.1	23.8	23.8	24.6
Horizontal Rear Top Tube Length (in)	27.1	27.1	27.1	28.1	29.1
Front Seat Tube Overall Length (in)	19.0	20.0	21.0	22.0	24.0
Rear Seat Tube Overall Length (in)	17.0	17.0	17.0	19.0	21.0
Chainstay Length (in)	17.4	★	★	★	★
Fork Rake (in)	2.1	★	★	★	★
Front Bottom Bracket Height (in)	10.8	★	★	★	★
Rear Bottom Bracket Height (in)	10.5	★	★	★	★
Wheelbase (in)	67.0	69.6	69.2	70.2	72.1
Trail (in)	2.0	2.0	2.0	2.0	2.0
Front Standover at Top Tube midpoint (in)	28.3	30.3	31.2	31.6	33.6
Rear Standover at Top Tube midpoint (in)	26.6	27.1	27.6	29.0	30.9
Front Bottom Bracket Drop (in)	2.9	★	★	★	★
Rear Bottom Bracket Drop (in)	3.2	★	★	★	★
Front Center Distance (in)	23.0	23.6	25.2	25.2	26.0

WARNINGS!

Bicycling has risks of serious injury or death that cannot be completely avoided. Risk can be minimized by: Reading and following all warnings and instructions in owner's manuals and owner's manual supplements. Always wearing a helmet. Practicing and step-by-step learning. Riding in control and within your capabilities.

Visit http://www.cannondale.com/bikes/tech/safety for further warnings, technical documents, and safety guidelines.

Warning: Catalog and web site product descriptions are not instructions. You must read and follow written instructions that accompany products.

Warning: Reflectors are not a substitute for proper lights. It is your responsibility to equip your bicycle with all state and locally mandated lights. You must have a white front and red rear light. Cannondale also strongly urges you to use a flashing light or strobe. You must be able to see and others must be able to see you. Riding at dawn, at dusk, at night or at other times of poor visibility without a bicycle lighting system and without reflectors is dangerous and may result in serious injury or death.

Please note: Despite our nagging, members of the Saeco/Cannondale pro road racing team (and other professional sponsored teams) may appear or race without helmets. We don't think it's a good idea, but they are experienced, professional cyclists and they know the risks. They are also adults, so we respect their right to choose. Despite the intransigence of the Saeco/Cannondale team, we strongly advocate the use of helmets on every ride. Wearing a helmet is perhaps your single best defense against a major medical catastrophe while riding, so buckle up!

AUTHORIZED EUROPEAN DISTRIBUTORS

The following lists are subject to change without notice.
** Denotes Apparel and Accessory Distributor only.*

EUROPE (GLOBAL): *Cannondale BV, Postbus 5100, Hanzepoort 27, 7570 GC Oldenzaal, NL, tel: 0031-541-573580, fax: 0031-541-514240, email: servicedeskeurope@cannondale.com*

CROATIA: *Kreidl Sport, Reljkoviceva 2, 10000 Zagreb, Croatia, tel: 00385-1308323, fax: 00385-1308334, www.kreidl-sport.com, email: kreidlsport@inet.hr*

CZECH REPUBLIC: *Vokolek, Resslerova 308, 10900, Praha 10, CSK, tel: 00420 241740712, fax: 00420 241740712, www.vokolek-import.cz email: info@vokolek-import.cz*

ESTONIA: *Hawaii Express Ltd., Regati 1, SKE-102, EE19 Tallinn, EST, tel: 00372 6198508, fax: 00372 6198566, email: alex@hawaii.ee*

ESTONIA: *Rattepood a/s OÜ ECT, Rummu tee 3, Tallin, 11911 EST, tel: 00372 6238776, fax: 00372 6237132 email: ewald@honest.ee*

GREECE: *Gatsoulis Imports, 8 Thessalonikis Street, 176342, New Filadelfia Athens, GRD, tel: 0030-2102512779, www.gatsoulis.gr fax: 0030-2102533960, email: chris@gatsoulis.gr*

HUNGARY: *Mali Bicycle Technology, Gyepsor u. 3, H-1171 Budapest, Hungary, tel: 0036-1420-5032, fax: 0036 142 0532 www.mali.hu email: mali@mail.hu*

ICELAND: *G.A. Petursson Ehf., Faxafen 14, 128 Reykjavik, Box 8176, Iceland, IS-108, tel: 354-520 6200, email: mojens@gap.is www.gap.is*

LATVIA: *VAIS Sia "aquapro", Elijas 17-408, Riga, LV1050, tel: 00371 7626025, fax 00371 7892053, email: gunis@aquapro.lv*

MALTA: *Pedal Power, 56 Triq Is-Stazzjan, B'Kara, BKR 12, Malta, tel: 00356 21227265, fax: 00356 277265*

POLAND: *Ski Team Sp. J., 17 Stycznia 36/38, 02-146, Warsaw, PLZ, tel: 0048 22 8465782, fax: 0048 22 8467964, email: remek@skiteam.com.pl*

POLAND: *Crazy Crank, Ul Pardalowka 11D, Zakopane, 34-500 tel: 0048182011281 fax: 0048182001516 email: piotr@cannondale-pl.com*

RUSSIA: *Sportclub / Velomir, Lusinovskaya Ul 53/12, VELOMIR, 113096, Moscow, RUS, tel: 007095268278, fax: 007952318463, email: info@velomir.ru www.velomir.ru*

SLOVAKIA: *Velmo s.r.o., SNP 365/76-21, SK-01851 Nova Dubnica, Slovakia, tel: 00421-42-6430034, fax: 0042142-6430034, email: velmo@psg.sk*

SLOVENIA: *Sportbrake 2000, Celovska 280, Ljubljana, 1000, tel: 00386 15194040, fax: 00386 15193580, email: sandi.gabrovsek@siol.net www.fasports.si*

TURKEY: *Eski Ice Mim Tesh Tic Ltd Sti, Kilic Sk. 3/19, Kalamis, 81030, Istanbul - TURKEY, TR, tel: 0090 216 3379600, fax: 0090 216 3457750, email: cjtrub@superonline.com*

EUROPEAN DISTRIBUTORS: *distributors@cannondale.com, tel: 0031 541 571587, fax: 0031 541 514240*

EUROPEAN TOURISM AND RESORTS: *distributors@cannondale.com, tel: 0031 541 571587, fax: 0031 541 514240*

EUROPEAN APPAREL AND ACCESSORIES DEALERS: *distributors@cannondale.com, tel: 0031 541 571587, fax: 0031 541 514240*

AUTHORIZED INTERNATIONAL DISTRIBUTORS

INTERNATIONAL SALES *(Emerging Markets): 172 Friendship Village Rd, Bedford PA 15522 USA, tel: 814 623 4314, fax: 814 623 2968, michele.burlingame@cannondale.com or casey.colledge@cannondale.com or joe.arcaro@cannondale.com*

ARGENTINA: *Skitel Trading S.A. Piedras 271 Escritorio 101 Montevideo Uruguay, 11000 Phone# 54 11 429 21697 Fax# 54 11429 24453 Email: cannonbikes@yahoo.com*

ARGENTINA: *(RETAILER): Lauro Competicion, Avda. San Pedrito 577, Buenos Aires Argentina 01406, tel: 4613 8859, fax: 54 11 4612 8865*

AUSTRALIA: *Cannondale Australia, Unit 6, 4 Prosperity Parade, N.S.W. 2103, Australia, tel: 612-9979-5851, cannondaleaustralia@cannondale.com*

BAHRAIN: *Skate Shack, Shop 122, 1st Floor, Seef Mall, P.O. Box 11205 Al Seef Dist., Manama, Bahrain, tel: 973 587 142, fax: 973 404 797*

BARBADOS: *De Costa Limited, P.O. Box 103, Bridgetown, Barbados, tel: 1 246 437 8700, fax: 1-246-426-5510*

BELIZE: *Santino's Ltd, 18 New Road, P.O. Box 648, Belize City, Belize, tel: 501 223-2500, fax: 501 223-1275, santinos@btl.net*

BERMUDA: *The New Winners Edge, 34 Church Street, Hamilton HM12, Bermuda, tel: 441 295 6012, fax: 413 292 1904*

BOLIVIA: *Visual Import & Export, C.Ballivian/Esq. Potosi, Edificio Salvatierra, Casilla 561, Santa Cruz, Bolivia, tel: 591-333-6745, fax: 591-333-6745*

BORNEO: *Cannasia, 101 Frankel Ave., Singapore, 458224, tel: 65-6441-4772, email: cannasia@mbox5.singnet.com.sg www.cannasia.com*

BRAZIL: *Anderson Bicicletas, Av. Adolfo Pinheiro, 2318, CEP 04737-004, Sao Paulo, Brazil, tel: 55-11-296-5596, www.andersonbicicletas.com.br/*

BRUNEI: *Cannasia, 101 Frankel Ave., Singapore, 458224, tel: 65-6441-4772, email: cannasia@mbox5.singnet.com.sg www.cannasia.com*

CHILE: *Inversiones Intercycles Ltda., Av. Nueva Las Condes, 12.270 #101, Santiago, Chile, South America, tel: 562 215-3470, fax: 562-217-3167, email: cycles@cannondale.cl*

CHINA: *Beijing Express Trading, 89 Xiyuan He Ping Street, Room 219, Parlex Bldg, Beijing City, PRC, 100013, tel: 86-108-427-4309, fax: 86-108-427-4302, email: express@263bj.com.cn*

COLOMBIA: *USA Bikes E.U. CRA. 43AB 23-50, Medellin, Colombia, tel: 574 262 2020, fax: 574 262 2080 sportbike@epm.net.co*

COSTA RICA: *Xiesso S.A., San José, Costa Rica, tel: 506 290-5096, fax: 506 290-3402, xiesso@racsa.co.cr*

CYPRUS: *Polys Roumbouris & Sons Ltd, PO BOX 28093, Strovolos, Cyprus, 02090, tel: 357 225 11083, fax: 357 224 91024, polyspr@cytanet.com.cy*

DOMINICAN REPUBLIC: *Avo & Pedal, 27 de Febrero #112, Santo Domingo, Dominican Republic, tel: (809) 686-5861, fax: (809) 687-6548, email: arapedal2@codetel.net.do*

ECUADOR: *Deportextremo S.A., Av. 10 De Augusto 13205 y Quito, Ecuador, tel: 593 2224 8732, fax: 593 2225 3691*

EL SALVADOR: *Bike Doctor, Centro Comercial Juan Pablo II, Local 309 B, Prolongacion Alameda Juan Pablo II, San Salvador, El Salvador, C.A. Phone/Fax (503)260-6152 email: bikedoctorracing@hotmail.com, web: www.bikedoctor.com.sv*

GUAM: *Hornet Bicycles, PO Box 8204, Tamuning, Guam 96931, tel: 671 646-9191, fax: 671 646-1900, email: bikie@guamcell.net*

GUATEMALA: *Bike Center, S. A., 20 Calle 24-67 Zona 10, Paris Plaza, Local 2-3, Guatemala City Guatemala, tel: 502-333-4888, fax: 502-333-7194, email: bikecenter@intelnett.com*

HONDURAS: *Comin Comercio, 2 Ave. 12 Calle #104, Barrio Las Acacias, San Pedro Sula, Honduras, tel: 504 552-2788, fax: 504 552-4708*

HONDURAS: *Hondubikes, Col. Humuya Av. Sahuara, Tegucigalpa, Honduras, tel/fax: 504 239 2592, email: hbikes02@hotmail.com*

HONG KONG: *Flying Ball Bicycle, 201 Tung Choi St. Mong Kok, Kowloon, Hong Kong, tel: 852 238 13661, fax: 852 239 74036, www.flyingball.com*

INDONESIA: *Cannasia Pte. Ltd., 101 Frankel Ave., Singapore, 458224, tel: 65-6441-4772, email: cannasia@mbox5.singnet.com.sg, www.cannasia.com*

ISRAEL: *DAA Sport Marketing Ltd, 101 Hashmonaim Street, Tel Aviv, Israel, 67133, tel: 972-03-562-2004, daa@daa.co.il, www.daa.co.il*

JAPAN: *Cannondale Japan, 5-12-5, Harayamadai, Sakai City, Osaka, Japan, 590-0132, tel: 072 299-9399, cjcustserv@cannondale.com*

KAZAKASTAN: *Doctor Can, 158 Makataeva Street, 16 app, Rep. Of Kazakhstan, 480090, tel: 7 3272 338943*

KOREA: *Sanbuko Sports 2F Kim Yun Who Build., 35-2 Nonhyun Dong, Kangnam GU Seoul, Korea, tel: 822-543-6390, fax: 822-3442-6391, email: sanbuko1@unitel.co.kr*

KUWAIT: *Silicon Valley Group., PO Box 665, Safat, 13007 Kuwait, tel: 965 243-3455, fax: 965 241-9644*

LEBANON: *VOZ MAX, Asco Center, Sassine, Beirut, Lebanon, tel: 961 332 6171, fax: 961 332 8666, www.vozmax.com*

MALAYSIA: *Cannasia Pte. Ltd., 101 Frankel Avenue, Singapore, 458224, tel: 65-6441-4772, cannasia@singnet.com.sg & www.cannasia.com*

MAURITIUS: *Emar Ltd, Old Moka Road, Bell Village, Republic of Mauritius, tel: 230 208-6335, fax: (230) 212-5952*

MEXICO: *Kami Triathlon Boutique, Av. Division Del Norte #2957, Col. Rosedal Coyoacan, México 04330, D.F., tel: 525-5549-5291, fax: 525-5549-5291, vkami_bici@infosel.net.mx, www.vkami.com*

NETHERLAND ANTILLIES: *Tel Sport N.V., KNAB Airport Blvd Simpsonbay, St. Maarten, Netherlands Antilles, tel: (599)545-4384, fax: (599)545-4385, tripet@sintmaarten.net*

NEW CALEDONIA: *Royal Motors SA., 9, route de la Baie des Dames., Nouméa, New Caledonia, 98800, tel: 687 285 912, fax: 687 286 320, r.motors@grouperalmg.nc*

PANAMA: *Distribuidora Rali, Via Tocumen, Apartado 87-052, Zona 7, Panama, tel: 507-220-3844, fax: 507-220-5303, dirali@cwpa.net*

PERU: *Cycling S.R.L., Av. Tomas Marsano 285, Higuereta Surco, Lima, Peru, tel/fax: 511 271-0242, cycling@terra.com.pe*

PHILIPPINES: *Newton Multi Sales, 71 Kanlaran, Cor. Augan St., SFDM, Quezon City, Philippines, 1105, tel: (0632) 3725127.28 & 3717.31, fax: (0632) 3735439, wash@pacific.net.ph*

PUERTO RICO: *Seamount Corporation, 1936 Panama St., San Juan, Puerto Rico, 00726, tel: 1 787 783 4369, fax: 1 787 765 6520, info@ciclismundo.com*

SINGAPORE: *Cannasia Pte. Ltd., 101 Frankel Avenue, Singapore 458224, tel: 65-6441-4772, Cannasia@singnet.com.sg, www.cannasia.com*

SOUTH AFRICA: *Cape Cycle Systems (PTY) Ltd., 10 Argo Road, Wetton, South Africa, 7800, tel: 27-21-761-3528, fax: 27-21-761-9914, capecycles@intekom.co.za*

TAHITI: *Pacific Cycles, 49 Rue Cardella, P.O Box 1535 French Polynesia, Papeete Tahiti, 98713, tel: 689 450-451, fax: 689 835-600, pacific.cycles@mail.pf*

TAIWAN: *Cash Crest LTD, 1st Floor, #299 Sanhuang Rd., Chung Li City, Tao Yuan Hsien, Taiwan, tel: 886-349-15050, fax: 886-349-15053*

THAILAND: *ThaiCannasia/Star Bikes, 73/1 Sukhumvit Soi 3, North Nana, Klong Toey, Bangkok, Thailand 10110, tel: 661 332 8687, fax: 662 253 3464, thakann@asiaaccess.net.th, www.thaikannasia.com*

TRINIDAD: *Motorcycles Etc., 89 Eastern Main Road, Barataria, Trinidad and Tobago, tel: 868-675-2452, fax: 868 675 1816, kenya@wow.net*

TRINIDAD: *Sport and Games Limited, 47 Tower Drive, Trincity, Trinidad, tel: 662-567-8886*

UNITED ARAB EMRIATES: *Gutex Co., NO. 401 White Crown Building Sheikh Zayed RD PO BOX 30968, Dubai UAE, tel: 971-4332-5550, fax: 971-4332-8040*

URUGUAY: *Skitel Trading S.A. Piedras 271 Escritorio 101 Montevideo Uruguay, 11000, Phone# 54 11 429 21697, Fax# 54 11429 24453 Email: cannonbikes@yahoo.com*

VENEZUELA: *Bici Bikes, 2A Av., Ed. Artelito local 5 (WINDCTR) Los Palos Grandes, Caracas, Venezuela 1041, tel: 58 212 286 0285, fax: 58 212 283 7866*

VENEZUELA: *Bicimania C.A., C.C., M Ave. Bolivar, Porlamar, Margarita Island, Venezuela, tel/fax: 58 295 262-9116, bicimania@rancent.net*

VENEZUELA: *Bike Sports/Venezuela Centro Comercial Iliana, Local 3A, Calle Garcilazo, Colinas de Bello Monte, Caracas, Venezuela, tel: 58-212-751-9743, fax: 58 212 753 5017*

WORLD WIDE MILITARY SALES: *tel: 814 623 4391, fax: 814 623 2968, casey.colledge@cannondale.com*

WORLD WIDE TOURISM & RESORTS: *tel: 814 623-4314, fax: 814 623-2968, michele.burlingame@cannondale.com*

UNITED STATES
Cannondale USA, 172 Friendship Village Road,
Bedford PA 15522-6600, USA
tel: 1-800-BIKE-USA
custserv@cannondale.com

JAPAN
Cannondale Japan, 5-12-5, Harayamadai,
Sakai City, Osaka, Japan, 590-0132
tel: 072-299-9399,
cjcustserv@cannondale.com

EUROPE
Cannondale B.V., Postbus 5100, Hanzepoort 27,
7570 GC,Oldenzaal, NL
tel: 0031-541-573580, fax: 0031-541-514240
servicedeskeurope@cannondale.com

AUSTRALIA
Cannondale Australia, Unit 6, 4 Prosperity
Parade, Warriewood N.S.W. 2102, Australia
tel: 61-2-9979-5851
cannondaleaustralia@cannondale.com


Race Red
(Gloss)


Saffron Metallic
(Gloss)


Saffron Metallic
(Matte)


Platinum
(Gloss)


Yellow Green
(Gloss)


Fairway Green
(Gloss)


Fairway Green
(Matte)


Blazer Blue
(Gloss)


Blazer Blue
(Matte)


Patriot Blue
(Gloss)


Patriot Blue
(Matte)


Midnight Blue
(Gloss)


Midnight Blue
(Matte)


Mocha Brown
(Gloss)


Mocha Brown
(Matte)


Charcoal Grey
(Gloss)


Charcoal Grey
(Matte)


Jet Black
(Gloss)


Jet Black
(Matte)


Sterling Silver
(Gloss)


Lightning White
(Gloss)


Ball-burnished
Aluminum
(Gloss)


Raw Aluminum
(Gloss)


Galvanized
Aluminum
(Gloss)


Jet Black w/White Pearl
HyperHighlight
(Gloss)


Jet Black w/Patriot
HyperHighlight
(Gloss)


Charcoal Grey
w/Sterling Silver
HyperHighlight (Gloss)


Midnight Blue
w/Patriot Blue
HyperHighlight (Matte)


Patriot Blue
w/Blazer Blue
HyperHighlight (Gloss)


Patriot Blue
w/Midnight Blue
HyperHighlight (Gloss)


Platinum
w/Sterling Silver
HyperHighlight (Gloss)


Raw Aluminum
w/Black-Tinted Clear
HyperHighlight (Gloss)


Lightning White
w/Sterling Silver
HyperHighlight (Gloss)


Jet Black/
Raw Aluminum
(Matte)


Jet Black/
Sterling Silver
(Gloss)


Jet Black/
Charcoal Grey
(Gloss)


Jet Black/
Race Red
(Gloss)


Jet Black/
Saffron Metallic
(Gloss)


Mocha/
Saffron Metallic
(Gloss)


Mocha/
Saffron Metallic
(Matte)

Midnight Blue/
Blazer Blue
(Gloss)

Patriot Blue/
Lightning White
(Gloss)

Patriot Blue/
Sterling Silver
(Gloss)

Blazer Blue/
Lightning White
(Gloss)

Fairway Green
w/Platinum
HyperHighlight (Gloss)

Fairway Green/
Yellow Green
(Gloss)

Yellow Green/
Fairway Green
(Gloss)

Saffron Metallic/
Jet Black
(Matte)

Triple Blue Fade
(Gloss)

Candy Corn Fade
(Gloss)

116906



cannondale feel it

WWW.CANNONDALE.COM